

TS 101 394 V6.0.1 (1998-10)

Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Name identification supplementary services;
Stage 1
(GSM 02.96 version 6.0.1 Release 1997)**

The background of the lower half of the page features a large, stylized graphic of concentric, overlapping light blue and white curved bands, resembling a signal or a globe. The GSM logo is positioned in the upper right area of this section.

GSM®
GLOBAL SYSTEM FOR
MOBILE COMMUNICATIONS

ETSI 

Reference

DTS/SMG-010296Q6 (cwo0300r.PDF)

Keywords

Digital cellular telecommunications system,
Global System for Mobile communications (GSM)

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr
<http://www.etsi.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.
All rights reserved.

Contents

Intellectual Property Rights.....	4
Foreword	4
1 Scope.....	5
2 Normative references	5
3 Definitions and abbreviations	5
3.1 Definitions	5
3.2 Abbreviations.....	6
4 Calling Name Presentation (CNAP)	6
4.1 Definition.....	6
4.2 Description.....	6
4.2.1 Description.....	6
4.2.2 Applicability to telecommunication services.....	6
4.3 Normal procedures with successful outcome.....	6
4.3.1 Provision	6
4.3.2 Withdrawal.....	7
4.3.3 Registration	7
4.3.4 Erasure	7
4.3.5 Activation.....	7
4.3.6 Deactivation	7
4.3.7 Invocation.....	7
4.3.8 Normal operation with successful outcome.....	7
4.3.9 Interrogation.....	7
4.4 Exceptional procedures or unsuccessful outcome.....	7
4.5 Alternate procedures	8
4.6 Interactions with other GSM supplementary services	8
4.6.1 Calling Line Identification Presentation (CLIP).....	8
4.6.2 Calling Line Identification Restriction (CLIR)	8
4.6.3 Call Forwarding Unconditional (CFU).....	8
4.6.4 Call Forwarding on mobile subscriber Busy (CFB).....	8
4.6.4.1 Network Determined User Busy (NDUB).....	8
4.6.4.2 User Determined User Busy (UDUB)	8
4.6.5 Call Forwarding on No Reply (CFNRy)	9
4.6.6 Call Forwarding on mobile subscriber Not Reachable (CFNRc)	9
4.6.7 Call Waiting (CW)	9
4.6.9 Explicit Call Transfer (ECT).....	9
4.6.10 Support of Private Numbering Plan (SPNP)	9
4.6.11 Completion of Calls to Busy Subscriber (CCBS).....	9
4.6.12 enhanced Multi-Level Precedence and Pre-emption (eMLPP)	9
4.7 Service functions for roamers	9
4.8 Interworking considerations.....	9
Annex A (informative): Status of GSM 02.96.....	10
History	11

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This ETSI Technical Specification (TS) has been produced by the Special Mobile Group (SMG) of the European Telecommunications Standards Institute (ETSI).

This TS describes name identification supplementary services (stage 1) within the digital cellular telecommunications system.

The contents of this TS are subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of this TS it will then be re-released by SMG with an identifying change of release date and an increase in version number as follows:

Version 6.x.y

where:

- 6 indicates GSM Phase 2+ Release 1997
- x the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- y the third digit is incremented when editorial only changes have been incorporated in the specification;

1 Scope

This ETSI Technical Specification (TS) describes the supplementary services belonging to the group Name Identification supplementary services.

The general aspects, including definitions and recommended provision, of the description of the GSM supplementary services are given in GSM 02.04.

The group of Name Identification supplementary services is divided into the following supplementary services:

CNAP Calling Name Presentation (clause 4).

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] GSM 01.04: "Digital cellular telecommunications system (Phase 2+); Abbreviations and acronyms".
 - [2] GSM 02.04: "Digital cellular telecommunications system (Phase 2+); General on Supplementary Services".
 - [3] GSM 02.81: "Digital cellular telecommunications system (Phase 2+); Line Identification Supplementary Services - Stage 1".
-

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following definitions apply:

Definition of name identity:

The name identity is made up of the following information unit:

- The name of the mobile subscriber for the purpose of calling name presentation - up to 80 characters of information associated with a specific calling party.

The calling name identity is the name identity of the calling party.

Definition of Presentation Indicator:

In addition to or instead of the name identity, the network may give a Presentation Indicator (PI) to the called mobile subscriber of the CNAP service. The following information may be given:

- Presentation Indicator (PI) showing:
 - a) presentation restricted, or

b) name unavailable.

The name identity of a GSM PLMN subscriber shall always be provided by the network.

Calling Party: The calling party is the originating party.

Called Party: The called party is the terminating party. The CNAP service is provided to the called party.

Calling Name Information: The calling name information of the calling party includes either the calling name identity or an indication of privacy or unavailability.

3.2 Abbreviations

In addition to the following abbreviations used in this TS, abbreviations are listed in GSM 01.04.

CNAP	Calling Name Presentation
------	---------------------------

4 Calling Name Presentation (CNAP)

4.1 Definition

The CNAP supplementary service enables the called party to receive the calling name information of the calling party.

4.2 Description

4.2.1 Description

This supplementary service provides for the ability to indicate the name information of the calling party to the called party at call set-up time for all incoming calls.

The calling party takes no action to activate, initiate, or in any manner provide Calling Name Identification Presentation. However, the delivery of the calling name to the called party may be affected by other services subscribed to by the calling party. For example, if the calling party has subscribed to Calling Line Identification Restriction (CLIR), then the calling line identity as well as the calling name identity shall not be presented to the called party.

4.2.2 Applicability to telecommunication services

The applicability of this supplementary service is defined in GSM 02.04.

CNAP is applicable to all telecommunication services except Short Message service. (for further study)

4.3 Normal procedures with successful outcome

4.3.1 Provision

This supplementary service is provisioned for all Basic Services subscribed to and to which it is applicable, i.e. not provisioned for any subset of these Basic Services.

This service shall be provided after pre-arrangement with the service provider. It may be provided on a subscription basis or be generally available.

The override category controlling the name information is separate from the override category for the line identity information. It is left to the CNAP service provider to ensure that no discrepancy between these two override categories occurs. The handling of override category within a PLMN or between PLMNs shall follow the rules applying to the override category of the line identification services [3].

4.3.2 Withdrawal

The CNAP supplementary service shall be withdrawn at the customer's request or for administrative reasons.

4.3.3 Registration

Not applicable.

4.3.4 Erasure

Not applicable.

4.3.5 Activation

The CNAP supplementary service is activated as a result of provision.

4.3.6 Deactivation

The CNAP supplementary service is deactivated as a result of withdrawal.

4.3.7 Invocation

The network shall automatically invoke the CNAP supplementary service in the call set-up phase to the terminating CNAP subscriber.

CNAP is invoked when the Calling Name Information associated with an incoming call is available and can be presented to the called party which has subscribed to CNAP.

4.3.8 Normal operation with successful outcome

A user who has subscribed to the CNAP supplementary service and receives a call shall also receive the calling name information of the calling party, if available.

The calling party takes no action to activate, initiate, or in any manner provide the calling name identity.

When the CNAP service is subscribed and activated, the destination network provides the called subscriber with calling name information at call set-up on all incoming calls or during an active call for that particular call.

In addition to, or instead of, the calling name identity, the subscriber may be given a presentation indicator with the relevant information.

4.3.9 Interrogation

Status check

The mobile subscriber can, by the appropriate control procedure, request from the network the status of this supplementary service. Upon receiving an interrogation request, the network shall send the status of this supplementary service to the subscriber.

The information sent to the subscriber shall indicate whether the service is provided to her.

The information sent in response to the interrogation of this supplementary service shall not imply the status of any other supplementary service.

4.4 Exceptional procedures or unsuccessful outcome

If the name identity for a specific caller is not available, then the CNAP subscriber shall be sent an indication that the name is unavailable.

If the network has been unable to determine the appropriate name information within a predefined time, then the CNAP subscriber shall be sent an indication that the name is unavailable. The predefined time is a network dependent value such that the called user may receive the name in a timely manner prior to answer.

If the calling name information is not available due to a system problem, such as signalling inter-working, then a standard error treatment shall be provided, which may be a visual display to the subscriber indicating the name is unavailable.

4.5 Alternate procedures

The decision of whether the user-defined name stored in the handset should take precedence over the calling name identity provided by the network is a handset implementation issue.

4.6 Interactions with other GSM supplementary services

Only those supplementary services for which CNAP has any interactions are detailed in this clause. For all other Phase 2 supplementary services not mentioned in this clause no interactions were identified.

4.6.1 Calling Line Identification Presentation (CLIP)

No interaction.

4.6.2 Calling Line Identification Restriction (CLIR)

The CLIR supplementary service shall take precedence over the CNAP supplementary service, unless the called user has an override category. In this latter case, it is assumed that the override category for name information has been set so that the name information is presented to the called user.

The Calling Line Identification Restriction (CLIR) information shall be used to restrict the delivery of the calling name to the called subscriber. That is, if the calling party has activated CLIR then instead of the calling name, a privacy indication shall be provided to the called subscriber, which may be a visual display indicating "private" (or Restricted) name. This method of restricting calling name shall not restrict the use or implementation of other calling name restriction methods when the calling party is a fixed subscriber. These methods used by fixed subscribers are outside the scope of this specification.

4.6.3 Call Forwarding Unconditional (CFU)

For an incoming call to a subscriber with both CNAP and Call Forwarding Unconditional activated, the calling party name information shall not be displayed at the forwarding subscribers terminal.

When a call has been forwarded and the forwarded-to user has been provided with the CNAP supplementary service, the forwarded-to user shall receive the name of the original calling party, if the calling party has not subscribed to or invoked the CLIR supplementary service.

4.6.4 Call Forwarding on mobile subscriber Busy (CFB)

4.6.4.1 Network Determined User Busy (NDUB)

Same as the interaction with call forwarding unconditional.

4.6.4.2 User Determined User Busy (UDUB)

Same as interaction with call forwarding no reply.

4.6.5 Call Forwarding on No Reply (CFNRy)

For an incoming call to a subscriber with both CNAP and Call Forwarding on No Reply activated, the calling party name information shall be displayed by the predefined time while the call is alerting.

4.6.6 Call Forwarding on mobile subscriber Not Reachable (CFNRc)

Same as the interaction with call forwarding unconditional.

4.6.7 Call Waiting (CW)

If the served mobile subscriber is provisioned with the CNAP service, the calling party name information shall be displayed to the subscriber at the notification of an incoming (waiting) call as for a normal incoming call.

4.6.9 Explicit Call Transfer (ECT)

For Further Study.

4.6.10 Support of Private Numbering Plan (SPNP)

The public number corresponding to the used PNP number is used to obtain the calling name information for delivery to the called party's terminal.

4.6.11 Completion of Calls to Busy Subscriber (CCBS)

No interaction.

4.6.12 enhanced Multi-Level Precedence and Pre-emption (eMLPP)

No interaction.

4.7 Service functions for roamers

CNAP should be available to a roaming subscriber. However, the serving system may elect to not offer the CNAP service to any subscriber.

4.8 Interworking considerations

According to national network specific rules, the CNAP supplementary services need not be applicable, if at least one of the two parties is not an ISDN or GSM PLMN subscriber.

Annex A (informative): Status of GSM 02.96

Status of Technical Specification GSM 2.96		
Date	Version	Remarks
		No phase 1 version
May 1997	version 0.0.1	first draft presented in SMG1-Göteborg
June 1997	version 0.0.2	SMG1-Göteborg: editorial modifications and lay-out
September 1997	version 1.0.0	For information
October 1997	version 1.0.1	Style changed, ETSI new presentation and Standard text blocks added (IPR clause and clause 2 references 1 st paragraph). Subclauses 4.6.11-13 renumbered as 4.6.10_12 (subclause 4.6.10 was missing)
October 1997	version 1.1.1	
November 1997	version 1.2.0	SMG1-Dresden: editorial modifications. Modifications of sections 4.3.1, 4.3.2, 4.6, 4.6.2, 4.6.8. to incorporate answers to SMG1 questions listed in Tdoc SMG1 506/97. Complete list of answers contained in Tdoc SMG1 541/97 Attachment 1.
December 1997	version 2.0.0	presented at SMG#24 and approved
September 1998	version 6.0.0	version 6.0.0 created as part of Release 1997
October 1998	version 6.0.1	version 6.0.1 created for publication
Rapporteur: Sonia Doshi (Nortel, USA)		
Text and figures : WinWord 6.0 Stylesheet: etsiw_60.dot		

History

Document history		
V6.0.1	October 1998	Publication