

ETSI TS 102 281 V3.1.1 (2019-01)



**Rail Telecommunications (RT);
Global System for Mobile communications (GSM);
Detailed requirements for GSM operation on Railways**

Reference

RTS/RT-0043

Keywords

GSM, GSM-R, railways, R-GSM, UIC

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references.....	5
3 Definition of terms, symbols and abbreviations.....	5
3.1 Terms.....	5
3.2 Symbols.....	5
3.3 Abbreviations	6
4 CRs required for operation of GSM on Railways to be added to the normative references of ETSI EN 301 515.....	6
4.0 General conditions.....	6
4.1 CRs applicable to the TSs listed as normative references of ETSI EN 301 515	6
4.2 CRs applicable to the TSs listed as optional references of ETSI EN 301 515	19
Annex A (informative): Bibliography.....	22
History	23

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Railway Telecommunications (RT).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document collects all the 3GPP™ Change Requests (CRs) required for operation of GSM for Railways. It complements ETSI EN 301 515 [1].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 515 (V3.0.0): "Global System for Mobile communication (GSM); Requirements for GSM operation on railways".
- [2] UIC Project EIRENE (European Integrated Railway Radio Enhanced Network): "System Requirements Specification".
- [3] UIC Project EIRENE (European Integrated Railway Radio Enhanced Network): "Functional Requirements Specification".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

Not applicable.

3 Definition of terms, symbols and abbreviations

3.1 Terms

Void.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

3GPP	Third Generation Partnership Project
ASCI	Advanced Speech Call Items
AT	ATtention
BSSAP	Base Station Subsystem Application Protocol
CCWA	Control of Call WAiting
CR	Change Request
DTMF	Dual-Tone Multi-Frequency
FFN	Follow me Function Node
IMSI	International Mobile Subscriber Identity
NCH	Notification CHannel
OTDI	Originator-To-Dispatcher Information
PCH	Paging CHannel
SMS	Short Message Service
SS	Supplementary Service
SSN	Sub-System Number
TS	Technical Specification
VGCS	Voice Group Call Services

4 CRs required for operation of GSM on Railways to be added to the normative references of ETSI EN 301 515

4.0 General conditions

GSM on Railways shall comply to all the CRs listed in the present document in addition to the GSM/3GPP TSs listed as normative references of ETSI EN 301 515 [1], clause 4 unless there is a contradiction between a CR listed in table 1 or 2 and a requirement in EIRENE SRS [2], in which case the requirement in EIRENE SRS [2] and EIRENE FRS [3] shall prevail.

Clauses 4.1 and 4.2 of the present document list the applicable CRs as well as a short description of each CR purpose.

Table 1 contains the CRs applicable to the TSs already listed as normative references of ETSI EN 301 515 [1] clause 4, while table 2 contains the CRs applicable to TSs listed as optional references of ETSI EN 301 515 [1], clause 5.

The CRs listed here are contained in archive ts_102281v030101p0.zip which accompanies the present document.

NOTE: The 3GPP/SMG CR database is the authoritative repository of the status of CRs presented in SMG/3GPP groups. This database can be found at <https://portal.3gpp.org/ChangeRequests.aspx>.

4.1 CRs applicable to the TSs listed as normative references of ETSI EN 301 515

For each TS listed as a normative reference of ETSI EN 301 515 [1], table 1 lists the CRs necessary for GSM R operation.

The first and second columns (Index and Specification) of table 1 are identical to the table of clause 4 in ETSI EN 301 515 [1].

The third and fourth columns identify the required CRs and their purpose. A Change Request whose purpose is shown in *italics* relates to a requirement which is optional in [2] or [3]. Therefore the corresponding Change Request is applicable if the relevant optional requirement is selected.

Table 1: CRs required for GSM R operation that are applicable to the TSs listed as normative references of ETSI EN 301 515 [1]

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
[1]	<p>ETSI TS 100 590: "Digital cellular telecommunications system (Phase 2+); Mobile-services Switching Centre - Base Station System (MSC - BSS) interface; Layer 3 specification (3GPP TS 08.08 version 8.15.0 Release 1999)".</p> <p><i>For information, becoming in Rel-4 and later:</i></p> <p>ETSI TS 148 008: "Digital cellular telecommunications system (Phase 2+); Mobile Switching Centre - Base Station system (MSC-BSS) interface; Layer 3 specification (3GPP TS 48.008)".</p>	CR 0001 to 48.008 Rel-4 in GP-000034, approved at GP-01	VBS/VGCS assignment request message can be piggy-backed in a SCCP Connection Request message
		CR 002 to 48.008 Rel-4 in GP-000033, approved at GP-01	CLEAR REQUEST use precision with VGCS/VBS call
		CR 0081 to 48.008 Rel-6 in GP-032142, approved at GP-16	Correction of uplink release management
		CR 0114r6 to 48.008 Rel-6 in GP-041711, approved at GP-20	VGCS Queuing and Pre-emption Handling
		CR 0120 to 48.008 Rel-6 in GP-040952, approved at GP-19	Incorrect length of group call reference IE
		CR 0149 to 48.008 Rel-6 in GP-050260, approved at GP-23	Group Call Reference handling by the MSC
		CR 0151r3 to 48.008 Rel-6 in GP-050855, approved at GP-24	Correction of VGCS uplink seize description
		CR 0187r1 to 48.008 Rel-7 in GP-060670, approved at GP-29	Paging of VGCS/VBS MS
		CR 0208r2 to 48.008 Rel-7 in GP-061460, approved at GP-30	Release due to BSS generated reason for VGCS/VBS
		CR 0225r1 to 48.008 Rel-7 in GP-070440, approved at GP-33	Correction and addition to Paging Information IE
		CR 0228r1 to 48.008 Rel-7 in GP-070443, approved at GP-33	Queuing procedure clarification
		CR 0229 to 48.008 Rel-7 in GP-070337, approved at GP-33	Definition of BSSAP procedures for release/refusal of VGCS/VBS call controlling/ resource controlling connections
		CR 0236r2 to 48.008 Rel-7 in GP-071040, approved at GP-34	Corrections to VGCS/VBS ASSIGNMENT STATUS msg description
		CR 0244r3 to 48.008 Rel-7 in GP-080220, approved at GP-37	Circuit Identity Code (CIC) in VGCS/VBS Assignment Result / Request
		CR 0266 to 48.008 Rel-8 in GP-081196, approved at GP-39	Correction to Uplink Request Confirmation
CR 0405r2 to 48.008 Rel-12 in GP-150568, approved at GP-66	BSSMAP changes required for AoIP support of VGCS/VBS services		

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
[2]	ETSI TS 100 607-1: "Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 11.10-1 version 8.3.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 151 010-1: "Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1)".	CR 4917 to TS 51.010-1 Rel-11 in GP-140020 approved at GP-61	ER-GSM updates sec26 part 1
		CR 4913 to TS 51.010-1 Rel-11 in GP-140079 approved at GP-61	ER-GSM updates sec00-sec11
		CR 4914 to TS 51.010-1 Rel-11 in GP-140080 approved at GP-61	ER-GSM updates sec12-sec13
		CR 4915 to TS 51.010-1 Rel-11 in GP-140081 approved at GP-61	ER-GSM updates sec14
		CR 4916 to TS 51.010-1 Rel-11 in GP-140082 approved at GP-61	ER-GSM updates sec15-sec20
		CR 4918 to TS 51.010-1 Rel-11 in GP-140083 approved at GP-61	ER-GSM updates sec26 part 2
		CR 4919 to TS 51.010-1 Rel-11 in GP-140084 approved at GP-61	ER-GSM updates sec26part 3
		CR 4920 to TS 51.010-1 Rel-11 in GP-140085 approved at GP-61	ER-GSM updates sec26part 4
		CR 4921 to TS 51.010-1 Rel-11 in GP-140086 approved at GP-61	ER-GSM updates sec52
[3]	ETSI TS 100 929: "Digital cellular telecommunications system (Phase 2+); Security-related network functions (3GPP TS 03.20 version 8.6.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 143 020: "Digital cellular telecommunications system (Phase 2+); Security related network functions (3GPP TS 43.020)".		
[4]	ETSI TS 100 933: "Digital cellular telecommunications system (Phase 2+); Voice Group Call Service (VGCS); Stage 2 (3GPP TS 03.68 version 8.6.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 143 068: "Digital cellular telecommunications system (Phase 2+); Voice Group Call Service (VGCS); Stage 2 (3GPP TS 43.068)".	CR A023 to TS 03.68 Rel-4 in P-00-255, approved at SMG-32	Introduction of OTDI (Originator-To-Dispatcher Information into VGCS)
		CR 0001 to TS 43.068 Rel-4 in NP-000449, approved at CN-09	Uplink Release dataFlow correction
		CR 0007 to TS 43.068 Rel-5 in NP-020383, approved at CN-17	ASCI VGCS call termination by dispatchers using DTMF
		CR 0008r4 to TS 43.068 Rel-5 in NP-020675, approved at CN-18	MS late entry notification
		CR 0009r1 to TS 43.068 Rel-4 in NP-030408, approved at CN-21	Correction of uplink release management
		CR 0013r1 to TS 43.068 Rel-5 in NP-030409, approved at CN-21	Correction to MS Late Entry description
		CR 0014r2 to TS 43.068 Rel-6 in NP-030410, approved at CN-21	Dispatcher signalled mute/unmute of talkers downlink and correction and update of incorrect implementation of CR 03.68 A022

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
		CR 0017r1 to TS 43.068 Rel-4 in NP-040373, approved at CN-25	Correction on notification for first talker of VGCS call
		CR 0029 to TS 43.068 Rel-4 in NP-050067, approved at CN-27	Correction of the conditions for establishment of a voice group call
		CR 0036r1 to TS 43.068 Rel-6 in NP-050076, approved at CN-27	Inter-PLMN Group Call notification for dispatchers
		CR 0046r1 to TS 43.068 Rel-6 in CP-050361, approved at CP-29	Clarification of the role of the anchor MSC
		CR 0068 to TS 43.068 Rel-7 in CP-050549, approved at CP-30	Editorial corrections (corrections of misspelling, grammatical errors, etc.)
		CR 0072r2 to TS 43.068 Rel-6 in CP-060113, approved at CP-31	Correction of muting/unmuting procedure
		CR 0076r1 to TS 43.068 Rel-7 in CP-060122, approved at CP-31	Modification of conditions for VGCS call establishment
		CR 0080r1 to TS 43.068 Rel-7 in CP-060122, approved at CP-31	Corrections and clarifications to the procedures for releasing the calling service subscribers dedicated connection to the anchor MSC
		CR 0081r1 to TS 43.068 Rel-7 in CP-060122, approved at CP-31	Correction/ clarification of voice group call termination procedures
		CR 0085 to TS 43.068 Rel-7 in CP-060272, approved at CP-32	Add signalling flow for a dispatcher originated VGCS
		CR 0094 to TS 43.068 Rel-7 in CP-060276, approved at CP-32	Correction of Figure 6
		CR 0097r2 to TS 43.068 Rel-7 in CP-060464, approved at CP-33	Failure cases during VGCS call establishment
		CR 0103 to TS 43.068 Rel-7 in CP-060464, approved at CP-33	Indicate the originating relay MSC address to anchor MSC
		<i>CR 0105r1 to TS 43.068 Rel-7 in CP-060464, approved at CP-33</i>	<i>Extension of Group ID</i>
		CR 0114 to TS 43.068 Rel-7 in CP-060665, approved at CP-34	Condition for the inclusion of parameters in the GCR interrogation message
		CR 0115 to TS 43.068 Rel-7 in CP-060665, approved at CP-34	Addition of Teleservice Code to SendGroupCallInfo
		<i>CR 0116r1 to TS 43.068 Rel-7 in CP-060664, approved at CP-34</i>	<i>Clarifications to the case when a group ID with 8 digits is used</i>
		CR 0128 to TS 43.068 Rel-6 in CP-070131, approved at CP-35	Definition of BSSAP procedure for release of VGCS call controlling connections

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
		CR 0130r2 to TS 43.068 Rel-6 in CP-070376, approved at CP-36	Retry of the VGCS Assignment procedure
		CR 0131r1 to TS 43.068 Rel-7 in CP-070376, approved at CP-36	Silent (re-)joining dispatcher, immediately talking dispatcher
		CR 0133 to TS 43.068 Rel-8 in CP-070371, approved at CP-36	Definition of BSSAP procedure for release of VGCS call controlling connections
		CR 0141 to TS 43.068 Rel-8 in CP-070604, approved at CP-37	Correction to process VGCS_Handling_Relay_MSC
		CR 0142 to TS 43.068 Rel-8 in CP-070602, approved at CP-37	Correction to the talker channel parameter
		CR 0145r1 to TS 43.068 Rel-7 in CP-080123, approved at CP-39	Clean up of the requirement of sending SMS to non established group calls
		CR 0147r1 to TS 43.068 Rel-8 in CP-080129, approved at CP-39	Clarification of the channel to be used for uplink access
		CR 0150 to TS 43.068 Rel-8 in CP-080361, approved at CP-40	Clarification of conditions for start and stop of voice inactivity timer
		<i>CR 0151 to TS 43.068 Rel-9 in CP-100135, approved at CP-47</i>	<i>Uplink reply procedure</i>
		CR 0154 to TS 43.068 Rel-11 in CP-110882, approved at CP-54	Initial Talker Information handling (solving race conditions)
		CR 0155 to TS 43.068 Rel-11 in CP-110882, approved at CP-54	GCR Transient Data
		<i>CR 0168 to TS 43.068 Rel-13 in CP-150329, approved at CP-68</i>	<i>Explicit signalling mute/unmute for VGCS</i>
		CR 0003 to TS 43.068 Rel-4 in NP-000449, approved at NP-09	Identification of Group ID - The longest GID has to be matched
		CR 0004 to TS 43.068 Rel-4 in NP-000667, approved at NP-10	Call Waiting is not applicable to an originator/talker in dedicated mode
		CR 0005 to TS 43.068 Rel-4 in NP-000667, approved at NP-10	Wrong Field Name for OTDI
		CR 0006r1 to TS 43.068 Rel-4 in NP-000667, approved at NP-10	DTMF precision
		CR 0011r1 to TS 43.068 Rel-4 in NP-030407, approved at NP-21	Correction to definition of Group-ID, Group call area ID and Group Call Reference
		CR 0016r1 to TS 43.068 Rel-6 in NP-040203, approved at NP-24	Correction of PCH re-organization notification
		CR 0022r2 to TS 43.068 Rel-6 in NP-040515, approved at NP-26	Group Call Reference handling by the MSC during VGCS call establishment

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
		CR 0024 to TS 43.068 Rel-6 in NP-040515, approved at NP-26	Clarification on Immediate Setup procedure
		CR 0041 to TS 43.068 Rel-6 in CP-050057, approved at CP-28	Correction on the use of calling subscriber and destination subscriber
		CR 0047r1 to TS 43.068 Rel-7 in CP-050361, approved at CP-29	Error correction
		<i>CR 0055 to TS 43.068 Rel-7 in CP-050365, approved at CP-29</i>	<i>Enhancement on the dedicated channel Assignment procedure</i>
		CR 0082r2 to TS 43.068 Rel-7 in CP-060122, approved at CP-31	Clarification of the no activity time
		CR 0095 to TS 43.068 Rel-7 in CP-060272, approved at CP-32	Correction of Figure 6a
		CR 0134 to TS 43.068 Rel-8 in CP-070387, approved at CP-36	Alignment of SDLs with condition for successful call setup
		CR 0148r1 to TS 43.068 Rel-8 in CP-080136, approved at CP-39	Warning tone for call termination due to time out of voice inactivity time
		CR 0167 to TS 43.068 Rel-11 in CP-120808, approved at CP-58	Additional Calling Party Number
		<i>CR 0169r3 to TS 43.068 Rel-12 in C1-152517 approved at CP-69</i>	<i>Voice Group Call service with AoIP</i>
[5]	ETSI TS 100 934: "Digital cellular telecommunications system (Phase 2+); Voice Broadcast Service (VBS); Stage 2 (3GPP TS 03.69 version 8.5.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 143 069: "Digital cellular telecommunications system (Phase 2+); Voice Broadcast service (VBS); Stage 2 (3GPP TS 43.069)".	CR A016 to TS 03.69 Rel-4 in NP-000276, approved at SMG-32	Introduction of OTDI (Originator-To-Dispatcher Information into VBS)
		CR 0003 to TS 43.069 Rel-4 in NP-000667, approved at NP-10	Call Waiting is not applicable to an originator in dedicated mode
		CR 0006 to TS 43.069 Rel-5 in NP-020383, approved at CN-17	ASCI VBS call termination by dispatchers using DTMF
		CR 0007r4 to TS 43.069 Rel-5 in NP-020676, approved at CN-18	MS late entry notification
		CR 0009r1 to TS 43.069 Rel-5 in NP-030407, approved at NP-21	Correction to definition of Group-ID, Group call area ID and Broadcast Call Reference
		CR 0010r1 to TS 43.069 Rel-5 in NP-030409, approved at CN-21	Correction to MS Late Entry description
		CR 0012 to TS 43.069 Rel-4 in NP-040373, approved at CN-25	Correction on notification procedures for Originator of VBS call
		CR 0013r1 to TS 43.069 Rel-5 in NP-040373, approved at NP-25	Correction on notification procedures for Originator of VBS call
		CR 0016r1 to TS 43.069 Rel-6 in NP-040515, approved at NP-26	Broadcast call reference handling by the MSC during VBS call establishment

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
		CR 0017 to TS 43.069 Rel-6 in NP-040515, approved at NP-26	Notification Response procedure
		CR 0018 to TS 43.069 Rel-6 in NP-040515, approved at NP-26	Clarification on Immediate Setup procedure
		CR 0023 to TS 43.069 Rel-6 in NP-050076, approved at CN-27	Inter-PLMN Broadcast Call notification for dispatchers
		CR 0026 to TS 43.069 Rel-6 in CP-050057, approved at CP-28	Correction on the use of calling subscriber and destination subscriber
		CR 0029r1 to TS 43.069 Rel-7 in CP-060162, approved at CP-31	Correction/ clarification of voice broadcast call release procedures
		CR 0077r2 to TS 43.069 Rel-7 in CP-060126, approved at CP-31	Modification of conditions for VBS call establishment
		CR 0079 to TS 43.069 Rel-7 in CP-060276, approved at CP-32	Add signalling flow for a dispatcher originated VBS
		CR 0081r1 to TS 43.069 Rel-7 in CP-060276, approved at CP-32	Including IMSI in Send_Group_Call_End_Signal message for VBS
		CR 0082 to TS 43.069 Rel-7 in CP-060276, approved at CP-32	Correction to process VBS_Handling_Relay_M SC
		CR 0086r1 to TS 43.069 Rel-7 in CP-060506, approved at CP-33	Failure cases during VBS call establishment
		CR 0088 to TS 43.069 Rel-6 in CP-060457, approved at CP-33	Correction of PCH re-organization notification
		CR 0094 to TS 43.069 Rel-6 in CP-060665, approved at CP-34	Condition for the inclusion of parameters in the GCR interrogation message
		CR 0095 to TS 43.069 Rel-6 in CP-060665, approved at CP-34	Addition of Teleservice Code to SendGroupCallInfo
		<i>CR 0097 to TS 43.069 Rel-6 in CP-070155, approved at CP-35</i>	<i>Extension of Group ID</i>
		CR 0098 to TS 43.069 Rel-6 in CP-070155, approved at CP-35	Indication of the originating relay MSC address to anchor MSC
		CR 0100 to TS 43.069 Rel-7 in CP-070155, approved at CP-35	Alignment of SDLs with condition for successful call setup
		CR 0101r2 to TS 43.069 Rel-7 in CP-070387, approved at CP-36	Alignment between VBS and VGCS call establishment
		CR 0104 to TS 43.069 Rel-6 in CP-070131, approved at CP-35	Definition of BSSAP procedure for release of VBS call controlling connections
		CR 0105 to TS 43.069 Rel-6 in CP-070387, approved at CP-36	Retry of the VBS Assignment procedure
		CR 0106 to TS 43.069 Rel-8 in CP-070604, approved at CP-37	Various corrections to the VBS specification

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
		CR 0108 to TS 43.069 Rel-9 in CP-100135, approved at CP-47	Uplink reply procedure
		CR 0109 to TS 43.069 Rel-9 in CP-110882, approved at CP-54	Initial Talker Information handling (solving race conditions)
		CR 0110 to TS 43.069 Rel-9 in CP-110882, approved at CP-54	GCR Transient Data
		CR 0120r1 to TS 43.069 Rel-11 in CP-120808, approved at CP-58	Additional Calling Party Number
		CR 0121r1 to TS 43.069 Rel-11 in CP-120808, approved at CP-58	Uplink reply procedure
		CR 0122r4 to TS 43.069 Rel-12 in C1-153187 approved at CP69	Voice Broadcast Services with AoIP
[6]	ETSI TS 100 948: "Digital cellular telecommunications system (Phase 2+) (GSM); Group Call Control (GCC) protocol (GSM 04.68 version 8.1.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 144 068: "Digital cellular telecommunications system (Phase 2+); Group Call Control (GCC) protocol (3GPP TS 44.068)".	CR A025 to TS 04.68 Rel-4 in P-00-255, approved at SMG-32	Introduction of OTDI (Originator-To-Dispatcher Information into VGCS)
		CR 0001 to TS 44.068 Rel-4 in NP-000449, approved at CN-09	The repetition of the priority in the Call Reference IE in the SETUP message
		CR 0002r1 to TS 44.068 Rel-4 in NP-010269, approved at CN-12	Clarification of the coding of OTDI information in IA5 format
		CR 0003r1 to TS 44.068 Rel-4 in NP-020224, approved at NP-16	Various clean-up of wrong references, e.g. towards TS 44.018
		CR 0004 to TS 44.068 Rel-6 in NP-030486, approved at NP-22	Clarification of the muting and unmuting of the downlink
		CR 0012 to TS 44.068 Rel-7 in CP-060506, approved at CP-33	Increase VGCS setup timeout (MS timer TMM-est)
[7]	ETSI TS 100 949: "Digital cellular telecommunications system (Phase 2+) (GSM); Broadcast Call Control (BCC) protocol (GSM 04.69 version 8.1.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 144 069: "Digital cellular telecommunications system (Phase 2+); Broadcast Call Control (BCC) protocol (3GPP TS 44.069)".	CR A022 to TS 04.69 Rel-4 in P-00-255, approved at SMG-32	Introduction of OTDI (Originator-To-Dispatcher Information into VBS)
		CR 0001 to TS 44.069 Rel-4 in NP-000449, approved at CN-9	The repetition of the priority in the Call Reference IE in the SETUP message
		CR 0002 to TS 44.069 Rel-4 in NP-010269, approved at CN-12	Clarification of the coding of OTDI information in IA5 format
		CR 0004 to TS 44.069 Rel-4 in NP-000667, approved at NP-10	Wrong Field Name for OTDI
		CR 0005 to TS 44.069 Rel-7 in CP-060506, approved at CP-33	Increase VBS setup timeout (MS timer TMM-est)
		CR 0006 to TS 44.069 Rel-5 in NP-020383, approved at NP-17	ASCI VBS call termination by dispatchers using DTMF

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
[8]	ETSI TS 100 977: "Digital cellular telecommunications system (Phase 2+); Specification of the Subscriber Identity Module - Mobile Equipment (SIM - ME) interface (3GPP TS 11.11 version 8.14.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 151 011: "Digital cellular telecommunications system (Phase 2+); Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface (3GPP TS 51.011)".		
[9]	ETSI TS 122 004: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); General on Supplementary Services (3GPP TS 22.004 version 3.3.0 Release 1999)".	CR010 to TS 22.004 Rel-4 in SP-040283, approved at SA-24	Modification of table A.1 required to remove wrong SS applicability to Voice Group Services
[10]	Void		
[11]	ETSI TS 122 087 "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); User-to-User Signalling (UUS); Service description - Stage 1 (3G TS 22.087 version 3.1.0 Release 1999)".		
[12]	ETSI TS 122 094: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Follow Me Service description - Stage 1 (3G TS 22.094 version 3.1.0 Release 1999)".	CR003 to TS 22.094 Rel-6 in SP-030699, approved at SA-22	Notify of forced erasure to initiating subscriber A
[13]	ETSI TS 123 067: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Enhanced Multi-Level Precedence and Pre-emption Service (EMLPP); Stage 2 (3GPP TS 23.067 version 3.3.0 Release 1999)".	CR017 to TS 23.067 Rel-7 in SP-050631, approved at CT-30	Correction to priority for calling subscriber's link in a voice group/ voice broadcast call
[14]	ETSI TS 123 087: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); User-to-user signalling (UUS) Supplementary Service - Stage 2 (3GPP TS 23.087 version 3.1.0 Release 1999)".		
[15]	ETSI TS 123 094: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Follow-Me (FM); Stage 2 (3GPP TS 23.094 version 3.2.0 Release 1999)".	CR003r1 to TS 23.094 Rel-6 in NP-030517, approved at CN-22	Notify of forced erasure to previously registered subscriber of his deregistration
		CR004 to TS 23.094 Rel-7 in CP-060694, approved at CP-34	Reservation of outcome codes for GSM-Railway
[16]	ETSI TS 124 008: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 (3GPP TS 24.008 version 3.20.0 Release 1999)".	CR 0262r1 to TS 24.008 Rel-4 in NP-000667, approved at NP-10	The Group or Broadcast Call Reference from the mobile station to the network
		CR 0418r2 to TS 24.008 Rel-4 in NP-010275, approved at NP-12	The priority in the CALL PROCEEDING message for eMLPP supporting network
		CR 2469r1 to TS 24.008 Rel-12 in CP-130762, approved at CP-62	Introduction of ER-GSM band
[17]	ETSI TS 124 080: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Mobile radio layer 3; supplementary service specification; Formats and coding (3GPP TS 24.080 V3.7.1 Release 1999)".		
[18]	ETSI TS 124 087: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); User-to-User Signalling (UUS) Supplementary Service - Stage3 (3G TS 24.087 version 3.0.0 Release 1999)".		

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
[19]	ETSI TS 127 007: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; AT command set for User Equipment (UE) (3GPP TS 27.007 V3.14.0 Release 1999)".	CR 0043 to TS 27.007 Rel-4 in TP-000144, approved at T-09	CUUS1 to manage Introduction of a new AT command+User-to-User Information element
		CR 0044 to TS 27.007 Rel-4 in TP-000144, approved at T-09	Indication of priority and/or sub-address in the unsolicited result code CCWA
		CR 0045 to TS 27.007 Rel-4 in TP-000144, approved at T-09	eMLPP SIM Commands
		CR 0046 to TS 27.007 Rel-4 in TP-000144, approved at T-09	VBS, VGCS SIM Commands
		CR 0047 to TS 27.007 Rel-4 in TP-000144, approved at T-09	Extension of dial command for VBS and VGCS
[20]	ETSI TS 129 002: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Mobile Application Part (MAP) specification (3GPP TS 29.002 version 3.20.0 Release 1999)".	CR 0541r2 to TS 29.002 Rel-6 in NP-030100, approved at NP-19	Handover of Group Calls where MSC-B has bearer established
		CR 0664r1 to TS 29.002 Rel-6 in NP-030379, approved at NP-21	Correction of encoding description of Group-Id
		CR 0801 to TS 29.002 Rel-7 in CP-060079, approved at CP-31	Improvements to VGCS Call Establishment
		CR 0814 to TS 29.002 Rel-7 in CP-060316, approved at CP-32	SSN for FFN
		CR 0828r1 to TS 29.002 Rel-7 in CP-060577, approved at CP-34	Extension of Group ID
		CR 0829 to TS 29.002 Rel-7 in CP-060577, approved at CP-34	Addition of Teleservice Code to SendGroupCallInfo
		CR 0876 to TS 29.002 Rel-8 in CP-070753, approved at CP-38	Clarification on coding of Notification Data
		CR 0891r1 to TS 29.002 Rel-8 in CP-080467, approved at CP-41	eMLPP Priority in MAP SRI, PRN and PSI request
		CR 0954r1 to TS 29.002 Rel-9 in CP-100038, approved at CP-47	Uplink reply procedure
	CR 1070 to TS 29.002 Rel-11 in CP-120037, approved at CP-55	Introduction of group IDs with prefix for eREC	
[21]	ETSI TS 100 925: "Digital cellular telecommunications system (Phase 2+); Voice Group Call Service (VGCS); Stage 1 (3GPP TS 02.68 version 8.2.1 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 142 068: "Digital cellular telecommunications system (Phase 2+); Voice Group Call Service (VGCS); Stage 1 (3GPP TS 42.068)".	CR A013 to TS 02.68 Rel-4 in P-00-304, approved at SMG-32	Introduction of Originator-to-dispatcher information into VGCS
		CR 0019 to TS 42.068 Rel-7 in SP-060026, approved at SP-31	Modification to setup to remove the need for full conditions
		CR 0022r2 to TS 42.068 Rel-7 in SP-060306, approved at SP-32	Increasing maximum number of dispatchers to 20 as an optional requirement
	CR 0033 to TS 42.068 Rel-8 in SP-060774, approved at SP-34	Correction on the use of 'listener' and 'talker'	

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
		CR 0037r1 to TS 42.068 Rel-8 in SP-070645, approved at SP-37	Clarification of interactions with supplementary and other GSM services
[22]	ETSI TS 100 926: "Digital cellular telecommunications system (Phase 2+); Voice Broadcast Service (VBS); Stage 1 (3GPP TS 02.69 version 8.2.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 142 069: "Digital cellular telecommunications system (Phase 2+); Voice Broadcast Service (VBS); Stage 1 (3GPP TS 42.069)".	CR A014 to TS 02.69 Rel-4 in P-00-304, approved at SMG-32	Introduction of Originator-to-dispatcher information into VBS
		CR 0006 to TS 42.069 Rel-7 in SP-060028, approved at SP-31	Modification to setup to remove the need for full conditions
		CR 0007 to TS 42.069 Rel-7 in SP-060027, approved at SP-31	Increasing maximum number of dispatchers to 20 as an optional requirement
		CR 0008 to TS 42.069 Rel-8 in SP-060775, approved at SP-34	Correction on the use of listening service subscriber
		CR 0010r1 to TS 42.069 Rel-8 in SP-070644, approved at SP-37	Clarification of interactions with supplementary and other GSM services
[23]	ETSI TS 122 002: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN) (3GPP TS 22.002 version 3.6.0 Release 1999)".		
[24]	ETSI TS 122 003: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Circuit Teleservices supported by a Public Land Mobile Network (PLMN) (3GPP TS 22.003 version 3.3.0 Release 1999)".		
[25]	ETSI EN 300 919: "Digital cellular telecommunications system (Phase 2+) (GSM); Types of Mobile Stations (MS) (GSM 02.06 version 7.0.1 Release 1998)".		
[26]	ETSI TS 122 101: "Universal Mobile Telecommunication System (UMTS); Service Aspects; Service Principles (3GPP TS 22 101 version 3.17.0 Release 1999)".		
[27]	ETSI TS 122 067: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); enhanced Multi Level Precedence and Pre-emption service (eMLPP) Stage 1 (3G TS 22.067 version 3.0.1 Release 1999)".	CR 0006 to TS 22.067 Rel-7 in SP-060029, approved at SP-31	Correction to priority requirement on setting up group call
[28]	ETSI TS 122 090: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Unstructured Supplementary Service Data (USSD) - Stage 1 (3G TS 22.090 version 3.1.0 Release 1999)".		
[29]	ETSI TS 123 002: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Network Architecture (3GPP TS 23.002 version 3.6.0 Release 1999)".		
[30]	Void		
[31]	ETSI TS 123 090: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Unstructured Supplementary Service Data (USSD) - Stage 2 (3GPP TS 23.090 version 3.2.0 Release 1999)".		
[32]	ETSI TS 124 067: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); enhanced Multi-Level Precedence and Pre-emption service (eMLPP) - Stage 3 (3GPP TS 24.067 version 3.2.0 Release 1999)".		

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
[33]	ETSI TS 124 090: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Unstructured Supplementary Service Data (USSD) - Stage 3 (3G TS 24.090 version 3.0.0 Release 1999)".		
[34]	ETSI TS 124 082: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Call Forwarding (CF) supplementary services - Stage 3 (3G TS 24.082 version 3.0.0 Release 1999)".		
[35]	ETSI TS 100 910: "Digital cellular telecommunications system (Phase 2+) (GSM); Radio transmission and reception (3GPP TS 05.05 version 8.20.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 145 005: "Digital cellular telecommunications system (Phase 2+); Radio transmission and reception (3GPP TS 45.005)".	CR 0548 to TS 45.005 Rel-11 in GP-130876, approved at GP-59	Introduction of ER-GSM band
[36]	ETSI TS 101 267: "Digital cellular telecommunications system (Phase 2+); Specification of the SIM Application Toolkit for the Subscriber Identity Module - Mobile Equipment (SIM - ME) interface (3GPP 11.14 version 8.18.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 151 014: " Digital cellular telecommunications system (Phase 2+); Specification of the SIM Application Toolkit for the Subscriber Identity Module - Mobile Equipment (SIM - ME) interface (3GPP TS 51.014)".		
[51]	ETSI TS 100 930: "Digital cellular telecommunications system (Phase 2+); Functions related to Mobile Station (MS) in idle mode and group receive mode; (3GPP TS 03.22 version 8.7.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 143 022: "Digital cellular telecommunications system (Phase 2+); Functions related to Mobile Station (MS) in idle mode and group receive mode (3GPP TS 43.022)".	CR 0024r4 to TS 43.022 Rel-8 in GP-071519, approved at GP-35	Enhanced Cell Reselection for VGCS
		CR 0001 to TS 43.022 Rel-4 in GP-000875, approved at GP-02	Mandatory usage of SYSTEM INFORMATION TYPE 10 messages for VGCS and VBS
[52]	ETSI TS 101 503: "Digital cellular telecommunications system (Phase 2+) Mobile radio interface layer 3 specification; Radio Resource Control (RRC) Protocol (3GPP TS 04.18 version 8.27.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 144 018: "Digital cellular telecommunications system (Phase 2+); Mobile radio interface layer 3 specification; Radio Resource Control (RRC) protocol (3GPP TS 44.018)".	CR 0685 to TS 44.018 Rel-8 in GP-081194, approved at GP-39	Correction to format of SI10ter message
		CR 0031r1 to TS 44.018 Rel-4 in GP-000828, approved at GP-02	Mandatory use of SYSTEM INFORMATION TYPE 10
		CR 0032 to TS 44.018 Rel-4 in GP-000500, approved at GP-02	Support of reduced NCH monitoring
		CR 0033 to TS 44.018 Rel-4 in GP-000501, approved at GP-02	Sending of NLN and NLN status
		CR 0034 to TS 44.018 Rel-4 in GP-000502, approved at GP-02	Indication of no VGCS or VBS calls active in a cell

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
		CR 0035 to TS 44.018 Rel-4 in GP-000503, approved at GP-02	Action in group receive mode on entering new cell
		CR 0036 to TS 44.018 Rel-4 in GP-000504, approved at GP-02	Provision of NLN on SACCH
		CR 0269r1 to TS 44.018 Rel-6 in GP-031996, approved at GP-16	Editorial corrections for ASCI services
		CR 0301r2 to TS 44.018 Rel-4 in GP-040131, approved at GP-18	Lack of FH parameters during VGCS handover
		CR 0316r3 to TS 44.018 Rel-6 in GP-041287, approved at GP-20	Release dedicated channel of talker in Voice Group Call
		CR 0333 to TS 44.018 Rel-4 in GP-041290, approved at GP-20	Correction of the CSN.1 coding of the SI10 Rest Octets to be used for ASCI
		CR 0357 to TS 44.018 Rel-4 in GP-041839, approved at GP-21	VGCS Target Mode Indication IEI
		CR 0360 to TS 44.018 Rel-4 in GP-041843, approved at GP-21	Correction to Group Channel Description IE
		CR 0401 to TS 44.018 Rel-6 in GP-050106, approved at GP-23	Correction to channel mode modify
		CR 0409r1 to TS 44.018 Rel-6 in GP-050566, approved at GP-23	Transmission of Notifications for VGCS on PCH
		CR 0438r1 to TS 44.018 Rel-6 in GP-050860, approved at GP-24	Removal of length restrictions for some VGCS messages
		CR 0442r3 to TS 44.018 Rel-6 in GP-051153, approved at GP-24	Inconsistency of Group Channel Description
		<i>CR 0453 to TS 44.018 Rel-6 in GP-051408, approved at GP-25</i>	<i>Correction to Notification/FACCH</i>
		<i>CR 0683 to TS 44.018 Rel-8 in GP-081048, approved at GP-39</i>	<i>Uplink reply procedure</i>
		<i>CR 0986 to TS 44.018 Rel-11 in GP-121315, approved at GP-56</i>	<i>Uplink reply procedure</i>
[53]	ETSI TS 122 081: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Line identification Supplementary Services; Stage 1 (3G TS 22.081 version 3.2.0 Release 1999)".		
[54]	ETSI TS 122 082: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Call Forwarding (CF) Supplementary Services; Stage 1 (3GPP TS 22.082 version 3.0.2 Release 1999)".		
[55]	ETSI TS 122 083: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Call Waiting (CW) and Call Holding (HOLD) Supplementary Services - Stage 1 (3G TS 22.083 version 3.0.1 Release 1999)".		

Identification of the specifications as per clause 4 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
[56]	ETSI TS 122 084: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); MultiParty (MPTY) Supplementary Services - Stage 1 (3G TS 22.084 version 3.0.1 Release 1999)".		
[59]	ETSI TS 122 088: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Call Barring (CB) Supplementary Services - Stage 1 (3GPP TS 22.088 version 3.0.2 Release 1999)".		
[62]	ETSI TS 123 003: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Numbering, addressing and identification (3GPP TS 23.003 version 3.15.0 Release 1999)".		
[63]	ETSI TS 123 014: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Support of Dual Tone Multi Frequency (DTMF) signalling (3GPP TS 23.014 version 3.2.0 Release 1999)".		
[64]	ETSI TS 100 909: "Digital cellular telecommunications system (Phase 2+); Channel coding (3GPP TS 05.03 version 8.9.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 145 003: "Digital cellular telecommunications system (Phase 2+); Channel coding (3GPP TS 45.003)".	CR 0131 to TS 45.003 Rel-11 in GP-121314, approved at GP-56	Uplink reply procedure
[65]	ETSI TS 100 573: "Digital cellular telecommunications system (Phase 2+); Physical Layer on the Radio Path (General Description) (3GPP TS 05.01 version 8.9.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 145 001: "Digital cellular telecommunications system (Phase 2+); Physical layer on the radio path; General description (3GPP TS 45.001)".	CR 0076 to TS 45.001 Rel-11 in GP-130857, approved at GP-59	Introduction of ER-GSM band
[66]	ETSI TS 100 921: "Digital cellular telecommunications system (Phase 2+); Radio subsystem link control (3GPP TS 05.08 version 8.23.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 145 008: "Digital cellular telecommunications system (Phase 2+); Radio subsystem link control (3GPP TS 45.008)".	CR 0618 to TS 45.008 Rel-11 in GP-130884, approved at GP-59	Introduction of ER-GSM band
[67]	ETSI TS 101 087: "Digital cellular telecommunications system (Phase 2+); Base Station System (BSS) equipment specification; Radio aspects (3GPP TS 11.21 version 8.11.0 Release 1999)". <i>For information, becoming in Rel-4 and later:</i> ETSI TS 151 021: "Digital cellular telecommunications system (Phase 2+); Base Station System (BSS) equipment specification; Radio aspects (3GPP TS 51.021)".	CR 0271 to TS 51.021 Rel-11 in GP-140194r3, approved at GP-61	Introduction of ER-GSM band
		CR 0272 to TS 51.021 Rel-12 in GP-140340, approved at GP-62	Introduction of ER-GSM band

4.2 CRs applicable to the TSs listed as optional references of ETSI EN 301 515

The specifications listed in Table 2 below represent optional requirements in addition to the requirements listed in clause 4.1. They have to be fulfilled only under the condition that the optional feature is selected.

Table 2: CRs required for GSM R operation that are applicable to the TSs listed as optional references of ETSI EN 301 515 [1]

Identification of the specifications as per clause 5 of ETSI EN 301 515 [1]		Applicable CRs	
Index	Specification	Applicable CR	Purpose
[37]	Void		
[38]	ETSI TS 101 349: "Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/Medium Access Control (RLC/MAC) protocol (3GPP TS 04.60 version 8.27.0 Release 1999)".		
[39]	ETSI TS 101 350: "Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Overall description of the GPRS radio interface; Stage 2 (3GPP TS 03.64 version 8.12.0 Release 1999)".		
[40]	ETSI TS 101 351: "Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Mobile Station - Serving GPRS Support Node (MS-SGSN) Logical Link Control (LLC) layer specification (3GPP TS 04.64 version 8.7.0 Release 1999)".		
[41]	Void		
[42]	Void		
[43]	Void		
[44]	ETSI TS 123 060: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); General Packet Radio Service (GPRS); Service description; Stage 2 (3GPP TS 23.060 version 3.17.0 Release 1999)".		
[45]	ETSI TS 132 005: "Universal Mobile Telecommunications System (UMTS); Telecommunication Management; Charging and billing; 3G call and event data for the Circuit Switched (CS) domain (3GPP TS 32.005 version 3.7.0 Release 1999)".		
[46]	ETSI TS 155 205: "Digital cellular telecommunications system (Phase 2+); Specification of the GSM-MILENAGE algorithms: An example algorithm set for the GSM Authentication and Key Generation Functions A3 and A8 (3GPP TS 55.205 version 6.2.0 Release 6)".		
[47]	ETSI TS 155 216: "Digital cellular telecommunications system (Phase 2+); Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 1: A5/3 and GEA3 specification (3GPP TS 55.216 version 6.3.0 Release 6)".		
[48]	ETSI TS 155 217: "Digital cellular telecommunications system (Phase 2+); Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 2: Implementors' test data" (3GPP TS 55.217 version 6.2.0 Release 6)".		
[49]	ETSI TS 155 218: "Digital cellular telecommunications system (Phase 2+); Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 3: Design and conformance test data (3GPP TS 55.218 version 6.2.0 Release 6)".		
[50]	ETSI TR 155 919: "Digital cellular telecommunications system (Phase 2+); Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 4: Design and evaluation report (3GPP TR 55.919 version 6.2.1 Release 6)".		
[57]	ETSI TS 122 085: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Closed User Group (CUG) Supplementary Services - Stage 1 (3GPP TS 22.085 version 3.1.0 Release 1999)".		

[58]	ETSI TS 122 086: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Advice of Charge (AoC) Supplementary Services - Stage 1 (3GPP TS 22.086 version 3.1.0 Release 1999)".		
[60]	ETSI TS 122 091: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Explicit Call Transfer (ECT) (3GPP TS 22.091 version 3.1.0 Release 1999)".		
[61]	ETSI TS 122 093: "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Completion of Calls to Busy Subscriber (CCBS); Service description, Stage 1 (3GPP TS 22.093 version 3.0.1 Release 1999)".		
[68]	ETSI TS 100 607-2: "Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification (GSM 11.10-2 version 4.16.0)".	CR0834 to TS 51.010-2 Rel-11 in GP-140025 approved at GP-61	ER-GSM updates Part 2
[69]	ETSI TS 123 205 : "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; Bearer-independent circuit-switched core network; Stage 2 (3GPP TS 23.205 version 12.0.0 Release 12)".	CR 0253r2 to TS 23.205 Rel-12 in CA-151061, approved at CP68	Voice group call and voice broadcast services with AoIP

Annex A (informative): Bibliography

ETSI TR 121 900: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Technical Specification Group working methods (3GPP TR 21.900)".

ETSI TR 145 050: "Digital cellular telecommunications system (Phase 2+); Background for Radio Frequency (RF) requirements (3GPP TR 45.050)".

History

Document history		
V1.0.0	September 2004	Publication as ETSI TR 102 281
V2.0.0	May 2006	Publication as ETSI TR 102 281
V2.1.0	June 2010	Publication
V2.2.0	December 2011	Publication
V2.2.1	October 2012	Publication
V2.3.0	July 2013	Publication
V2.4.0	January 2015	Publication
V3.0.0	February 2016	Publication
V3.1.1	January 2019	Publication