


## **Fixed network Multimedia Messaging Service (F-MMS); Part 1: Overview**

---



---

Reference

RTS/AT-030045

---

Keywords

broadband, ISDN, MMS, PSTN, SMS, xDSL

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2006.  
All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup> and **UMTS**<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON**<sup>TM</sup> and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP**<sup>TM</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

---

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Introduction .....	4
1 Scope .....	5
2 References .....	5
3 Definitions and abbreviations.....	5
3.1 Definitions .....	5
3.2 Abbreviations .....	6
4 Structure of the multi-part deliverable .....	6
History .....	7

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Access and Terminals (AT).

The present document is part 1 of a multi-part deliverable covering the Fixed network Multimedia Messaging Service (F-MMS), as identified below:

- TS 102 314-1: "Overview";**
- ES 202 314-2: "PSTN/ISDN; Service description";
- TR 102 314-3: "Network architecture and interconnection";
- ES 202 314-4: "PSTN/ISDN; Multimedia Message communication between a fixed network Multimedia Messaging Terminal Equipment and a Multimedia Messaging Service Centre";
- ES 202 314-5: "ISDN; Digital Subscriber Signalling System No. One (DSS1) protocol, Signalling System No.7 (SS7) - ISDN User Part (ISUP), and interworking between DSS1 and ISUP";
- TR 102 314-6: "Control strings (service codes) for MMS functions and MMS supplementary services";
- TS 102 314-7: "Over-The-Line configuration of F-MMS terminal settings";
- ES 202 314-8: "Combined PSTN/ISDN and broadband access; Service description";
- ES 202 314-9: "Combined PSTN/ISDN and broadband access; Multimedia Message communication between a fixed network Multimedia Messaging Terminal Equipment and a Multimedia Messaging Service Centre".

NOTE: The parts above refer to the active work items and published standards within ETSI. These work items do not include F-MMS via IP networks.

---

## Introduction

The Multimedia Messaging Service (MMS) for the fixed network allows users to send and receive messages exploiting the whole array of media types available today e.g. text, images, audio, video, etc., while also making it possible to support new content types as they become popular.

The MMS is a service that shall make it possible to offer seamless MMS over different networks.

For the MMS service several documents have been produced.

---

# 1 Scope

The present document gives an overview of the set of documents being relevant for the support of the Fixed Network Multimedia Messaging Service via PSTN, ISDN and broadband accesses.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] ETSI ES 202 314-2: "Fixed network Multimedia Messaging Service (F-MMS); PSTN/ISDN; Part 2: PSTN/ISDN; Service description".
- [2] ETSI TR 102 314-3: "Fixed network Multimedia Messaging Service (F-MMS); PSTN/ISDN; Part 3: Network architecture and interconnection".
- [3] ETSI ES 202 314-4: "Fixed network Multimedia Messaging Service (F-MMS); Part 4: PSTN/ISDN; Multimedia Message communication between a fixed network Multimedia Messaging Terminal Equipment and a Multimedia Messaging Service Centre".
- [4] ETSI ES 202 314-5: "Fixed network Multimedia Messaging Service (F-MMS); PSTN/ISDN; Part 5: ISDN; Digital Subscriber Signalling System No. One (DSS1) protocol, Signalling System No. 7 (SS7) - ISDN User Part (ISUP), and interworking between DSS1 and ISUP".
- [5] ETSI TR 102 314-6: "Fixed network Multimedia Messaging Service (F-MMS); Part 6: Control strings (service codes) for MMS functions and MMS supplementary services".
- [6] ETSI TS 102 314-7: "Fixed network Multimedia Messaging Service (F-MMS); Part 7: Over-The-Line configuration of F-MMS terminal settings".
- [7] ETSI ES 202 314-8: "Fixed network Multimedia Messaging Service (F-MMS); Part 8: Combined PSTN/ISDN and broadband access; Service description".
- [8] ETSI ES 202 314-9: "Fixed network Multimedia Messaging Service (F-MMS); Part 9: Combined PSTN/ISDN and broadband access; Multimedia Message communication between a fixed network Multimedia Messaging Terminal Equipment and a Multimedia Messaging Service Centre".

---

# 3 Definitions and abbreviations

## 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

**broadband access:** covers access types like xDSL, Cable, Satellite, etc.

NOTE: The MMS communication is independent of the way how this broadband access is provided.

## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

DSS1	Digital Subscriber Signalling No 1
ISDN	Integrated Services Digital Network
ISUP	ISDN User Part
MMS	Multimedia Messaging Service
PSTN	Public Switched Telephone Network
SMS	Short Message Service

## 4 Structure of the multi-part deliverable

Table 1 gives an overview about the applicability of the different parts of the multi-part deliverable for MMS using different network accesses.

In table 1, the following notation is used:

X means "applicable";

(X) means "applicable by reference":

A document is marked to be "applicable by reference" if it is referenced by another applicable document.

EXAMPLE: For "PSTN and Broadband", part 8 is marked as "applicable" and refers widely to information contained in part 2 which is therefore marked as "applicable by reference";

- means "not applicable".

**Table 1: Applicability of the different parts of the multi-part deliverable**

Document	PSTN	ISDN	PSTN and Broadband	ISDN and Broadband
<b>Part 1:</b> Overview	X	X	X	X
<b>Part 2:</b> PSTN/ISDN; Service description	X	X	(X)	(X)
<b>Part 3:</b> Network architecture and interconnection	X	X	X	X
<b>Part 4:</b> PSTN/ISDN; Multimedia Message communication between a fixed network Multimedia Messaging Terminal Equipment and a Multimedia Messaging Service Centre	X	X	(X)	(X)
<b>Part 5:</b> ISDN; Digital Subscriber Signalling System No. One (DSS1) protocol, Signalling System No.7 (SS7) - ISDN User Part (ISUP), and Interworking between DSS1 and ISUP	-	X	-	X
<b>Part 6:</b> Control strings (service codes) for MMS functions and MMS supplementary services	X	X	X	X
<b>Part 7:</b> Over-The-Line configuration of F-MMS terminal settings	X	X	X	X
<b>Part 8:</b> Combined PSTN/ISDN and broadband access; Service description	-	-	X	X
<b>Part 9:</b> Combined PSTN/ISDN and broadband access; Multimedia Message communication between a fixed network Multimedia Messaging Terminal Equipment and a Multimedia Messaging Service Centre	-	-	X	X

---

## History

<b>Document history</b>		
V1.1.1	May 2004	Publication
V1.1.2	December 2004	Publication
V1.2.1	April 2006	Publication