

# ETSI TS 103 254 V1.4.1 (2018-11)



**Methods for Testing and Specification (MTS);  
TTCN-3 Conformance Test Suite for use of XML schema;  
Test Suite Structure and Test Purposes (TSS&TP)**

---

**Reference**

RTS/MTS-103254ed141

---

**Keywords**

testing, TSS&amp;TP, TTCN, XML

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
1 Scope .....	5
2 References .....	5
2.1 Normative references .....	5
2.2 Informative references.....	5
3 Definition of terms and abbreviations .....	6
3.1 Terms.....	6
3.2 Abbreviations .....	6
4 Test Suite Structure (TSS).....	7
<b>Annex A (normative): Test Purposes (TP).....</b>	<b>8</b>
A.1 Introduction of Test Purposes (TP) .....	8
A.1.0 Introduction .....	8
A.1.1 Test purpose naming convention.....	8
A.1.2 Test purpose structure .....	8
A.1.3 Test purpose format.....	8
A.2 Test purposes for the TTCN-3 Part 9 conformance test suite .....	11
History .....	12

---

## Intellectual Property Rights

### Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

---

# 1 Scope

The purpose of the present document is to provide Test Suite Structure and Test Purposes (TSS&TP) for the conformance test suite for using XML Schema with TTCN-3 as defined in ETSI ES 201 873-1 [5] in compliance with the relevant guidance given in the pro forma for TTCN-3 reference test suite ETSI TS 102 995 [4]. In the present document only XML related features, specified in ETSI ES 201 873-9 [1] have been considered but not the core language features (see [5]), nor tool implementation (see [i.2] and [i.3]), language mapping (see [i.4] and [i.5]) and language extension (see e.g. [i.6], [i.7] and [i.8]) aspects.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 201 873-9: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 9: Using XML schema with TTCN-3".
- [2] ISO/IEC 9646-1 (1992): "Information Technology - Open Systems Interconnection - Conformance Testing Methodology and Framework - Part 1: General concepts".
- [3] ISO/IEC 9646-7 (1994): "Conformance testing methodology and framework - Part 7: Implementation Conformance Statement".
- [4] ETSI TS 102 995: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Proforma for TTCN-3 reference test suite".
- [5] ETSI ES 201 873-1: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Void.
- [i.2] ETSI ES 201 873-5: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 5: TTCN-3 Runtime Interface (TRI)".
- [i.3] ETSI ES 201 873-6: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)".

- [i.4] ETSI ES 201 873-7: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 7: Using ASN.1 with TTCN-3".
- [i.5] ETSI ES 201 873-8: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 8: The IDL to TTCN-3 Mapping".
- [i.6] ETSI ES 202 781: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Configuration and Deployment Support".
- [i.7] ETSI ES 202 784: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Advanced Parameterization".
- [i.8] ETSI ES 202 785: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Behaviour Types".

---

## 3 Definition of terms and abbreviations

### 3.1 Terms

For the purposes of the present document, the terms given in ISO/IEC 9646-1 [2], ISO/IEC 9646-7 [3], ETSI ES 201 873-1 [5] (TTCN-3) and the following apply:

**Abstract Test Suite (ATS):** test suite composed of abstract test cases

**ICS pro forma:** document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

**Implementation Conformance Statement (ICS):** statement made by the supplier of an implementation claimed to conform to a given specification, stating which capabilities have been implemented

**Implementation eXtra Information for Testing (IXIT):** statement made by a supplier or implementor of an IUT which contains or references all of the information related to the IUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the IUT

**IXIT pro forma:** document, in the form of a questionnaire, which when completed for the IUT becomes the IXIT

**Implementation Under Test (IUT):** implementation of one or more OSI protocols in an adjacent user/provider relationship, being part of a real open system which is to be studied by testing

### 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ATS	Abstract Test Suite
BNF	Backus Naur Form
ICS	Implementation Conformance Statement
IUT	Implementation Under Test
IXIT	Implementation eXtra Information for Testing
SUT	System Under Test
TC	Test Case
TCI	TTCN-3 Control Interface
TP	Test Purpose
TRI	TTCN-3 Runtime Interface
TS	Test System
TSS	Test Suite Structure
TSS&TP	Test Suite Structure and Test Purposes
TTCN-3	Testing and Test Control Notation edition 3
XML	eXtensible Markup Language

---

## 4 Test Suite Structure (TSS)

The Test Suite Structure is in close alignment with ETSI ES 201 873-9 [1], containing:

- a) positive tests ("Pos\_" test case name prefix);
- b) negative tests ("Neg\_" test case name prefix).

The execution order of the TTCN-3 tool conformance test cases is specified in the dependencies section of test purpose descriptions.

# Annex A (normative): Test Purposes (TP)

## A.1 Introduction of Test Purposes (TP)

### A.1.0 Introduction

For each test requirement a Test Purpose (TP) is defined. Test purposes shall be defined in a dedicated test purpose document as well as with TTCN-3 documentation tags in each test case of the ATS. Both documentations shall convey the same information for each test purpose.

### A.1.1 Test purpose naming convention

The test purpose naming scheme corresponds to the test case identifier naming scheme and vice-versa.

### A.1.2 Test purpose structure

The test purpose structure is according to the test suite structure (TSS).

### A.1.3 Test purpose format

In the following, examples for tabular test purpose descriptions are shown that shall be defined in the test purpose document. This representation is a direct mapping of the contents of the document tags in the ATS (such as @purpose, @remark, or @verdict). The tabular descriptions are presented along with their corresponding TTCN-3 documentation tag equivalent. The test purpose reference shall be provided in a machine-readable format.

<b>Test Purpose Id</b>	TP_Neg_05_top_level_001
<b>Reference</b>	ETSI ES 201 873-9 [1], clause 5
<b>ICS</b>	None
<b>Dependencies</b>	None
<b>Summary</b>	Verify that error is generated for missing XSD language tag in import clause
<b>Expected Output</b>	The TTCN-3 module shall be rejected by the validator or after/during execution.
<b>Notes</b>	

A corresponding TTCN-3 module addressing TP\_Neg\_05\_top\_level\_001 is the following:

```

/*****
** @author   STF 521
** @version  0.0.1
** @purpose  9:5, Verify that error is generated for missing XSD language tag in import clause
** @verdict  pass reject
*****/

// The following requirements are tested:
// When importing from an XSD Schema, the following language identifier string shall be used: "XSD"

module Neg_05_top_level_001 {
  import from schema_Neg_05_top_level_001 all;
  template MyType m_msg := 1;
  /**
   * @desc The timeout given in seconds after which the test case will be stopped.
   */
  modulepar float PX_TC_EXECUTION_TIMEOUT := 5.0;

  type universal charstring Raw;
  type port P message {
    inout all;
  }
  type component C {

```



```

    port P p;
}

testcase TC_Neg_05_top_level_001() runs on C system C {
    map(self:p, system:p);
    // encode the message
    p.send(m_msg);
    log("template should either be rejected by compiler or by runtime latest while encoding");
    setverdict(fail, "Invalid template should not be encoded");
    unmap(self:p, system:p);
}
control {
    execute(TC_Neg_05_top_level_001(),PX_TC_EXECUTION_TIMEOUT);
}
}

```

<b>Test Purpose Id</b>	TP_Pos_050101_namespaces_001
<b>Reference</b>	ETSI ES 201 873-9 [1], clause 5.1.1
<b>ICS</b>	None
<b>Dependencies</b>	None
<b>Summary</b>	Verify that schema with target namespace is correctly translated into single module
<b>Expected Output</b>	The TTCN-3 module shall be accepted by the tool and all test cases have to produce the verdict <b>pass</b> after execution.
<b>Notes</b>	

A corresponding TTCN-3 module for TP\_Pos\_050101\_namespaces\_001 is the following:

```

/*****
** @author   STF 521
** @version  0.0.1
** @purpose  9:5.1.1, Verify that schema with target namespace is correctly translated into single
module
** @verdict  pass accept, ttcn3verdict:pass
*****/
// The following requirements are tested:
// A single XML Schema may be composed of a single or several schema element information
// items, and shall be translated to one or more TTCN-3 modules, corresponding to schema
// components that have the same target namespace. For XSD schemas with the same target
// namespace (including absence of the target namespace) exactly one TTCN-3 module shall
// be generated.

module Pos_050101_namespaces_001 {
    import from schema_Pos_050101_namespaces_001 language "XSD" all;
    template MyType m_msg := 1;
    /**
    * @desc The timeout given in seconds after which the test case will be stopped.
    */
    modulepar float PX_TC_EXECUTION_TIMEOUT := 5.0;
    type universal charstring Raw;
    type universal charstring File;
    type record of File FileList;
    type port P message {
        inout all;
    }
    type component C {
        port P p;
    }
}

/**
* @desc lexical compare the charstring p_textToMatch with the contents of the reference XML
file and returns true if they represent the same XML structure
* @param p_textToMatch text to be compared with the UTF-8 contents of the XML file
* @param p_referenceXmlFile the XML file
* @param p_xsdFileList the list of XSD files
* @param p_matchError the error result in case it did not match
* @param p_referenceTTCN3File the file of the TTCN-3 test module. This path is used to find the
reference XML file relative to this path, by keeping the TTCN-3 code file system independent.
* @return true if p_textToMatch and the contents of p_referenceXmlFile represent the same XML
structure
*/
external function matchFile(Raw p_textToMatch, File p_referenceXmlFile, FileList p_xsdFileList,
out universal charstring p_matchError, File p_referenceTTCN3File := __FILE__) return boolean;

testcase TC_Pos_050101_namespaces_001() runs on C system C {

```

```

var Raw v_rcv;
var universal charstring v_matchError;
map(self:p, system:p);
// encode the message
p.send(m_msg);
alt {
  // compare the encoded message with the reference XML file
  [] p.check(receive(Raw:?) -> value v_rcv) {
    log("XML message ", v_rcv);
    if (matchFile(v_rcv, "Pos_050101_namespaces_001.xml", {
"Pos_050101_namespaces_001.xsd" }, v_matchError)) {
      alt {
        // match decoded value to pass test
        [] p.receive(m_msg) {
          setverdict(pass, "Decoded value matches encoded template and reference
XML");
        }
        [] p.receive {
          setverdict(fail, "XML decoding failure");
        }
      }
    } else {
      setverdict(fail, v_matchError);
    }
  }
  [] p.receive {
    setverdict(fail, "Raw decoding failure");
  }
}
}
control {
  execute(TC_Pos_050101_namespaces_001(), 5.0);
}
}

```

---

## A.2 Test purposes for the TTCN-3 Part 9 conformance test suite

The TTCN-3 library modules are contained in archive ts\_103254v010401p0.zip which accompanies the present document.

This ATS has been produced using the Testing and Test Control Notation (TTCN) according to [1,5].

---

## History

<b>Document history</b>		
V1.1.1	March 2015	Publication
V1.2.1	March 2016	Publication
V1.3.1	September 2017	Publication
V1.4.1	November 2018	Publication