



**Publicly Available Specification (PAS);  
Intelligent Transport Systems (ITS);  
MirrorLink<sup>®</sup>;  
Part 29: Schedule Data Service**

**CAUTION**

The present document has been submitted to ETSI as a PAS produced by CCC and approved by the ETSI Technical Committee Intelligent Transport Systems (ITS).

CCC is owner of the copyright of the document CCC-TS-091 and/or had all relevant rights and had assigned said rights to ETSI on an "as is basis". Consequently, to the fullest extent permitted by law, ETSI disclaims all warranties whether express, implied, statutory or otherwise including but not limited to merchantability, non-infringement of any intellectual property rights of third parties. No warranty is given about the accuracy and the completeness of the content of the present document.

---

**Reference**

RTS/ITS-98-29

---

**Keywords**

interface, ITS, PAS, smartphone

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

©ETSI 2019.

© Car Connectivity Consortium 2011-2019.

All rights reserved.

ETSI logo is a Trade Mark of ETSI registered for the benefit of its Members.

MirrorLink® is a registered trademark of Car Connectivity Consortium LLC.

RFB® and VNC® are registered trademarks of RealVNC Ltd.

UPnP® is a registered trademark of Open Connectivity Foundation, Inc.

Other names or abbreviations used in the present document may be trademarks of their respective owners.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope .....	5
2 References .....	5
2.1 Normative references .....	5
2.2 Informative references.....	5
3 Definition of terms, symbols and abbreviations.....	5
3.1 Terms.....	5
3.2 Symbols.....	6
3.3 Abbreviations .....	6
4 Data Service Definition .....	6
4.1 Schedule Data Service Version 1.0 .....	6
5 SBP Binding.....	8
6 Theory of Operations.....	8
6.1 Getting Schedule Information .....	8
<b>Annex A (informative): Authors and Contributors.....</b>	<b>10</b>
History .....	11

---

## Intellectual Property Rights

### Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Intelligent Transport Systems (ITS).

The present document is part 29 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.1].

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document is part of the MirrorLink® specification which specifies an interface for enabling remote user interaction of a mobile device via another device. The present document is written having a vehicle head-unit to interact with the mobile device in mind, but it will similarly apply for other devices, which provide a colour display, audio input/output and user input mechanisms.

The present document specifies schedule data service based on SBP (Service Binary Protocol) framework. The service is used to provide schedule data in car environments.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 103 544-27 (V1.3.1): "Publicly Available Specification (PAS); Intelligent Transport Systems (ITS); MirrorLink®; Part 27: Basic Meta Data Service".
- [2] ISO 8601-1:2019: "Date and time -- Representations for Information Interchange – Part 1: Basic Rules".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TS 103 544-1 (V1.3.1): "Publicly Available Specification (PAS); Intelligent Transport Systems (ITS); MirrorLink®; Part 1: Connectivity".

---

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

Void.

## 3.2 Symbols

Void.

## 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

EEmail	Electronic Mail
SBP	Service Binary Protocol

---

# 4 Data Service Definition

## 4.1 Schedule Data Service Version 1.0

```

/** The present document defines data objects for the Schedule data
 * service to be carried over by SBP. By receiving this data, the
 * schedule data sink can provide schedule information to the
 * driver through instrument cluster display panel. The Schedule
 * Source may be implemented in a Mirrorlink Client or a Mirrorlink
 * Server.
 * @version 1.0
 */
SERVICE com.mirrorlink.schedule
: com.mirrorlink.meta.basic version 1.0 {
/** High-level schedule structure
 */
STRUCTURE ScheduleType {
/** The type of event: 0x0000 - Event; 0x0001 - Task;
 * 0x0002 - Anniversary
 * @optional, @uid 0x554fb7af
 */
SHORT eventType;
/** The name of the event
 * @mandatory, @uid 0x32525e60
 */
STRING eventName;
/** Date expressed according to ISO 8601-1 [2].
 * @mandatory, @uid 0x144a7773
 */
STRING date;
/** Server Local Time Zone as difference from UTC which takes both
 * "+" and "-" values.
 * @mandatory, @uid 0x2d64662d
 */
SHORT ltz;
/** Event time in UTC (from when to when) structure
 * @mandatory, @uid 0xafe05520
 */
STRUCTURE<Time> timeInfo;
/** Location information
 * @optional, @uid 0x7dleda7a
 */
STRING location;
/** Event Description
 * @optional, @uid 0xebdc4037
 */
STRING description;
/** Contacts structure
 * @optional, @uid 0x3881ad06
 */
STRUCTURE_ARRAY<Contacts> contactsInfo;
};
/** High-level schedule object, which contains the currently pending
 * schedule event.
 * @mandatory, @readable, @uid 0x2269605c
 */
OBJECT Schedule {
/** Element containing the currently pending schedule.

```

```

    * @mandatory, @uid 0x849f983c
    */
    STRUCTURE<ScheduleType> schedule;
};
/** STRUCTURE holding event time details. Schedules are notified
 * 15 mins prior to 'from' by default.
 * @version 1.0, @optional
 */
STRUCTURE Time {
    /** From time in UTC
    * @mandatory, @uid 0x79b21f4f
    */
    TIME from;
    /** To time in UTC
    * @mandatory, @uid 0x5a2fff80
    */
    TIME to;
};
/** STRUCTURE holding contact details
 * @version 1.0
 * @optional
 * @UID: TBD
 */
STRUCTURE Contacts {
    /** First name
    * @mandatory, @uid 0x0c921876
    */
    STRING firstName;
    /** Last name
    * @optional, @uid 0x48217786
    */
    STRING lastName;
    /** Phone Number
    * @optional, @uid 0x57fb2cd2
    */
    STRING phoneNumber;
    /** EMail
    * @optional, @uid 0xdead6817
    */
    STRING email;
};
/** The ScheduleConfig object is set from data sink, to configure the
 * behavior of data source
 * @mandatory, @writable, @uid 0x7772b4fe
 */
OBJECT ScheduleConfig {
    /** Maximum number of items to be returned ranging from 1~4.
    * Default value is 1.
    * @mandatory, @uid 0x577142c9
    */
    INT maxNumberOfItems;
    /** UTC start time of event.
    * @optional, @default current time, @uid 0x92b68a6a
    */
    TIME startTime;
    /** UTC end time of event.
    * @optional, @default open ended, @uid 0xa9a217e3
    */
    TIME endTime;
};
/** The ScheduleList object contains a list of schedules currently
 * stored.
 * @mandatory, @readable, @uid 0x2a28f5ba
 */
OBJECT ScheduleList {
    /** List of Schedule Items ranging from 0~4.
    * @mandatory, @uid 0x844c24cd
    */
    STRUCTURE_ARRAY<ScheduleType> scheduleItemList;
};
};

```

## 5 SBP Binding

A SBP Sink endpoint shall be able to access the *schedule* object using SBP *Subscribe* and *Get* commands. A SBP Source endpoint shall support the ON\_CHANGE SBP subscription type. The *schedule* object stores the next upcoming schedule and is updated 15 minutes before the actual schedule time.

If the SBP Source endpoint is not able to retrieve schedule information temporarily, the SBP Source endpoint shall have the following behavior within the SBP protocol:

- The SBP Source endpoint shall return an SBP *response* message with a "Not available" SBP error code in response to a SBP *Get* command to the *schedule* object.
- The SBP Source shall provide a valid *schedule* object, as soon as the schedule information becomes available again.
- The SBP Source endpoint shall send an SBP *response* message with a "Not available" SBP error code in response to a SBP *Subscribe* command to the *schedule* object. The SBP Sink endpoint should then send a new *Subscribe* command again not earlier than 5 s and not later than 30 s to receive notifications.

The Schedule Meta Data Service uses the following objects and their access capabilities, as defined in [1].

**Table 1**


Object Name	Access Type	Subscription Type	Min Interval Time	Max Interval Time
Schedule	READABLE	ON_CHANGE	N/A	N/A
ScheduleConfig	WRITABLE	NONE	N/A	N/A
ScheduleList	READABLE	NONE	N/A	N/A

## 6 Theory of Operations

### 6.1 Getting Schedule Information

Figure 1 shows how a schedule data sink retrieves metadata about the current schedules from the schedule data source.





**Figure 1: Message Sequence Diagram - Retrieve Schedule metadata**

It consists of the following steps, after the data service has been setup as defined in [1]:

- 1) User wants to know schedules currently stored. Schedule Sink sends *SBP Set* message to the *ScheduleConfig* object to set filtering conditions on retrieved data. The Schedule Source responds with an *SBP Response* message confirming the setting.
- 2) Schedule Sink sends *SBP Get* message to the *ScheduleList* object. The Schedule Source responds with the *SBP Response* message, containing all the stored schedule objects (limiting to 4 schedules only).
- 3) Schedule Sink sends *SBP Subscribe* message to the *Schedule* object. The Schedule Source responds first with an *SBP Response* message confirming the *Subscribe* message.
- 4) After some time, one of the schedules is about of become active, then Schedule Source sends an *SBP Response* message for the *Schedule*, containing the *Schedule* object.

---

## Annex A (informative): Authors and Contributors

The following people have contributed to the present document:

Rapporteur: Dr. Jörg Brakensiek, E-Qualus (for Car Connectivity Consortium LLC)

Other contributors: Kiran Vedula, Samsung Electronics

Lee Poong-Seok, Samsung Electronics

---

## History

<b>Document history</b>		
V1.3.0	October 2017	Publication
V1.3.1	October 2019	Publication