ETSITS 103 868-1 V2.1.1 (2024-05)



Intelligent Transport Systems (ITS); Testing;

Conformance test specifications for ITS Misbehaviour Reporting service;

Part 1: Protocol Implementation Conformance Statement (PICS); Release 2

Reference DTS/ITS-00596-1 Keywords ITS, PICS, security, testing

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from: https://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure Program:

https://www.etsi.org/standards/coordinated-vulnerability-disclosure

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024. All rights reserved.

Contents

Intell	ectual Property Rights	4
Forev	vord	4
Moda	ıl verbs terminology	4
1	Scope	5
2 2.1 2.2	References	5
3 3.1 3.2 3.3	Definition of terms, symbols and abbreviations Terms Symbols Abbreviations	6
4	Conformance	6
Anne	ex A (normative): Security PICS pro forma	7
A.1	The right to copy	7
A.2 A.2.1 A.2.2 A.2.3	Guidance for completing the PICS pro forma. Purposes and structure. Abbreviations and conventions. Instructions for completing the PICS pro forma.	7 7
A.3 A.3.1 A.3.2 A.3.3 A.3.4 A.3.5 A.3.6	Identification of the Equipment	8 8 9
A.4	Identification of the protocol	10
A.5	Global statement of conformance	10
A.6	PICS pro forma tables	11
Histo	ry	12

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**TM and **LTE**TM are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**TM logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**[®] and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Intelligent Transport Systems (ITS).

The present document is part 1 of a multi-part deliverable covering Conformance test specifications for ITS Misbehaviour Reporting service, as identified below:

Part 1: "Protocol Implementation Conformance Statement (PICS); Release 2";

Part 2: "Test Suite Structure and Test Purposes (TSS & TP); Release 2";

Part 3: "Abstract Test Suite (ATS) and Protocol Implementation eXtra Information for Testing (PIXIT);

Release 2".

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document provides the Protocol Implementation Conformance Statement (PICS) pro forma for the test specifications for ITS Misbehaviour Reporting service as specified in ETSI TS 103 759 [1] and in accordance with the relevant guidance given in ISO/IEC 9646-7 [i.2] and ETSI ETS 300 406 [i.3].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] <u>ETSI TS 103 759 (V2.1.1)</u>: "Intelligent Transport Systems (ITS); Security; Misbehaviour Reporting service; Release 2".
- [2] <u>ETSI TS 103 097 (V2.1.1)</u>: "Intelligent Transport Systems (ITS); Security; Security header and certificate formats; Release 2".
- [3] <u>IEEE Std 1609.2TM-2016</u>: "IEEE Standard for Wireless Access in Vehicular Environments Security Services for Applications and Management Messages".

NOTE: As amended by IEEE Std 1609.2aTM-2017: "IEEE Standard for Wireless Access In Vehicular Environments - Security Services for Applications and Management Messages Amendment 1".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ISO/IEC 9646-1: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework -- Part 1: General concepts".
- [i.2] ISO/IEC 9646-7: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework -- Part 7: Implementation Conformance Statements".
- [i.3] ETSI ETS 300 406: "Methods for testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI TS 103 759 [1] and ISO/IEC 9646-1 [i.1] apply.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI TS 103 097 [2], ETSI TS 103 759 [1] and the following apply:

PDU Protocol Data Unit

PICS Protocol Implementation Conformance Statement

4 Conformance

A PICS pro forma which conforms to this PICS pro forma specification shall be technically equivalent to annex A of the present document and shall preserve the numbering and ordering of the items in annex A.

A PICS which conforms to the present document shall:

- a) describe an implementation which claims to conform to ETSI TS 103 759 [1];
- b) be a conforming PICS pro forma which has been completed in accordance with the instructions for completion given in clause A.2;
- c) include the information necessary to uniquely identify both the supplier and the implementation.

Annex A (normative): Security PICS pro forma

A.1 The right to copy

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the Security PICS pro forma in this annex so that it can be used for its intended purposes and may further publish the completed PICS pro forma.

A.2 Guidance for completing the PICS pro forma

A.2.1 Purposes and structure

The purpose of the present document is to provide a mechanism whereby a supplier of an implementation of the requirements defined in relevant specifications may provide information about the implementation in a standardized manner.

The PICS pro forma is subdivided into clauses for the following categories of information:

- instructions for completing the PICS pro forma;
- identification of the implementation;
- identification of the protocol;
- PICS pro forma tables (for example: major capabilities, etc.).

A.2.2 Abbreviations and conventions

This annex does not reflect dynamic conformance requirements but static ones. In particular, a condition for support of a PDU parameter does not reflect requirements about the syntax of the PDU (i.e. the presence of a parameter) but the capability of the implementation to support the parameter.

In the sending direction, the support of a parameter means that the implementation is able to send this parameter (but it does not mean that the implementation always sends it).

In the receiving direction, it means that the implementation supports the whole semantic of the parameter that is described in the main part of the present document.

The PICS pro forma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7.

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Reference column

The reference column gives reference to ETSI TS 103 759 unless otherwise stated.

Status column

The status column describes the status of the item. The various status used in this annex are in accordance with the rules described in IEEE Std 1609.2, annex A. Predicate in conditional and optional items is of form of Reference to items, as described below.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7, are used for the support column:

Y or y supported by the implementation

N or n not supported by the implementation

N/A, n/a or - no answer required (allowed only if the status is N/A, directly or after evaluation of a conditional

status)

References to items

For each possible item answer (answer in the support column) within the PICS pro forma there exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a dot character ".", followed by the item number in the table.

EXAMPLE: A.5.2.1 is the reference to the answer of item 2.1 in Table A.5.

A.2.3 Instructions for completing the PICS pro forma

The supplier of the implementation may complete the PICS pro forma in each of the spaces provided. More detailed instructions are given at the beginning of the different clauses of the PICS pro forma.

A.3 Identification of the Equipment

A.3.1 Introduction

Identification of the Equipment shall be filled in so as to provide as much details as possible regarding version numbers and configuration options.

Both the product supplier information and client information shall be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS shall be named as the contact person.

Date of the statement
Equipment Under Test identification

Hardware configuration:
Software configuration:
A.3.4 Product supplier Name:
Address:
Telephone number:
Facsimile number:
E-mail address:
Additional information:
A.3.5 Client Name:
Address:

Telephone number:
Facsimile number:
E-mail address:
Additional information:
A.3.6 PICS contact person
Telephone number:
Facsimile number:
E-mail address:
Additional information:
A.4 Identification of the protocol The present document applies to the following specification: ETSI TS 103 759.
A.5 Global statement of conformance
Are all mandatory capabilities implemented? (Yes/No)

NOTE: Answering "No" to this question indicates non-conformance to the ITS Security standard specification ETSI TS 103 759. Non-supported mandatory capabilities are to be identified in the PICS, with an explanation of why the implementation is non-conforming, on pages attached to the PICS pro forma.

A.6 PICS pro forma tables

Unless stated otherwise, the column references of all tables below indicate the clause numbers of ETSI TS 103 759.

The various status used in this annex are in accordance with the rules described in IEEE Std 1609.2, annex A.

Table A.1: Security containers and algorithms

Item	Is the IUT implemented to support:	Reference	Status	Support
1	Secure PDU (SPDU) support	clause 7.1	M	
2	Generation of a misbehaviour report (MR)	clause 7.2	M	
3	Transmission of a MR to an authenticated & authorized clause 8.2 M			
	Misbehaviour Authority			
4	Grouping several individual detectors in a single MR	clause 6.2	0	

Table A.2: ITS-S testing

Item	Is the IUT implemented to support:	Reference	Status	Support
1	IUT is a Vehicle ITS-S	ETSI TS 103 759	C1	
2	IUT is a Roadside ITS-S	ETSI TS 103 759	C1	
C1:	At least one is required.			

Table A.3: MR testing

Item	Is the IUT implemented to support:	Reference	Status	Support
1	IUT is a MA	ETSI TS 103 759	C1	
C1: At least one is required.				

Table A.4: Misbehaviour Detectors for CA message

Item	Is the IUT implemented to support: Referen		Status	Support
1	CAM Beacon misbehaviour detector	Clause D.1	C1	
2	CAM Speed misbehaviour detector	Clause D.1	C1	
3	CAM Position misbehaviour detector	Clause D.1	C1	
4	CAM Longitudinal Acceleration misbehaviour detector	Clause D.1	C1	
5	CAM Static misbehaviour detector	Clause D.1	C1	
6	CAM Security misbehaviour detector	Clause D.1	C1	
C1: /	At least one is required.	<u> </u>		

Table A.5: Misbehaviour Detectors for DEN message

Item	Is the IUT implemented to support:	Reference	Status	Support
1	EEBL misbehaviour detectors	Clause D.2	C1	
2	Traffic Jam Ahead misbehaviour detectors	Clause D.2	C1	
C1: At least one is required.				

History

Document history			
V2.1.1	May 2024	Publication	