

ETSI TS 124 173 V7.1.0 (2007-06)

Technical Specification

**Universal Mobile Telecommunications System (UMTS);
IMS Multimedia telephony service and
supplementary services;
Stage 3
(3GPP TS 24.173 version 7.1.0 Release 7)**



Reference

RTS/TSGC-0124173v710

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2007.
All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members.
TIPHONTM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	4
1 Scope	5
2 References	5
3 Definitions, symbols and abbreviations	6
3.1 Definitions	6
3.2 Abbreviations	6
4 Overview of multimedia telephony communication service and associated supplementary services in the IP Multimedia (IM) Core Network (CN) subsystem.....	7
4.1 General	7
4.2 Overview of basic communication part.....	7
4.3 Overview of supplementary services part	7
5 Basic Communication	7
5.1 IMS communication service identifier	7
5.2 Session control procedures	8
6 Supplementary Services	8
6.1 High level requirements	8
6.2 Originating Identification Presentation (OIP)	8
6.3 Originating Identification Restriction (OIR)	8
6.4 Terminating Identification Presentation (TIP).....	8
6.5 Terminating Identification Restriction (TIR)	8
6.6 Communication Diversion (CDIV)	8
6.7 Communication Hold (HOLD).....	8
6.8 Communication Barring (CB)	8
6.9 Message Waiting Indication (MWI).....	9
6.10 Conference (CONF)	9
6.11 Explicit Communication Transfer (ECT)	9
Annex A (normative): Originating Identification Presentation (OIP) / Originating Identification Restriction (OIR)	10
Annex B (normative): Terminating Identification Presentation (TIP) / Terminating Identification Restriction (TIR).....	11
Annex C (normative): Communication Diversion (CDIV).....	12
Annex D (normative): Communication Hold (HOLD)	13
Annex E (normative): Communication Barring (CB)	14
Annex F (normative): Message Waiting Indication (MWI).....	15
Annex G (normative): Conference (CONF).....	16
Annex H (normative): Explicit Communication Transfer (ECT).....	17
Annex I (normative): XCAP over Ut interface for Manipulating NGN PSTN/ISDN Simulation Services.....	18
Annex J (informative): Change history	19
History	20

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document provides the protocol details for multimedia telephony communication service and associated supplementary services in the IP Multimedia (IM) Core Network (CN) subsystem based on the requirements from 3GPP TS 22.173 [2].

Multimedia telephony and supplementary services allow users to establish communications between them and enrich that by enabling supplementary services.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.173: "IMS Multimedia Telephony Service and supplementary services; stage".
- [3] ETSI TS 183 004 version 1.1.1: "Communication Diversion (CDIV); Protocol specification".
- [4] ETSI TS 183 005 version 1.1.1: "Conference (CONF); Protocol specification".
- [5] ETSI TS 183 006 version 1.1.1: "Message Waiting Indication (MWI); Protocol specification".
- [6] ETSI TS 183 007 version 1.1.1: "Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR); Protocol specification".
- [7] ETSI TS 183 008 version 1.1.1: "Terminating Identification Presentation (TIP) and Terminating Identification Restriction (TIR); Protocol specification".
- [8] ETSI TS 183 010 version 1.2.1: "Communication HOLD (HOLD); PSTN/ISDN simulation services".
- [9] ETSI TS 183 011 version 1.1.1: "Anonymous Communication Rejection (ACR) and Communication Barring (CB); Protocol specification".
- [10] ETSI TS 183 029 version 1.1.1: "Explicit Communication Transfer (ECT); Protocol specification".
- [11] ETSI TS 183 023 version 1.2.1: "Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating NGN PSTN/ISDN Simulation Services".
- [12] 3GPP TS 26.114: "IP Multimedia Subsystem (IMS); Multimedia telephony; Media handling and interaction".
- [13] 3GPP TS 24.229: "Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3".
- [14] 3GPP TS 24.247: "Messaging using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3".
- [15] ETSI ES 283 003: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); "IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3".

Modifications to the references in the TISPAN TSs.

The references as found throughout the clause 2 of the ETSI TSs in reference [3], [4], [5], [6], [7], [8], [9], [10] and [11] and also found in the annexes A, B, C, D, E, F, G, H and I should be replaced as shown below.

Replace references as shown in Table 1 below:

Table 1: 3GPP reference replacement

Reference in ETSI TSs	Modified reference
ETSI ES 283 003: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3".	3GPP TS 24.229: "Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3".
ETSI TS 182 006: 'Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia Subsystem (IMS); Stage 2 description'.	3GPP TS 23.228: 'IP Multimedia Subsystem (IMS); Stage 2'.
ETSI ES 283 027: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Interworking SIP-ISUP for TISPAN-IMS"	3GPP TS 29.163: 'Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks'
ETSI TS 187 003: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); NGN Security; Security Architecture"	3GPP TS 33.141 "3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Presence service; Security"
ETSI TS 183 038: "TISPAN; PSTN/ISDN Simulation Services; Extensible Markup Language (XML) Document Management; Protocol Specification (Endorsement of OMA OMA-TS-XDM_Core-V1_0-20051103-C and OMA-TS-XDM_Shared-V1_0-20051006-C)".	3GPP TS 33.141 "3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Presence service; Security"
IETF RFC 2617: "HTTP Authentication: Basic and Digest Access Authentication"	IETF RFC 3310: "'Hypertext Transfer Protocol (HTTP) Digest Authentication Using Authentication and Key Agreement (AKA)"

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 21.905 [1] apply.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CS	Circuit Switched
CN	Core Network
IP	Internet Protocol
IM	IP Multimedia
MMTEL	Multimedia Telephony

4 Overview of multimedia telephony communication service and associated supplementary services in the IP Multimedia (IM) Core Network (CN) subsystem

4.1 General

In accordance with the service definition and requirements in 3GPP TS 22.173 [2], the IMS multimedia telephony communication service specified herein allows multimedia conversational communication between two or more end points. An end point is typically located in a UE, but can also be located in a network entity.

As for traditional circuit-switched telephony, the protocols for the IMS multimedia Telephony communication service allow a user to connect to any other user, regardless of operator and access technology.

The IMS multimedia Telephony communication service consists of two principal parts: a basic communication part, and an optional supplementary services part.

4.2 Overview of basic communication part

The basic communication part of an IMS multimedia telephony communication service session is realised by a single SIP session. It utilises media capabilities and flexibility provided by the SIP protocol and the 3GPP IMS specifications. In accordance with the service definition in 3GPP TS 22.173 [2], the media capabilities includes RTP-based transfer of voice, real-time video and text, as well as TCP/MSRP-based transfer of text, arbitrary files and sharing of media files with predefined formats. To ensure interoperability, media codecs and formats are fully specified for RTP-based and MSRP-based transfer in 3GPP TS 26.114 [12]. The service is highly dynamic in terms of media component usage: the protocols allow a communication session to start with one or more media components, and components can then be added and/or removed during the communication session. The protocols allow both one-way and two ways transfer between end points. Full duplex speech, and speech combined with other media components, are typical media cases but the protocols do not mandate the use of speech in all sessions.

4.3 Overview of supplementary services part

The supplementary services part of the IMS multimedia telephony communication service consists of a number of specified supplementary services. These are fully standardized to ensure interoperability between multiple end points, and between end points and network control entities. The behaviour of supplementary services is similar to supplementary services specified for CS speech (TS 11). Supplementary services uses SIP as enabling protocol. Configuration of supplementary services can take place over the Ut interface and can use XCAP as enabling protocol.

5 Basic Communication

5.1 IMS communication service identifier

Media feature-tag name: +g.ims.icsi.mmtel.

ASN.1 Identifier: New assignment by IANA.

Summary of the media feature indicated by this tag: This feature-tag indicates that the device supports the IMS Multimedia Telephony Communication Service.

Values appropriate for use with this feature-tag: Boolean.

The feature-tag is intended primarily for use in the following applications, protocols, services, or negotiation mechanisms:

This feature-tag is most useful in a communications application, for describing the capabilities of a device, such as a phone or PDA.

Examples of typical use: Indicating that a mobile phone can support the IMS Multimedia Telephony Communication Service.

Related standards or documents:

3GPP TS 24.173: "IMS Multimedia Telephony Communication Service and Supplementary Services, stage 3"

Security Considerations: Security considerations for this media feature-tag are discussed in subclause 11.1 of RFC 3840 [6].

Editor's note: The coding of the IMS communication service identifier is based on the current working assumption in 3GPP TS 24.229.

5.2 Session control procedures

The IMS multimedia telephony communication service can support different types of media, including media types listed in 3GPP TS 22.173 [2]. The session control procedures for the different media types shall be in accordance with 3GPP TS 24.229 [13] and 3GPP TS 24.247 [14].

6 Supplementary Services

6.1 High level requirements

6.2 Originating Identification Presentation (OIP)

The OIP service is specified in Annex A.

6.3 Originating Identification Restriction (OIR)

The OIR service is specified in Annex A.

6.4 Terminating Identification Presentation (TIP)

The TIP service is specified in Annex B.

6.5 Terminating Identification Restriction (TIR)

The TIR service is specified in Annex B.

6.6 Communication Diversion (CDIV)

The CDIV service is specified in Annex C.

6.7 Communication Hold (HOLD)

The HOLD service is specified in Annex D.

6.8 Communication Barring (CB)

The CB service is specified in Annex E.

6.9 Message Waiting Indication (MWI)

The MWI service is specified in Annex F.

6.10 Conference (CONF)

The CONF service is specified in Annex G.

6.11 Explicit Communication Transfer (ECT)

The ECT service is specified in Annex H.

Annex A (normative): Originating Identification Presentation (OIP) / Originating Identification Restriction (OIR)

This Annex shows the complete ETSI TS 183 007 [6] with the changes needed by 3GPP outlined in text marked by blue underline (example of inserted text) for inserted text, and blue strikethrough for deleted text (~~example of deleted text~~).

NOTE 1: ETSI TS 183 007 [6] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 007 [6] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-007-v1-2-1-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex B (normative): Terminating Identification Presentation (TIP) / Terminating Identification Restriction (TIR)

This Annex shows the complete ETSI TS 183 008 [7] with the changes needed by 3GPP outlined in text marked by blue underscore ([example of inserted text](#)) for inserted text, and blue strikethrough for deleted text (~~[example of deleted text](#)~~).

NOTE 1: ETSI TS 183 008 [7] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 008 [7] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-008-v1-2-1-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex C (normative): Communication Diversion (CDIV)

This Annex shows the complete ETSI TS 183 004 [3] with the changes needed by 3GPP outlined in text marked by blue underscore ([example of inserted text](#)) for inserted text, and blue strikethrough for deleted text (example of deleted text).

NOTE 1: ETSI TS 183 004 [3] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 004 [3] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-004-v1-2-1-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex D (normative): Communication Hold (HOLD)

This Annex shows the complete ETSI TS 183 010 [8] with the changes needed by 3GPP outlined in text marked by blue underscore ([example of inserted text](#)) for inserted text, and blue strikethrough for deleted text ([example of deleted text](#)).

NOTE 1: ETSI TS 183 010 [8] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 010 [8] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-010-v1-2-2-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex E (normative): Communication Barring (CB)

This Annex shows the complete ETSI TS 183 011 1[9] with the changes needed by 3GPP outlined in text marked by blue underscore ([example of inserted text](#)) for inserted text, and blue strikethrough for deleted text ([example of deleted text](#)).

NOTE 1: ETSI TS 183 011 [9] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 011 [9] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-011-v1-2-1-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex F (normative): Message Waiting Indication (MWI)

This Annex shows the complete ETSI TS 183 006 [5] with the changes needed by 3GPP outlined in text marked by blue underscore ([example of inserted text](#)) for inserted text, and blue strikethrough for deleted text ([example of deleted text](#)).

NOTE 1: ETSI TS 183 006 [5] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 006 [5] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-006-v1-2-1-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex G (normative): Conference (CONF)

This Annex shows the complete ETSI TS 183 005 [4] with the changes needed by 3GPP outlined in text marked by blue underscore ([example of inserted text](#)) for inserted text, and blue strikethrough for deleted text ([example of deleted text](#)).

NOTE 1: ETSI TS 183 005 [4] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 005 [4] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-005-v1-1-3-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex H (normative): Explicit Communication Transfer (ECT)

This Annex shows the complete ETSI TS 183 029 [10] with the changes needed by 3GPP outlined in text marked by blue underscore ([example of inserted text](#)) for inserted text, and blue strikethrough for deleted text ([example of deleted text](#)).

NOTE 1: ETSI TS 183 029 [10] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 029 [10] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-029-v1-2-1-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex I (normative): XCAP over Ut interface for Manipulating NGN PSTN/ISDN Simulation Services

This Annex shows the complete ETSI TS 183 023 [11] with the changes needed by 3GPP outlined in text marked by blue underscore (example of inserted text) for inserted text, and blue strikethrough for deleted text (~~example of deleted text~~).

NOTE 1: ETSI TS 183 023 [11] can be updated by TISPAN in parallel to the changes proposed by 3GPP. If a new version of ETSI TS 183 023 [11] is created, this Annex will be updated to reflect this new reference version.

The Annex is contained in file "24173-710-ETSI-TS-183-023-v1-3-1-modified.doc".

NOTE 2: "24173-710" of the file name refers to the version of 3GPP TS 24.173 the modified ETSI TS is part of.

Annex J (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
2006-05	CT1#42				First draft	0.0.0	0.1.0
2006-07	CT1#42-bis				The following Tdocs included are in this version of the TS: C1-061293, C1-061301, C1-061342, C1-061343, C1-061344, C1-061345, C1-061346, C1-061347, C1-061348, C1-061361 Some corrections to the formatting as well as editorial alignments also done by the rapporteur.	0.1.0	0.2.0
2006-09	CT1#43				The following Tdocs have been included in this version of the TS: C1-061464, C1-061721, C1-061722, C1-0611723 Some formatting cleanups performed in chapters: Annex E (4.5.2.6.2 and 4.7.1.1) and Annex H (4.5.2.4.1.2.3, 4.5.2.4.2.1, 4.5.2.7.2 and 4.5.2.7.3).	0.2.0	0.3.0
2006-11	CT1#44				The following Tdoc has been included in this version of the TS: C1-062452	0.3.0	0.4.0
2006-11	3GPP/TI SPAN Supplementary Serv				The following Tdoc has been included in this version of the TS: SS-060052	0.4.0	0.5.0
2006-11					V 1.0.0 created by MCC	0.5.0	1.0.0
2007-02	CT1#45				The text in the annexes A, B, C, D, E, F, G, H and I split out as separate word-files with ETSI-logo and headers. The following contributions, including TISPAN#12 plenary approved CRs, have been incorporated: C1-070032 C1-070163 (12TD062 TISPAN#12 plenary CR pack) C1-070164 (12TD066r1 TISPAN#12 plenary CR pack) C1-070165 (12TD060 TISPAN#12 plenary CR pack) C1-070166 (12TD068 TISPAN#12 plenary CR pack) C1-070167 (12TD061 TISPAN#12 plenary CR pack) C1-070436 C1-070437 C1-070555 C1-070557 C1-070631 C1-061464 (CT1#43) change to Annex E/4.6.4 incorporated	1.0.0	1.1.0
2007-02					V 2.0.0 created by MCC	1.1.0	2.0.0
2007-02	CT#35				The following Tdoc approved in CT#35: CP-070230	2.0.0	2.1.0
2007-03	CT#35				Version 7.0.0 was created by MCC	2.1.0	7.0.0
2007-06	CT-36	CP-070430	0006	1	24.173: Alignment with TISPAN#13 approved CDIV CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0013	-	24.173: Alignment with TISPAN#13 approved XCAP CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0011	-	24.173: Alignment with TISPAN#13 approved OIP/OIR CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0010	-	24.173: Alignment with TISPAN#13 approved MWI CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0009	-	24.173: Alignment with TISPAN#13 approved HOLD CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0008	-	24.173: Alignment with TISPAN#13 approved ECT CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0007	-	24.173: Alignment with TISPAN#13 approved CONF CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0005	-	24.173: Alignment with TISPAN#13 approved CB CRs	7.0.0	7.1.0
2007-06	CT-36	CP-070430	0003	-	Correction of file names for the SS-TSs	7.0.0	7.1.0
2007-06	CT-36	CP-070490	0012	1	Alignment with TISPAN#13 approved TIP/TIR CRs	7.0.0	7.1.0

History

Document history		
V7.0.0	March 2007	Publication
V7.1.0	June 2007	Publication