

ETSI TS 126 252 V18.2.0 (2024-10)



**LTE;
5G;
Codec for Immersive Voice and Audio Services (IVAS);
Test sequences
(3GPP TS 26.252 version 18.2.0 Release 18)**



Reference

RTS/TSGS-0426252vi20

Keywords

5G,LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI [Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	4
1 Scope	6
2 References	6
3 Definitions of terms, symbols and abbreviations	6
3.1 Terms.....	6
3.2 Symbols.....	6
3.3 Abbreviations	7
4 General	7
4.1 Introduction	7
5 Test sequence format.....	7
5.1 Introduction to test sequence format	7
5.2 File format	7
6 IVAS codec test sequences including error concealment of lost packets.....	8
6.1 Introduction to test sequences	8
6.2 Codec configuration	8
6.3 IVAS codec test sequences.....	8
6.3.1 Mono operation test sequences	8
6.3.2 Encoder test sequences	8
6.3.3 Decoder test sequences	8
6.3.4 Renderer test sequences	8
6.3.5 Jitter buffer management test sequences.....	9
7 Conformance Testing	9
7.1 Bit-exact Conformance.....	9
7.2 Non-Bit-exact Conformance	9
7.3 LC3plus Conformance	9
Annex A (informative): Change history	10
History	11

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

might not indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

is (or any other verb in the indicative mood) indicates a statement of fact

is not (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

1 Scope

The present document specifies the digital test sequences for the Immersive Voice and Audio Services (IVAS) codec. These sequences shall be used in conformance testing for implementations of the IVAS codec (3GPP TS 26.253), Rendering (3GPP TS 26.254), Error Concealment of Lost Packets (3GPP TS 26.255) and Jitter Buffer Management (JBM) (3GPP TS 26.256) and its reference C code specification 3GPP TS 26.258 (floating-point). In addition, the present document specifies procedures for conformance testing.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 26.250: "Codec for Immersive Voice and Audio Services (IVAS); General overview".
- [3] Void
- [4] 3GPP TS 26.253: "Codec for Immersive Voice and Audio Services (IVAS); Detailed Algorithmic Description including RTP payload format and SDP parameter definitions".
- [5] 3GPP TS 26.254: "Codec for Immersive Voice and Audio Services (IVAS); Rendering".
- [6] 3GPP TS 26.255: "Codec for Immersive Voice and Audio Services (IVAS); Error concealment of lost packets".
- [7] 3GPP TS 26.256: "Codec for Immersive Voice and Audio Services (IVAS); Jitter Buffer Management".
- [8] 3GPP TS 26.258: "Codec for Immersive Voice and Audio Services (IVAS); C code (floating-point)".
- [9] 3GPP TS 26.444: "Codec for Enhanced Voice Services (EVS); Test Sequences".
- [10] ETSI TS 103 634 V1.4.1 (2023-03), "Digital Enhanced Cordless Telecommunications (DECT); Low Complexity Communication Codec plus (LC3plus)".

3 Definitions of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

3.2 Symbols

Void

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

AMR-WB	Adaptive Multi Rate Wideband (codec)
EVS	Enhanced Voice Services (codec)
IVAS	Immersive Voice and Audio Services (codec)
ISAR	Immersive Audio for Split Rendering Scenarios
JBM	Jitter Buffer Management

4 General

4.1 Introduction

This specification provides digital test sequences that shall be used to test conformance for an implementation of the IVAS codec (TS 26.253 [4]), Rendering (TS 26.254 [5]), Error Concealment of Lost Packets (TS 26.255 [6]) and Jitter Buffer Management (JBM) (TS 26.256 [7]), and its reference C code specification in TS 26.258 [8] (floating-point). An overview of the IVAS Codec specifications is found in TS 25.250 [2].

A standard compliant implementation of the above specifications shall pass the conformance tests according to clause 7. The necessary test sequences can be found in the corresponding ZIP files according to the attached Readme.txt file.

NOTE: The test sequences apply to specific version(s) of the IVAS codec as indicated by the name of the ZIP file, e.g., IVAS-FL-1.0. The codec version number is used to have consistent numbering across reference C code specifications.

Clause 5 describes the format of the files, which contain the digital test sequences. Clause 6 describes the test sequences for the IVAS codec, including rendering, error concealment of lost packets, and jitter buffer management. Clause 7 describes the conformance testing procedure for implementations of the IVAS codec.

5 Test sequence format

5.1 Introduction to test sequence format

This clause provides information on the format of the digital test sequences for the IVAS codec (TS 26.253 [4]), Rendering (TS 26.254 [5]), Error Concealment of Lost Packets (TS 26.255 [6]) and Jitter Buffer Management (JBM) (TS 26.256 [7]) and its reference C code specification in TS 26.258 [8] (floating-point).

5.2 File format

The test sequence data is provided in PC (little-endian byte order) files, according to table 1.

Table 1: Overview of test sequence files

File type	File extensions
Audio input to the encoder and output from the decoder and renderer	*.wav
ISM metadata, Head rotation trajectories	*.csv
MASA metadata	*.met
Rate switching	*.bin
IVAS bitstreams	*.192
ISAR bitstreams	*.bit
IVAS bitstreams with frame errors	*.fer
Renderer configuration (text format or binary format)	*.cfg, *.dat
Renderer scene description	*.txt

6 IVAS codec test sequences including error concealment of lost packets

6.1 Introduction to test sequences

This clause provides information on the test sequences designed to exercise the IVAS codec.

6.2 Codec configuration

The codec shall be configured according to the instructions in `Readme_IVAS_{enc, dec, rend, JBM_dec, ISAR_dec, ISAR_post_rend}.txt` for each test case respectively in accordance with clause 6.3. For the bit-exact EVS compatibility mode of IVAS, including the AMR-WB interoperable function, the codec shall be configured in accordance with TS 26.444 [9].

6.3 IVAS codec test sequences

6.3.1 Mono operation test sequences

For mono operation (utilizing the bit-exact EVS compatibility mode of IVAS, including the AMR-WB interoperable function) the encoder and decoder shall be tested using test sequences and instructions in accordance with TS 26.444 [9].

6.3.2 Encoder test sequences

To test an IVAS encoder (beyond mono operation, see clause 6.3.1), test sequences and instructions provided in `Readme_IVAS_enc.txt` shall be used.

6.3.3 Decoder test sequences

To test an IVAS decoder (beyond mono operation, see clause 6.3.1), test sequences and instructions provided in `Readme_IVAS_dec.txt` shall be used. To test the IVAS decoder for split rendering (ISAR pre-renderer), test sequences and instructions provided in `Readme_IVAS_ISAR_dec.txt` shall be used.

6.3.4 Renderer test sequences

To test an IVAS renderer, test sequences and instructions provided in `Readme_IVAS_rend.txt` shall be used.

6.3.5 Jitter buffer management test sequences

To test jitter buffer management (JBM) for an IVAS decoder, test sequences and instructions provided in `Readme_IVAS_JBM_dec.txt` shall be used.

7 Conformance Testing

7.1 Bit-exact Conformance

For an implementation to be declared conformant according to the bit-exact conformance test procedure, the output sequences of the corresponding feature being implemented (IVAS encoder, IVAS decoder, IVAS renderer, JBM, ISAR pre-renderer, ISAR post-renderer) shall match bit-exactly the reference test sequences provided in the corresponding ZIP files in accordance with clause 6, including clause 6.3.1 for mono operation of the IVAS encoder and IVAS decoder. This applies for all implementations of the IVAS codec (TS 26.253 [4]), Rendering (TS 26.254 [5]), Error Concealment of Lost Packets (TS 26.255 [6]) and Jitter Buffer Management (JBM) (TS 26.256 [7]), and its reference C code specification in TS 26.258 [8] (floating-point).

If optional features are implemented, the corresponding conformance tests shall pass.

7.2 Non-Bit-exact Conformance

For IVAS mono operation (of and IVAS encoder or IVAS decoder), if an implementation under test is based on floating-point code (TS 26.258 [8]) and the output sequences are not bit-exact to the test sequences according to clause 6, the non-bit-exact conformance testing procedure defined in TS 26.444 [9] shall be used to test the conformance.

If optional features are implemented, the corresponding conformance tests shall pass.

7.3 LC3plus Conformance

For IVAS/ISAR split rendering operation utilizing LC3plus, the LC3plus encoder and decoder implementation shall pass all required conformance tests in accordance with the conformance procedure specified in [10] for the corresponding LC3plus codec version [10].

NOTE: Further details on the conformance configuration is TBD.

Annex A (informative): Change history

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2023-11	SA4#126	S4-231880				Initial version	0.0.1
2023-11	SA4#126	S4-231994				Presented to SA4 plenary	0.1.0
2023-12	SA#102	SP-231302				Version 1.0.0 created by MCC	1.0.0
2024-02	SA4#127	S4-240343				Added initial test sequences for TS 26.258	1.1.0
2024-03	SA#103	SP-240028				Version 2.0.0 created by MCC	2.0.0
2024-03						Version 18.0.0 created by MCC	18.0.0
2024-06	SA#104	SP-240693	0001	2	B	Updated IVAS test sequences	18.1.0
2024-06						Title changed, abbreviation "IVAS" added per TSG SA decision	18.1.0
2024-06	SA#105	SP-241115	0002	1	F	Correction of references	18.2.0

History

Document history		
V18.0.0	May 2024	Publication
V18.1.0	July 2024	Publication
V18.2.0	October 2024	Publication