

ETSI TS 126 453 V17.0.0 (2022-05)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Codec for Enhanced Voice Services (EVS);
Speech codec frame structure
(3GPP TS 26.453 version 17.0.0 Release 17)**



Reference

RTS/TSGS-0426453vh00

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	4
1 Scope	5
2 References	5
3 Abbreviations	6
4 EVS Codec generic frame format in CS Networks	6
4.1 General	6
4.2 EVS payload sizes in CS Networks.....	6
4.3 EVS generic frame header.....	7
4.4 EVS frame quality classification.....	7
4.5 EVS codec mode request in CS Networks	7
Annex A (informative): Change history	8
History	9

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The Enhanced Voice Services (EVS) Codec is specified in the series of Technical Specifications TS 26.441 [3], TS 26.442 [4], TS 26.443 [5], TS 26.444 [6], TS 26.445 [7], TS 26.446 [8], TS 26.447 [9], TS 26.448 [10], TS 26.449 [11], TS 26.450 [12], TS 26.451 [13] and TS 26.452 [15]. The EVS Codec is characterized in TR 26.952 [14].

The present document describes the "generic frame format" for the EVS Codec for the application in 3G Circuit-Switched Networks. This format is based on the RTP framing, as specified in TS 26.445 [7]. This generic frame format will be used as a common reference point, when interfacing speech frames between different elements of the 3G system. Appropriate mappings to and from this generic frame format will be used within and between each system element.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TR 41.001: "GSM Specification set".
- [3] 3GPP TS 26.441: "Codec for Enhanced Voice Services (EVS); General overview".
- [4] 3GPP TS 26.442: "Codec for Enhanced Voice Services (EVS); ANSI C code (fixed-point)".
- [5] 3GPP TS 26.443: "Codec for Enhanced Voice Services (EVS); ANSI C code (floating-point)".
- [6] 3GPP TS 26.444: "Codec for Enhanced Voice Services (EVS); Test Sequences".
- [7] 3GPP TS 26.445: "Codec for Enhanced Voice Services (EVS); Detailed algorithmic description".
- [8] 3GPP TS 26.446: "Codec for Enhanced Voice Services (EVS); Adaptive Multi-Rate - Wideband (AMR-WB) backward compatible functions".
- [9] 3GPP TS 26.447: "Codec for Enhanced Voice Services (EVS); Error concealment of lost packets".
- [10] 3GPP TS 26.448: "Codec for Enhanced Voice Services (EVS); Jitter buffer management".
- [11] 3GPP TS 26.449: "Codec for Enhanced Voice Services (EVS); Comfort Noise Generation (CNG) aspects".
- [12] 3GPP TS 26.450: "Codec for Enhanced Voice Services (EVS); Discontinuous Transmission (DTX)".
- [13] 3GPP TS 26.451: "Codec for Enhanced Voice Services (EVS); Voice Activity Detection (VAD)".
- [14] 3GPP TR 26.952: "Codec for Enhanced Voice Services (EVS); Performance Characterization".
- [15] 3GPP TS 26.452: "Codec for Enhanced Voice Services (EVS); ANSI C code; Alternative fixed-point using updated basic operators".

3 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

AMR-WB	Adaptive Multi-Rate - WideBand
CMR	Codec Mode Request (for AMR and AMR-WB and EVS)
CS	Circuit Switched
EVS	Enhanced Voice Services
EVS-CMR	CMR for EVS
EVS-SID	SID for EVS
FQC	Frame quality Classification
EVS AMR-WB IO	EVS AMR-WB Inter Operable (mode of operation)
MSB	Most Significant Bit
RTP	Real Time Protocol
SID	Silence Insertion Descriptor (for AMR and AMR-WB)
ToC	Table of Contents
WB-CMR	CMR for AMR-WB
WB-SID	SID for AMR-WB (and for EVS AMR-WB IO)

4 EVS Codec generic frame format in CS Networks

4.1 General

This clause describes the "generic frame format" of the EVS Codec in 3G CS networks for the Speech and SID frames of the primary modes of operation and the Speech and SID frames of the EVS AMR-WB IO mode of operation.

This generic frame format is illustrated in Figure 4.1-1 and it is based on the RTP format specified in TS 26.445 [7], Annex A, Figure A.3 (c), "Payload structure of Header-Full format with CMR + ToC single frame" and in TS 26.445 [7], Annex A, Figure A.6, "Payload structure for EVS AMR-WB IO SID (56 bit) payload" with the following modifications:

- The leading "1" bit, d(0), in the CMR octet (MSB) is omitted in CS networks; bits d(1) ... d(7) are copied bit by bit in the same order. EVS-CMR has therefore 7 bits.
- The ToC octet is omitted (Table of Contents in RTP).
- The Speech data or SID of the EVS primary and the EVS AMR-WB IO modes are copied bit by bit. Each rate has its own, unique number of bits (n+1).
- The 40 bits of the AMR-WB SID, d(0) ... d(39), are copied bit by bit into the generic frame format.

Note that the order of Speech data or SID bits is the same as in in TS 26.445 [7].




Figure 4.1-1: EVS Generic Frame Format in CS Networks

4.2 EVS payload sizes in CS Networks

Table 4.2-1 lists all EVS Primary rates for the application in CS Networks, including No_Data. These payload sizes are always integer multiples of 8 bits (excluding the 7-bit EVS-CMR).

Table 4.2-1: Payload sizes for EVS Primary Rates in CS Networks

Rate	Payload Size (bits)	Net bit rate for active speech (kbps)
No_Data	0	-
EVS Primary SID	48	-
EVS Primary 2.8	56	2,8
EVS Primary 7.2	144	7,2
EVS Primary 8.0	160	8,0
EVS Primary 9.6	192	9,6
EVS Primary 13.2	264	13,2
EVS Primary 16.4	328	16,4
EVS Primary 24.4	488	24,4

Table 4.2-2 lists all EVS AMR-WB IO rates for the application in CS Networks. In contrast to the payload sizes used in RTP, these payloads do not include any CMR overhead. These payload sizes are not always integer multiples of 8 bits (excluding the 7-bit EVS-CMR).

Table 4.2-2: Payload sizes for EVS AMR-WB IO modes in CS Networks

Rate	Payload Size (bits)	Net bit rate for active speech (kbps)
EVS-AMR-WB IO SID	40	-
EVS AMR-WB IO 6.6	132	6,6
EVS AMR-WB IO 8.85	177	8,85
EVS AMR-WB IO 12.65	253	12,65

4.3 EVS generic frame header

The EVS Codec generic frame format in CS networks has no header. The payload size defines the used Codec rate. Parameters inside this EVS payload differentiate the EVS audio bandwidth and the EVS mode of operation. For details, see TS 26.445 [7].

4.4 EVS frame quality classification

The EVS Codec generic frame format has no own Frame Quality Indicator. If transported on Iu and Nb the "Frame Quality Classification" (FQC) of the Iu and Nb framing protocol is used.

4.5 EVS codec mode request in CS Networks

The EVS Codec Mode Request (EVS-CMR) is specified in TS 26.445 [7], Annex A, Table A.3: Structure of CMR. The EVS-CMR has a size of 7 bits. The Header bit (MSB), specified in TS 26.445 [7], is omitted in CS networks.

Annex A (informative): Change history

Change history							
Date	TSG SA #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
2016-03	70	SP-160071			Presented to TSG SA#71 Plenary (for approval)	-	1.0.0
2016-03					Approved at TSG SA#71	1.0.0	13.0.0

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2017-03	75					Version for Release 14	14.0.0
2018-06	80					Version for Release 15	15.0.0
2019-03	83	SP-190036	0001	-	B	Addition of reference to Alt_FX_EVS implementation	16.0.0
2022-04	-	-	-	-	-	Update to Rel-17 version (MCC)	17.0.0

History

Document history		
V17.0.0	May 2022	Publication