

ETSI TS 128 303 V16.0.0 (2020-08)



**LTE;
Telecommunication management;
Licensed Shared Access (LSA) Controller (LC)
Integration Reference Point (IRP);
Solution Set (SS) definitions
(3GPP TS 28.303 version 16.0.0 Release 16)**



Reference

RTS/TSGS-0528303vg00

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|--|----------|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 5 |
| Introduction | 5 |
| 1 Scope | 6 |
| 2 References | 6 |
| 3 Definitions and abbreviations..... | 6 |
| 3.1 Definitions | 6 |
| 3.2 Abbreviations | 6 |
| 4 Solution Set Definitions | 7 |
| Annex A (normative): CORBA Solution Set | 8 |
| Annex B (normative): SOAP Solution Set | 9 |
| B.1 Architectural features | 9 |
| B.1.1 Supported W3C specifications | 9 |
| B.1.3 Prefixes and namespaces | 9 |
| B.2 Mapping | 10 |
| B.2.1 Operation mapping | 10 |
| B.2.2 Notification mapping..... | 10 |
| B.2.3 Operation parameter mapping..... | 11 |
| B.2.3.1 Operation requestLcRegistration | 11 |
| B.2.3.1.1 Input parameters..... | 11 |
| B.2.3.1.2 Output parameters..... | 11 |
| B.2.3.1.3 Fault definition..... | 11 |
| B.2.3.2 Operation requestLcDeRegistration..... | 12 |
| B.2.3.2.1 Input parameters..... | 12 |
| B.2.3.2.2 Output parameters..... | 12 |
| B.2.3.2.3 Fault definition..... | 12 |
| B.2.3.3 Operation getLSRAI | 12 |
| B.2.3.3.1 Input parameters..... | 12 |
| B.2.3.3.2 Output parameters..... | 13 |
| B.2.3.3.3 Fault definition..... | 13 |
| B.2.3.4 Operation getLSRAIConfirmation..... | 13 |
| B.2.3.4.1 Input parameters..... | 13 |
| B.2.3.4.2 Output parameters..... | 13 |
| B.2.3.4.3 Fault definition..... | 14 |
| B.2.3.5 Operation cellsUpdate | 14 |
| B.2.3.5.1 Input parameters..... | 14 |
| B.2.3.5.2 Output parameters..... | 14 |
| B.2.3.5.3 Fault definition..... | 14 |
| B.2.3.6 Operation cellsConstraintsSatisfied..... | 15 |
| B.2.3.6.1 Input parameters..... | 15 |
| B.2.3.6.2 Output parameters..... | 15 |
| B.2.3.6.3 Fault definition..... | 15 |
| B.2.3.7 Operation cellsConstraintsUpdate..... | 15 |
| B.2.3.7.1 Input parameters..... | 15 |
| B.2.3.7.2 Output parameters..... | 16 |
| B.2.3.7.3 Fault definition..... | 16 |
| B.2.4 Notification parameter mapping..... | 16 |

| | | |
|--|--|-----------|
| B.2.4.1 | Notification notifyLCRegistration | 16 |
| B.2.4.1.1 | Input parameters | 16 |
| B.2.4.2 | Notification notifyLCDeRegistration..... | 16 |
| B.2.4.2.1 | Input parameters | 16 |
| B.2.4.3 | Notification notifyZoneCreation | 17 |
| B.2.4.3.1 | Input parameters | 17 |
| B.2.4.4 | Notification notifyZoneDeletion | 17 |
| B.2.4.4.1 | Input parameters | 17 |
| B.2.4.5 | Notification notifyZoneModification..... | 18 |
| B.2.4.5.1 | Input parameters | 18 |
| B.2.4.6 | Notification notifyLSRAIConfirmation | 18 |
| B.2.4.6.1 | Input parameters | 18 |
| B.3 | Solution Set definitions | 18 |
| B.3.1 | WSDL definition structure | 18 |
| B.3.2 | Graphical Representation | 19 |
| B.3.3 | WSDL specification "LCIRPLCRSystem.wsdl" | 19 |
| B.3.4 | WSDL specification "LCIRPLCSystem.wsdl" (scenario 1)..... | 21 |
| B.3.5 | WSDL specification "LCIRPNMSystem.wsdl" (scenario 1) | 23 |
| B.3.6 | WSDL specification "LCIRPLCSystem.wsdl" (scenario 2)..... | 25 |
| B.3.7 | WSDL specification "LCIRPNMSystem.wsdl" (scenario 2) | 27 |
| Annex C (informative): Change history | | 30 |
| History | | 31 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

- 28.301 LSA Controller (LC) Integration Reference Point (IRP); Requirements
- 28.302 LSA Controller (LC) Integration Reference Point (IRP); Information Service (IS)
- 28.303 LSA Controller (LC) Integration Reference Point (IRP); Solution Set (SS) definitions**

1 Scope

The purpose of the present document is to define the mapping of the LSA Controller (LC) Integration Reference Point (IRP) (see 3GPP TS 28.302 [2]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment and in a SOAP/WSDL environment.

This Solution Set specification is related to 3GPP TS 28.302 V14.0.X.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 28.302: "Telecommunication Management; Licensed Shared Access (LSA) Controller (LC) Integration Reference Point (IRP); Information Service (IS)".
- [3] W3C SOAP 1.1 specification: "Simple Object Access Protocol (SOAP) 1.1", (<http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>)
- [4] W3C WSDL 1.1 specification: "Web Services Description Language (WSDL) 1.1", (<http://www.w3.org/TR/2001/NOTE-wsdl-20010315>)
- [5] W3C SOAP 1.2 specification: "SOAP Version 1.2 Part 1: Messaging Framework", (<http://www.w3.org/TR/soap12-part1/>)

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

| | |
|-------|---|
| CORBA | Common Object Request Broker Architecture |
| OMG | Object Management Group |
| WSDL | Web Service Description Language |

4 Solution Set Definitions

The present document defines the following Solution Set definitions:

Annex A provides the CORBA Solution Set.

Annex B provides the SOAP Solution Set.

Annex A (normative): CORBA Solution Set

This annex specifies the CORBA Solution Set for the IRP whose semantics are specified in 3GPP TS 28.302 [2].

The CORBA Solution Set is not provided in the present document.

Annex B (normative): SOAP Solution Set

This annex specifies the SOAP Solution Set for the IRP whose semantics are specified in 3GPP TS 28.302 [2].

B.1 Architectural features

B.1.1 Supported W3C specifications

The SOAP 1.1 specification [3] and WSDL 1.1 specification [4] are supported.

The SOAP 1.2 specification [5] is supported optionally.

The present document uses "document" style in the WSDL description.

The present document uses "literal" encoding style in the WSDL description.

B.1.3 Prefixes and namespaces

The present document uses a number of namespace prefixes throughout that are listed in table B.1.3.1.

Table B.1.3.1: Prefixes and Namespaces used in the present document

| Prefix | Namespace |
|----------------|---|
| http | http://schemas.xmlsoap.org/wsdl/http/ |
| soap | http://schemas.xmlsoap.org/wsdl/soap/ |
| soapenc | http://schemas.xmlsoap.org/soap/encoding/ |
| xs | http://www.w3.org/2001/XMLSchema |
| LCIRPLCSystem | http://www.3gpp.org/ftp/specs/archive/28_series/28303#LCIRPLCSystem |
| LCIRPNMData | http://www.3gpp.org/ftp/specs/archive/28_series/28303#LCIRPNMData |
| LCIRPLCRSystem | http://www.3gpp.org/ftp/specs/archive/28_series/28303#LCIRPLCRSystem |

B.2 Mapping

B.2.1 Operation mapping

3GPP TS 28.302 [2] defines the semantics of operations. This chapter specifies the mapping of these operations to their SS equivalents.

Table B.2.1.1: Mapping from IS operations to SS equivalents (scenario 1, interface OperationsInvokedByNM)

| IS operation (3GPP TS 28.302 [2]) | SS operation | Port | Support Qualifier |
|--------------------------------------|-------------------------|-------------|----------------------|
| requestLcRegistration | requestLcRegistration | LCIRPLCPort | M |
| requestLcDeRegistration | requestLcDeRegistration | LCIRPLCPort | M |
| getLSRAI | getLSRAI | LCIRPLCPort | M |

Table B.2.1.2: Mapping from IS operations to SS equivalents (scenario 1, interface OperationsInvokedByLC)

| IS operation (3GPP TS 28.302 [2]) | SS operation | Port | Support Qualifier |
|--------------------------------------|----------------------|-------------|----------------------|
| getLSRAIConfirmation | getLSRAIConfirmation | LCIRPNMPort | M |

Table B.2.1.3: Mapping from IS operations to SS equivalents (scenario 2, interface OperationsInvokedByNM)

| IS operation (3GPP TS 28.302 [2]) | SS operation | Port | Support Qualifier |
|--------------------------------------|---------------------------|-------------|----------------------|
| cellsUpdate | cellsUpdate | LCIRPLCPort | M |
| cellsConstraintsSatisfied | cellsConstraintsSatisfied | LCIRPLCPort | M |

Table B.2.1.4: Mapping from IS operations to SS equivalents (scenario 2, interface OperationsInvokedByLC)

| IS operation (3GPP TS 28.302 [2]) | SS operation | Port | Support Qualifier |
|--------------------------------------|------------------------|-------------|----------------------|
| cellsConstraintsUpdate | cellsConstraintsUpdate | LCIRPNMPort | M |

B.2.2 Notification mapping

3GPP TS 28.302 [2] defines the semantics of notifications. This clause specifies the mapping of these notifications to their SS equivalents.

Table B.2.2.1: Mapping from IS operations to SS equivalents (scenario 1, interface NotificationsEmittedByLC)

| IS notification (3GPP TS 28.302 [2]) | SS notification | Port | Support Qualifier |
|---|------------------------|-------------|----------------------|
| notifyLCRegistration | notifyLCRegistration | LCIRPLCPort | M |
| notifyLCDeRegistration | notifyLCDeRegistration | LCIRPLCPort | M |
| notifyZoneCreation | notifyZoneCreation | LCIRPLCPort | M |
| notifyZoneDeletion | notifyZoneDeletion | LCIRPLCPort | M |
| notifyZoneModification | notifyZoneModification | LCIRPLCPort | M |

Table B.2.2.2: Mapping from IS operations to SS equivalents (scenario 1, interface NotificationsEmittedByNM)

| IS notification (3GPP TS 28.302 [2]) | SS notification | Port | Support Qualifier |
|---|-------------------------|-------------|----------------------|
| notifyLSRAIConfirmation | notifyLSRAIConfirmation | LCIRPNMPort | M |

Table B.2.2.3: Mapping from IS operations to SS equivalents (scenario 2, interface NotificationsEmittedByLC)

| IS notification (3GPP TS 28.302 [2]) | SS notification | Port | Support Qualifier |
|---|------------------------|-------------|----------------------|
| notifyLCRegistration | notifyLCRegistration | LCIRPLCPort | M |
| notifyLCDeRegistration | notifyLCDeRegistration | LCIRPLCPort | M |

Table B.2.2.4: Mapping from IS operations to SS equivalents (scenario 2, interface NotificationsEmittedByNM)

| IS notification (3GPP TS 28.302 [2]) | SS notification | Port | Support Qualifier |
|---|-----------------|------|----------------------|
| | | | |

B.2.3 Operation parameter mapping

B.2.3.1 Operation requestLcRegistration

B.2.3.1.1 Input parameters

Table B.2.3.1.1.1: Mapping from IS requestLcRegistration input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| licenseeId | licenseeId | M |
| lCId | lCId | M |
| lRId | lRId | M |

XML schema fragment of the requestLcRegistration request:

```
<element name="requestLcRegistrationRequest">
  <complexType>
    <sequence>
      <element name="licenseeId" type="integer"/>
      <element name="lCId" type="integer"/>
      <element name="lRId" type="integer"/>
    </sequence>
  </complexType>
</element>
```

B.2.3.1.2 Output parameters

Table B.2.3.1.2.1: Mapping from IS requestLcRegistration output parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| licenseeId | licenseeId | M |
| lCId | lCId | M |
| lRId | lRId | M |
| cause | cause | M |
| result | No direct mapping | -- |

XML schema fragment of the requestLcRegistration response:

```
<element name="requestLcRegistrationResponse">
  <complexType>
    <sequence>
      <element name="licenseeId" type="integer"/>
      <element name="lCId" type="integer"/>
      <element name="lRId" type="integer"/>
    </sequence>
  </complexType>
</element>
```

B.2.3.1.3 Fault definition

```
<element name="requestLcRegistrationFault">
  <complexType>
    <choice>
      <element name="cause" type="integer"/>
    </choice>
  </complexType>
</element>
```

B.2.3.2 Operation requestLcDeRegistration

B.2.3.2.1 Input parameters

Table B.2.3.2.1.1: Mapping from IS requestLcDeRegistration input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| lCId | lCId | M |
| lRId | lRId | M |

XML schema fragment of the requestLcDeRegistration request:

```
<element name="requestLcDeRegistrationRequest">
  <complexType>
    <sequence>
      <element name="lCId" type="integer"/>
      <element name="lRId" type="integer"/>
    </sequence>
  </complexType>
</element>
```

B.2.3.2.2 Output parameters

Table B.2.3.2.2.2: Mapping from IS requestLcDeRegistration output parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| lCId | lCId | M |
| lRId | lRId | M |
| cause | cause | M |
| result | No direct mapping | -- |

XML schema fragment of the requestLcDeRegistration response:

```
<element name="requestLcDeRegistrationResponse">
  <complexType>
    <sequence>
      <element name="lCId" type="integer"/>
      <element name="lRId" type="integer"/>
    </sequence>
  </complexType>
</element>
```

B.2.3.2.3 Fault definition

```
<element name="requestLcDeRegistrationFault">
  <complexType>
    <choice>
      <element name="cause" type="integer"/>
    </choice>
  </complexType>
</element>
```

B.2.3.3 Operation getLSRAI

B.2.3.3.1 Input parameters

Table B.2.3.3.1.1: Mapping from IS getLSRAI input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| scope | scope | M |

XML schema fragment of the getLSRAI request:

```
<element name="getLSRAIRequest">
```

```

<complexType>
  <sequence>
    <element name="scope" type="zoneIdListType" />
  </sequence>
</complexType>
</element>

```

B.2.3.3.2 Output parameters

Table B.2.3.3.2.1: Mapping from IS getLSRAI output parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| ISRAI | ISRAI | M |
| status | No direct mapping | -- |

XML schema fragment of the getLSRAI response:

```

<element name="getLSRAIResponse">
  <complexType>
    <sequence>
      <element name="lSRAI" type="lSRAIIocType" />
    </sequence>
  </complexType>
</element>

```

B.2.3.3.3 Fault definition

```

<element name="getLSRAIFault">
  <complexType>
    <choice>
      <element name="cause" type="integer" />
    </choice>
  </complexType>
</element>

```

B.2.3.4 Operation getLSRAIConfirmation

B.2.3.4.1 Input parameters

Table B.2.3.4.1.1: Mapping from IS getLSRAIConfirmation input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| status | No direct mapping | -- |

XML schema fragment of the getLSRAIConfirmation request:

```

<element name="getLSRAIConfirmationRequest">
  <complexType>
    <sequence>
      </sequence>
  </complexType>
</element>

```

B.2.3.4.2 Output parameters

Table B.2.3.4.2.1: Mapping from IS getLSRAIConfirmation output parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| confirmedZoneList | confirmedZoneList | M |

XML schema fragment of the getLSRAIConfirmation response:

```

<element name="getLSRAIConfirmationResponse">
  <complexType>

```

```

    <sequence>
      <element name="confirmedZoneList" type="zoneIdListType" />
    </sequence>
  </complexType>
</element>

```

B.2.3.4.3 Fault definition

```

<element name="getLSRAIConfirmationFault">
  <complexType>
    <choice>
      <element name="cause" type="integer" />
    </choice>
  </complexType>
</element>

```

B.2.3.5 Operation cellsUpdate

B.2.3.5.1 Input parameters

Table B.2.3.5.1.1: Mapping from IS cellsUpdate input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| addedLSACells | addedLSACells | O |
| modifiedLSACells | modifiedLSACells | O |
| removedLSACells | removedLSACells | O |

XML schema fragment of the cellsUpdate request:

```

<element name="cellsUpdate">
  <complexType>
    <sequence>
      <element name="addedLSACells" type="lSACellSType" minOccurs="0" />
      <element name="modifiedCells" type="lSACellSType" minOccurs="0" />
      <element name="removedCells" type="lSACellsType" minOccurs="0" />
    </sequence>
  </complexType>
</element>

```

B.2.3.5.2 Output parameters

Table B.2.3.5.2.1: Mapping from IS cellsUpdate output parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| status | No direct mapping | -- |

XML schema fragment of the cellsUpdate response:

```

<element name="cellsUpdate">
  <complexType>
    <sequence>
    </sequence>
  </complexType>
</element>

```

B.2.3.5.3 Fault definition

```

<element name="cellsUpdate">
  <complexType>
    <choice>
      <element name="cause" type="integer" />
    </choice>
  </complexType>
</element>

```

B.2.3.6 Operation cellsConstraintsSatisfied

B.2.3.6.1 Input parameters

Table B.2.3.6.1.1: Mapping from IS cellsConstraintsSatisfied input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| cellsConstraints | cellsConstraints | M |

XML schema fragment of the cellsConstraintsSatisfied request:

```
<element name="cellsConstraintsSatisfied">
  <complexType>
    <sequence>
      <element name="cellsConstraints" type="cellsConstraintsType"/>
    </sequence>
  </complexType>
</element>
```

B.2.3.6.2 Output parameters

Table B.2.3.6.2.1: Mapping from IS cellsConstraintsSatisfied output parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| status | No direct mapping | -- |

XML schema fragment of the cellsConstraintsSatisfied response:

```
<element name="cellsConstraintsSatisfied">
  <complexType>
    <sequence>
    </sequence>
  </complexType>
</element>
```

B.2.3.6.3 Fault definition

```
<element name="cellsConstraintsSatisfied">
  <complexType>
    <choice>
      <element name="cause" type="integer"/>
    </choice>
  </complexType>
</element>
```

B.2.3.7 Operation cellsConstraintsUpdate

B.2.3.7.1 Input parameters

Table B.2.3.7.1.1: Mapping from IS cellsConstraintsUpdate input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| cellsConstraints | cellsConstraints | M |

XML schema fragment of the cellsConstraintsUpdate request:

```
<element name="cellsConstraintsUpdate">
  <complexType>
    <sequence>
      <element name="cellsConstraints" type="cellsConstraintsType"/>
    </sequence>
  </complexType>
</element>
```


B.2.3.7.2 Output parameters

Table B.2.3.7.2.1: Mapping from IS `cellsConstraintsUpdate` output parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| status | No direct mapping | -- |

XML schema fragment of the `cellsConstraintsUpdate` response:

```
<element name="cellsConstraintsUpdate">
  <complexType>
    <sequence>
    </sequence>
  </complexType>
</element>
```

B.2.3.7.3 Fault definition

```
<element name="cellsConstraintsUpdate">
  <complexType>
    <choice>
      <element name="cause" type="integer"/>
    </choice>
  </complexType>
</element>
```

B.2.4 Notification parameter mapping

B.2.4.1 Notification `notifyLCRegistration`

B.2.4.1.1 Input parameters

Table B.2.4.1.1.1: Mapping from IS `notifyLCRegistration` input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| licenseId | licenseId | M |
| lCId | lCId | M |
| lRId | lRId | M |

XML schema fragment of the `notifyLCRegistration` request:

```
<!-- notifyLCRegistration Request -->
<element name="notifyLCRegistration">
  <complexType>
    <sequence>
      <element name="licenseId" type="integer"/>
      <element name="lCId" type="integer"/>
      <element name="lRId" type="integer"/>
    </sequence>
  </complexType>
</element>
```

B.2.4.2 Notification `notifyLCDeRegistration`

B.2.4.2.1 Input parameters

Table B.2.4.2.1.1: Mapping from IS `notifyLCDeRegistration` input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| licenseeId | licenseeId | M |
| lCId | lCId | M |
| lRId | lRId | M |

XML schema fragment of the notifyLCDeRegistration request:

```
<!-- notifyLCDeRegistration Request -->
<element name="notifyLCDeRegistration">
  <complexType>
    <sequence>
      <element name="licenseeId" type="integer"/>
      <element name="lCId" type="integer"/>
      <element name="lRId" type="integer"/>
    </sequence>
  </complexType>
</element>
```

B.2.4.3 Notification notifyZoneCreation

B.2.4.3.1 Input parameters

Table B.2.4.3.1.1: Mapping from IS notifyZoneCreation input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| ISRAI | ISRAI | M |

XML schema fragment of the notifyZoneCreation request:

```
<!-- notifyZoneCreation Request -->
<element name="notifyZoneCreation">
  <complexType>
    <sequence>
      <element name="lSRAI" type="lSRAIIocType"/>
    </sequence>
  </complexType>
</element>
```

B.2.4.4 Notification notifyZoneDeletion

B.2.4.4.1 Input parameters

Table B.2.4.4.1.1: Mapping from IS notifyZoneDeletion input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| ISRAI | ISRAI | M |

XML schema fragment of the notifyZoneDeletion request:

```
<!-- notifyZoneDeletion Request -->
<element name="notifyZoneDeletion">
  <complexType>
    <sequence>
      <element name="lSRAI" type="lSRAIIocType"/>
    </sequence>
  </complexType>
</element>
```

B.2.4.5 Notification `notifyZoneModification`

B.2.4.5.1 Input parameters

Table B.2.4.5.1.1: Mapping from IS `notifyZoneModification` input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| ISRAI | ISRAI | M |

XML schema fragment of the `notifyZoneModification` request:

```
<!-- notifyZoneModification Request -->
<element name="notifyZoneModification">
  <complexType>
    <sequence>
      <element name="ISRAI" type="ISRAIIOCType"/>
    </sequence>
  </complexType>
</element>
```

B.2.4.6 Notification `notifyLSRAIConfirmation`

B.2.4.6.1 Input parameters

Table B.2.4.6.1.1: Mapping from IS `notifyLSRAIConfirmation` input parameters to SS equivalents

| IS Operation parameter | SS Method parameter | Qualifier |
|------------------------|---------------------|-----------|
| confirmedZoneList | confirmedZoneList | M |

XML schema fragment of the `notifyLSRAIConfirmation` request:

```
<!-- notifyLSRAIConfirmation Request -->
<element name="notifyLSRAIConfirmation">
  <complexType>
    <sequence>
      <element name="confirmedZoneList" type="zoneIdListType"/>
    </sequence>
  </complexType>
</element>
```

B.3 Solution Set definitions

B.3.1 WSDL definition structure

Clause B.3.2 provides a graphical representation of the Licensed Shared Access (LSA) Controller (LC) IRP service.

Clause B.3.3 defines the services which are supported by the Licensed Shared Access (LSA) Controller (LC) IRP agent in the LC and which are common for scenario 1 and scenario 2.

Clause B.3.4 defines the services which are supported by the Licensed Shared Access (LSA) Controller (LC) IRP agent in the LC for scenario 1.

Clause B.3.5 defines the services which are supported by the Licensed Shared Access (LSA) Controller (LC) IRP agent in the NM for scenario 1.

Clause B.3.6 defines the services which are supported by the Licensed Shared Access (LSA) Controller (LC) IRP agent in the LC for scenario 2.

Clause B.3.7 defines the services which are supported by the Licensed Shared Access (LSA) Controller (LC) IRP agent in the NM for scenario 2.

B.3.2 Graphical Representation

A graphical representation is not provided in the present document.

B.3.3 WSDL specification "LCIRPLCRSystem.wsdl"

```
<?xml version="1.0" encoding="UTF-8"?>

<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"

  xmlns:LCIRPLCRSystem="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCRSystem"
  xmlns:LCIRPLCRData="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCRData"

  targetNamespace="http://www.3gpp.org/ftp/specs/archive/32_series/28.303#LCIRPLCRSystem">

<!-- Type definitions -->
<!------->

<types>
  <schema targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCRData"
    xmlns="http://www.w3.org/2001/XMLSchema">

    <element name="requestLcRegistrationRequest">
      <complexType>
        <sequence>
          <element name="licenseeId" type="integer"/>
          <element name="lCId" type="integer"/>
          <element name="lRId" type="integer"/>
        </sequence>
      </complexType>
    </element>
    <element name="requestLcRegistrationResponse">
      <complexType>
        <sequence>
          <element name="lCId" type="integer"/>
          <element name="lRId" type="integer"/>
        </sequence>
      </complexType>
    </element>
    <element name="requestLcRegistrationFault">
      <complexType>
        <choice>
          <element name="cause" type="integer"/>
        </choice>
      </complexType>
    </element>

    <element name="requestLcDeRegistrationRequest">
      <complexType>
        <sequence>
          <element name="lCId" type="integer"/>
          <element name="lRId" type="integer"/>
        </sequence>
      </complexType>
    </element>
    <element name="requestLcDeRegistrationResponse">
      <complexType>
        <sequence>
          <element name="lCId" type="integer"/>
          <element name="lRId" type="integer"/>
        </sequence>
      </complexType>
    </element>
    <element name="requestLcDeRegistrationFault">
      <complexType>
        <choice>
          <element name="cause" type="integer"/>
        </choice>
      </complexType>
    </element>

    <element name="notifyLCRegistration">
      <complexType>
        <sequence>
          <element name="licenseeId" type="integer"/>

```

```

        <element name="lCId" type="integer"/>
        <element name="lRId" type="integer"/>
    </sequence>
</complexType>
</element>

    <element name="notifyLCDeRegistration">
        <complexType>
            <sequence>
                <element name="licenseeId" type="integer"/>
                <element name="lCId" type="integer"/>
                <element name="lRId" type="integer"/>
            </sequence>
        </complexType>
    </element>

</schema>
</types>

<!------->
<!-- Message definitions ----->
<!------->

<message name="requestLcRegistrationRequest">
    <part name="parameter" element="LCIRPLCRData:requestLcRegistrationRequest"/>
</message>
<message name="requestLcRegistrationResponse">
    <part name="parameter" element="LCIRPLCRData:requestLcRegistrationResponse"/>
</message>
<message name="requestLcRegistrationFault">
    <part name="parameter" element="LCIRPLCRData:requestLcRegistrationFault"/>
</message>

<message name="requestLcDeRegistrationRequest">
    <part name="parameter" element="LCIRPLCRData:requestLcDeRegistrationRequest"/>
</message>
<message name="requestLcDeRegistrationResponse">
    <part name="parameter" element="LCIRPLCRData:requestLcDeRegistrationResponse"/>
</message>
<message name="requestLcDeRegistrationFault">
    <part name="parameter" element="LCIRPLCRData:requestLcDeRegistrationFault"/>
</message>

<message name="notifyLCRegistrationRequest">
    <part name="parameter" element="LCIRPLCRData:notifyLCRegistration"/>
</message>

<message name="notifyLCDeRegistrationRequest">
    <part name="parameter" element="LCIRPLCRData:notifyLCDeRegistration"/>
</message>

<!------->
<!-- Port type definitions ----->
<!------->

<portType name="LCIRPLCRRPortType">

    <operation name="requestLcRegistration">
        <input message="LCIRPLCRSystem:requestLcRegistrationRequest"/>
        <output message="LCIRPLCRSystem:requestLcRegistrationResponse"/>
        <fault name="requestLcRegistrationFault" message="LCIRPLCRSystem:requestLcRegistrationFault"/>
    </operation>

    <operation name="requestLcDeRegistration">
        <input message="LCIRPLCRSystem:requestLcDeRegistrationRequest"/>
        <output message="LCIRPLCRSystem:requestLcDeRegistrationResponse"/>
        <fault name="requestLcDeRegistrationFault" message="LCIRPLCRSystem:requestLcDeRegistrationFault"/>
    </operation>

    <operation name="notifyLCRegistration">
        <input message="LCIRPLCRSystem:notifyLCRegistrationRequest"/>
    </operation>

    <operation name="notifyLCRDeRegistration">
        <input message="LCIRPLCRSystem:notifyLCDeRegistrationRequest"/>
    </operation>
</portType>

<!------->
<!-- Bindings ----->
<!------->

<binding name="LCIRPLCRBinding" type="LCIRPLCRSystem:LCIRPLCRRPortType">
    <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>

    <operation name="requestLcRegistration">
        <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#requestLcRegistration"/>
        <input>
            <soap:body use="literal"/>

```

```

    </input>
  <output>
    <soap:body use="literal"/>
  </output>
  <fault name="requestLcRegistrationFault">
    <soap:fault name="requestLcRegistrationFault" use="literal"/>
  </fault>
</operation>

<operation name="requestLcDeRegistration">
  <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#requestLcDeRegistration"/>
  <input>
    <soap:body use="literal"/>
  </input>
  <output>
    <soap:body use="literal"/>
  </output>
  <fault name="requestLcDeRegistrationFault">
    <soap:fault name="requestLcDeRegistrationFault" use="literal"/>
  </fault>
</operation>

<operation name="notifyLCRegistration">
  <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#notifyLCRegistration"/>
  <input>
    <soap:body use="literal"/>
  </input>
</operation>

<operation name="notifyLCDeregistration">
  <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#notifyLCDeregistration"/>
  <input>
    <soap:body use="literal"/>
  </input>
</operation>
</binding>

```

B.3.4 WSDL specification "LCIRPLCSystem.wsdl" (scenario 1)

```

<?xml version="1.0" encoding="UTF-8"?>
<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"

  xmlns:LCIRPLCSystem="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCSystem"
  xmlns:LCIRPLCData="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCData"

  xmlns:LCIRPLCRSystem="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCRSystem"
  targetNamespace="http://www.3gpp.org/ftp/specs/archive/32_series/28.303#LCIRPLCSystem">
  <!------->
  <!-- Type definitions -->
  <!------->
  <types>
    <schema targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCData"
      xmlns="http://www.w3.org/2001/XMLSchema">
      <complexType name="zoneIdListType">
        <sequence minOccurs="0" maxOccurs="unbounded">
          <element name="zoneId" type="integer"/>
        </sequence>
      </complexType>
      <complexType name="zoneIocType">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <sequence>
                <element name="zoneId" type="integer"/>
                <element name="zoneType" type="integer"/>
                <element name="frequency" type="integer"/>
                <element name="radioconstraints" type="anyType"/>
                <element name="space" type="anyType"/>
                <element name="time" type="anyType"/>
              </sequence>
            </complexType>
          </element>
        </sequence>
      </complexType>
      <complexType name="lSRAlIocType">
        <sequence minOccurs="0" maxOccurs="unbounded">

```

```

        <element name="zone" type="LCIRPLCData:zoneIocType"/>
    </sequence>
</complexType>

<element name="getLSRAIRequest">
    <complexType>
        <sequence>
            <element name="scope" type="LCIRPLCData:zoneIdListType"/>
        </sequence>
    </complexType>
</element>
<element name="getLSRAIResponse">
    <complexType>
        <sequence>
            <element name="lSRAI" type="LCIRPLCData:lSRAIIocType"/>
        </sequence>
    </complexType>
</element>
<element name="getLSRAIFault">
    <complexType>
        <choice>
            <element name="cause" type="integer"/>
        </choice>
    </complexType>
</element>

<element name="notifyZoneCreation">
    <complexType>
        <sequence>
            <element name="lSRAI" type="LCIRPLCData:lSRAIIocType "/>
        </sequence>
    </complexType>
</element>

<element name="notifyZoneDeletion">
    <complexType>
        <sequence>
            <element name="lSRAI" type="LCIRPLCData:lSRAIIocType "/>
        </sequence>
    </complexType>
</element>

<element name="notifyZoneModification">
    <complexType>
        <sequence>
            <element name="lSRAI" type="LCIRPLCData :lSRAIIocType "/>
        </sequence>
    </complexType>
</element>
</schema>
</types>

<!------->
<!-- Message definitions -->
<!------->

<message name="getLSRAIRequest">
    <part name="parameter" element="LCRPLCData:getLSRAIRequest"/>
</message>
<message name="getLSRAIResponse">
    <part name="parameter" element="LCIRPLCData:getLSRAIResponse"/>
</message>
<message name="getLSRAIFault">
    <part name="parameter" element="getLSRAIFault"/>
</message>

<message name="notifyZoneCreationRequest">
    <part name="parameter" element="LCRPLCData:notifyCreation"/>
</message>

<message name="notifyZoneDeletionRequest">
    <part name="parameter" element="LCRPLCData:notifyDeletion"/>
</message>

<message name="notifyZoneModificationRequest">
    <part name="parameter" element="LCRPLCData:notifyZoneModification"/>
</message>

<!------->
<!-- Port type definitions -->
<!------->

<portType name="LCIRPLCPortType">
    <operation name="getLSRAI">
        <input message="LCIRPLCSystem:getLSRAIRequest"/>
        <output message="LCIRPLCSystem:getLSRAIResponse"/>
        <fault name="getLSRAIFault" message="LCIRPLCSystem:getLSRAIFault"/>
    </operation>

```

```

    <operation name="notifyZoneCreation">
      <input message="LCIRPLCSystem:notifyZoneCreationRequest" />
    </operation>

    <operation name="notifyZoneDeletion">
      <input message="LCIRPLCSystem:notifyZoneDeletionRequest" />
    </operation>

    <operation name="notifyZoneModification">
      <input message="LCIRPLCSystem:notifyZoneModificationRequest" />
    </operation>
  </portType>

  <!-- Bindings -->
  <!-- Bindings -->

  <binding name="LCIRPLCBinding" type="LCIRPLCSystem:LCIRPLCPortType">
    <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http" />
    <operation name="getLSRAI">
      <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#getLSRAI" />
      <input>
        <soap:body use="literal" />
      </input>
      <output>
        <soap:body use="literal" />
      </output>
      <fault name="getLSRAIFault">
        <soap:fault name="getLSRAIFault" use="literal" />
      </fault>
    </operation>

    <operation name="notifyZoneCreation">
      <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#notifyZoneCreation" />
      <input>
        <soap:body use="literal" />
      </input>
    </operation>

    <operation name="notifyZoneDeletion">
      <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#notifyZoneDeletion" />
      <input>
        <soap:body use="literal" />
      </input>
    </operation>

    <operation name="notifyZoneModification">
      <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#notifyZoneModification" />
      <input>
        <soap:body use="literal" />
      </input>
    </operation>
  </binding>

  <!-- LC IRP service definitions (IRP Agent in LC, scenario 1) -->
  <!-- LC IRP service definitions (IRP Agent in LC, scenario 1) -->

  <service name="LCIRPLCService">
    <port name="LCIRPLCRPort" binding="LCIRPLCRSystem:LCIRPLCRBinding">
      <soap:address location="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRP" />
    </port>

    <port name="LCIRPLCPort" binding="LCIRPLCSystem:LCIRPLCBinding">
      <soap:address location="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRP" />
    </port>
  </service>
</definitions>

```

B.3.5 WSDL specification "LCIRPNMSystem.wsdl" (scenario 1)

```

<?xml version="1.0" encoding="UTF-8"?>
<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"

  xmlns:LCIRPNMSystem="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPNMSystem"
  xmlns:LCIRPLNMDData="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLNMDData"

```



```
targetNamespace="http://www.3gpp.org/ftp/specs/archive/32_series/28.303#LCIRPLCSysm">
<!------->
<!-- Type definitions ----->
<!------->
<types>
  <schema targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPNMData"
    xmlns="http://www.w3.org/2001/XMLSchema">
    <complexType name="zoneIdListType">
      <sequence minOccurs="0" maxOccurs="unbounded">
        <element name="zoneId" type="integer"/>
      </sequence>
    </complexType>
    <element name="getLSRAIConfirmationRequest">
      <complexType>
        <sequence>
        </sequence>
      </complexType>
    </element>
    <element name="getLSRAIConfirmationResponse">
      <complexType>
        <sequence>
          <element name="confirmedZoneList" type="LCIRPNMData:zoneIdListType"/>
        </sequence>
      </complexType>
    </element>
    <element name="getLSRAIConfirmationFault">
      <complexType>
        <choice>
          <element name="cause" type="integer"/>
        </choice>
      </complexType>
    </element>
    <element name="notifyLSRAIConfirmation">
      <complexType>
        <sequence>
          <element name="confirmedZoneList" type="LCIRPNMData:zoneIdListType"/>
        </sequence>
      </complexType>
    </element>
  </schema>
</types>
<!------->
<!-- Message definitions ----->
<!------->
<message name="getLSRAIConfirmationRequest">
  <part name="parameter" element="LCIRPNMData:getLSRAIConfirmationRequest"/>
</message>
<message name="getLSRAIConfirmationResponse">
  <part name="parameter" element="LCIRPNMData:getLSRAIConfirmationResponse"/>
</message>
<message name="getLSRAIConfirmationFault">
  <part name="parameter" element="LCIRPNMData:getLSRAIConfirmationFault"/>
</message>
<message name="notifyLSRAIConfirmationRequest">
  <part name="parameter" element="LCIRPNMData:notifyZoneConfirmation"/>
</message>
<!------->
<!-- Port type definitions ----->
<!------->
<portType name="LCIRPNMPortType">
  <operation name="getLSRAIConfirmation">
    <input message="LCIRPNMSystem:getLSRAIConfirmationRequest"/>
    <output message="LCIRPNMSystem:getLSRAIConfirmationResponse"/>
    <fault name="getLSRAIConfirmationFault" message="LCIRPNMSystem:getLSRAIConfirmationFault"/>
  </operation>
  <operation name="notifyLSRAIConfirmation">
    <input message="LCIRPNMSystem:notifyLSRAIConfirmationRequest"/>
  </operation>
</portType>
<!------->
<!-- Bindings ----->
<!------->
<binding name="LCIRPNMBinding" type="LCIRPNMSystem:LCIRPNMPortType">
```

```

<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>

  <operation name="getLSRAIConfirmation">
    <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#getLSRAIConfirmation"/>
    <input>
      <soap:body use="literal"/>
    </input>
    <output>
      <soap:body use="literal"/>
    </output>
    <fault name="getLSRAIConfirmationFault">
      <soap:fault name="getLSRAIConfirmationFault" use="literal"/>
    </fault>
  </operation>

  <operation name="notifyLSRAIConfirmation">
    <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#notifyZoneConfirmation"/>
    <input>
      <soap:body use="literal"/>
    </input>
  </operation>

</binding>

<!------->
<!-- LC IRP service definitions (IRP Agent in NM, scenario 1 -->
<!------->

<service name="LCIRPNMService">

  <port name="LCIRPNMPort" binding="LCIRPNMSystem:LCIRPNMBinding">
    <soap:address location="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRP"/>
  </port>

</service>

</definitions>

```

B.3.6 WSDL specification "LCIRPLCSystem.wsdl" (scenario 2)

```

<?xml version="1.0" encoding="UTF-8"?>

<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"

  xmlns:LCIRPLCSystem="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCSystem"
  xmlns:LCIRPLCData="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCData"

  xmlns:LCIRPLCRSystem="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCRSystem"

  targetNamespace="http://www.3gpp.org/ftp/specs/archive/32_series/28.303#LCIRPLCSystem">

  <!------->
  <!-- Type definitions -->
  <!------->

  <types>
    <schema targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPLCData"
      xmlns="http://www.w3.org/2001/XMLSchema">

      <complexType name="lSACellType">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <sequence>
                <element name="cellId" type="string"/>
                <element name="geographicalArea" type="anyType"/>
                <element name="maxAllowedEIRP" type="integer"/>
                <element name="minAllowedEIRP" type="integer"/>
                <element name="maxAllowedAntennaAltitude" type="integer"/>
                <element name="minAllowedAntennaAltitude" type="integer"/>
                <element name="maxAllowedAntennaTilt" type="integer"/>
                <element name="minAllowedAntennaTilt" type="integer"/>
                <element name="antennaPatternLabel" type="string"/>
                <element name="antennaType" type="string"/>
              </sequence>
            </complexType>
          </element>
        </sequence>
      </complexType>

      <complexType name="lSACellsType">
        <sequence minOccurs="0" maxOccurs="unbounded">
          <element name="lSACell" type="lSACellType"/>
        </sequence>
      </complexType>
    </schema>
  </types>

```

```

    </sequence>
  </complexType>

  <complexType name = "cellConstraintsType">
    <sequence>
      <element name="attributes" minOccurs="0">
        <complexType>
          <sequence>
            <element name="cellId" type="string"/>
            <element name="maxAllowedEIRP" type="integer"/>
            <element name="maxLeadTime" type="integer"/>
          </sequence>
        </complexType>
      </element>
    </sequence>
  </complexType>

  <complexType name="cellsConstraintsType">
    <sequence minOccurs="0" maxOccurs="unbounded">
      <element name="cellConstraints" type="cellConstraintsType"/>
    </sequence>
  </complexType>

  <element name="cellsUpdateRequest">
    <complexType>
      <sequence>
        <element name="addedLSACells" type="LSACellSType" minOccurs="0"/>
        <element name="modifiedCells" type="LSACellSType" minOccurs="0"/>
        <element name="removedCells" type="LSACellSType" minOccurs="0"/>
      </sequence>
    </complexType>
  </element>
  <element name="cellsUpdateResponse">
    <complexType>
      <sequence>
      </sequence>
    </complexType>
  </element>
  <element name="cellsUpdateFault">
    <complexType>
      <choice>
        <element name="cause" type="integer"/>
      </choice>
    </complexType>
  </element>

  <element name="cellsConstraintsSatisfiedRequest">
    <sequence>
      <element name="cellsConstraints" type="cellsConstraintsType"/>
    </sequence>
  </complexType>
  </element>
  <element name="cellsConstraintsSatisfiedResponse">
    <complexType>
      <sequence>
      </sequence>
    </complexType>
  </element>
  <element name="cellsConstraintsSatisfiedFault">
    <complexType>
      <choice>
        <element name="cause" type="integer"/>
      </choice>
    </complexType>
  </element>

</schema>
</types>

<!------->
<!-- Message definitions -->
<!------->

<message name="cellsUpdateRequest">
  <part name="parameter" element="LCRPLCData:cellsUpdateRequest"/>
</message>
<message name="cellsUpdateResponse">
  <part name="parameter" element="LCIRPLCData:cellsUpdateResponse"/>
</message>
<message name="cellsUpdateFault">
  <part name="parameter" element="cellsUpdateFault"/>
</message>

<message name="cellsConstraintsSatisfiedRequest">
  <part name="parameter" element="LCRPLCData:cellsConstraintsSatisfiedRequest"/>
</message>
<message name="cellsConstraintsSatisfiedResponse">
  <part name="parameter" element="LCIRPLCData:cellsConstraintsSatisfiedResponse"/>
</message>
<message name="cellsConstraintsSatisfiedFault">

```

```

    <part name="parameter" element="cellsConstraintsSatisfiedFault" />
</message>

<!------->
<!-- Port type definitions -->
<!------->

<portType name="LCIRPLCPortType">

  <operation name="cellsUpdate">
    <input message="LCIRPLCSystem:cellsUpdateRequest" />
    <output message="LCIRPLCSystem:cellsUpdateResponse" />
    <fault name="cellsUpdateFault" message="LCIRPLCSystem:cellsUpdateFault" />
  </operation>

  <operation name="cellsConstraintsSatisfied">
    <input message="LCIRPLCSystem:cellsConstraintsSatisfiedRequest" />
    <output message="LCIRPLCSystem:cellsConstraintsSatisfiedResponse" />
    <fault name="cellsConstraintsSatisfiedFault" message="LCIRPLCSystem:cellsConstraintsSatisfiedFault" />
  </operation>

</portType>

<!------->
<!-- Bindings -->
<!------->

<binding name="LCIRPLCBinding" type="LCIRPLCSystem:LCIRPLCPortType">
  <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http" />

  <operation name="cellsUpdate">
    <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#cellsUpdate" />
    <input>
      <soap:body use="literal" />
    </input>
    <output>
      <soap:body use="literal" />
    </output>
    <fault name="cellsUpdateFault">
      <soap:fault name="cellsUpdateFault" use="literal" />
    </fault>
  </operation>

  <operation name="cellsConstraintsSatisfied">
    <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303# cellsConstraintsSatisfied " />
    <input>
      <soap:body use="literal" />
    </input>
    <output>
      <soap:body use="literal" />
    </output>
    <fault name="cellsConstraintsSatisfiedFault">
      <soap:fault name="cellsConstraintsSatisfiedFault" use="literal" />
    </fault>
  </operation>

</binding>

<!------->
<!-- LC IRP service definitions (IRP Agent in LC, scenario 2) -->
<!------->

<service name="LCIRPLCService">

  <port name="LCIRPLCPort" binding="LCIRPLCSystem:LCIRPLCBinding">
    <soap:address location="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRP" />
  </port>

  <port name="LCIRPLCPort" binding="LCIRPLCSystem:LCIRPLCBinding">
    <soap:address location="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRP" />
  </port>

</service>

</definitions>

```

B.3.7 WSDL specification "LCIRPNMSysytem.wsdl" (scenario 2)

```

<?xml version="1.0" encoding="UTF-8"?>

<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"

  xmlns:LCIRPNMSysytem="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPNMSysytem"

```

```

xmlns:LCIRPLNMDData="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPNMDData"

targetNamespace="http://www.3gpp.org/ftp/specs/archive/32_series/28.303#LCIRPLCSystem">
<!------->
<!-- Type definitions ----->
<!------->

<types>
  <schema targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRPNMDData"
    xmlns="http://www.w3.org/2001/XMLSchema">

    <complexType name = "cellConstraintsType">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <sequence>
              <element name="cellId" type="string"/>
              <element name="maxAllowedEIRP" type="integer"/>
              <element name="maxLeadTime" type="integer"/>
            </sequence>
          </complexType>
        </element>
      </sequence>
    </complexType>

    <complexType name="cellsConstraintsType">
      <sequence minOccurs="0" maxOccurs="unbounded">
        <element name="cellConstraints" type="cellConstraintsType"/>
      </sequence>
    </complexType>

    <element name="cellsConstraintsUpdateRequest">
      <complexType>
        <sequence>
          <element name="cellsConstraints" type="cellsConstraintsType"/>
        </sequence>
      </complexType>
    </element>

    <element name="cellsConstraintsUpdateResponse">
      <complexType>
        <sequence>
        </sequence>
      </complexType>
    </element>

    <element name="cellsConstraintsUpdateFault">
      <complexType>
        <choice>
          <element name="cause" type="integer"/>
        </choice>
      </complexType>
    </element>

  </schema>
</types>

<!------->
<!-- Message definitions ----->
<!------->

<message name="cellsConstraintsUpdateRequest">
  <part name="parameter" element="LCIRPNMDData:cellsConstraintsUpdateRequest"/>
</message>
<message name="cellsConstraintsUpdateResponse">
  <part name="parameter" element="LCIRPNMDData:cellsConstraintsUpdateResponse"/>
</message>
<message name="cellsConstraintsUpdateFault">
  <part name="parameter" element="LCIRPNMDData:cellsConstraintsUpdateFault"/>
</message>

<!------->
<!-- Port type definitions ----->
<!------->

<portType name="LCIRPNMPortType">

  <operation name="cellsConstraintsUpdate">
    <input message="LCIRPNMSystem:cellsConstraintsUpdateRequest"/>
    <output message="LCIRPNMSystem:cellsConstraintsUpdateResponse"/>
    <fault name="getLSRAIConfirmationFault" message="LCIRPNMSystem:cellsConstraintsUpdateFault"/>
  </operation>

</portType>

<!------->
<!-- Bindings ----->
<!------->

<binding name="LCIRPNMBinding" type="LCIRPNMSystem:LCIRPNMPortType">
  <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>

```

```
<operation name="getLSRAIConfirmation">
  <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#cellsConstraintsUpdate" />
  <input>
    <soap:body use="literal" />
  </input>
  <output>
    <soap:body use="literal" />
  </output>
  <fault name="cellsConstraintsUpdateFault">
    <soap:fault name="cellsConstraintsUpdateFault" use="literal" />
  </fault>
</operation>

</binding>

<!------->
<!-- LC IRP service definitions (IRP Agent in NM, scenario 2) -->
<!------->

<service name="LCIRPNMService">
  <port name="LCIRPNMPort" binding="LCIRPNMSystem:LCIRPNMBinding">
    <soap:address location="http://www.3gpp.org/ftp/specs/archive/28_series/28.303#LCIRP" />
  </port>
</service>

</definitions>
```

Annex C (informative): Change history

| Change history | | | | | | | |
|----------------|---------|-----------|----|-----|-----|--|---------------|
| Date | Meeting | TDoc | CR | Rev | Cat | Subject/Comment | New version |
| 2017-06 | SA#76 | SP-170471 | | | | Presented for information and approval | 1.0.0 |
| 2017-06 | SA#76 | | | | | Upgrade to change control version | 14.0.0 |
| 2018-06 | - | - | - | - | - | Update to Rel-15 version (MCC) | 15.0.0 |
| 2020-07 | - | - | - | - | - | Update to Rel-16 version (MCC) | 16.0.0 |

History

| Document history | | |
|-------------------------|-------------|-------------|
| V16.0.0 | August 2020 | Publication |
| | | |
| | | |
| | | |
| | | |