# ETSI TS 128 661 V12.0.0 (2014-10)



Universal Mobile Telecommunications System (UMTS); LTE;

Telecommunication management;
Generic Radio Access Network (RAN)
Network Resource Model (NRM)
Integration Reference Point (IRP);
Requirements
(3GPP TS 28.661 version 12.0.0 Release 12)



Reference
RTS/TSGS-0528661vc00

Keywords
LTE.UMTS

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

#### Important notice

The present document can be downloaded from: http://www.etsi.org

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a></a>

If you find errors in the present document, please send your comment to one of the following services: <u>http://portal.etsi.org/chaircor/ETSI\_support.asp</u>

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.
All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

## Contents

Intro	duction	3
	Scope	
	References	
3	Definitions and abbreviations	4
3.2	Definitions	5
4	Requirements	5
Ann	ex A (informative): Change history	e
	orv	

#### **Foreword**

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

#### where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

#### Introduction

The present document is part of a TS-family covering the 3<sup>rd</sup> Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

28.661	Generic Radio Access Network (RAN) Network Resource Model (NRM); Integration Reference Point (IRP); Requirements
28.662	Generic Radio Access Network (RAN) Network Resource Model (NRM); Integration Reference Point (IRP); Information Service (IS)
28.663	Generic Radio Access Network (RAN) Network Resource Model (NRM); Integration Reference Point (IRP); Solution Set (SS) definitions

#### 1 Scope

The present document defines, in addition to the requirements defined in 3GPP TS 32.101 [2], 3GPP TS 32.102 [3] and 3GPP TS 32.600 [4], the Requirements for the common and generic radio access network equipments that may be shared between BSS in GSM, UTRAN and E-UTRAN.

The present document can be used also for managing the equipment that can be shared by several RATs, even in the cases when it is not being shared.

#### 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications". [2] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements". [3] 3GPP TS 32.102: "Telecommunication management; Architecture". [4] 3GPP TS 32.600: "Telecommunication management; Configuration Management (CM); Concept and high-level requirements". [5] 3GPP TS 32.150: "Telecommunication management; Integration Reference Point (IRP) Concept and definitions". [6] 3GPP TS 32.107: "Telecommunication management; Fixed Mobile Convergence (FMC) Federated Network Information Model (FNIM)". [7] 3GPP TS 28.620: "Telecommunication management; Fixed Mobile Convergence (FMC) Federated Network Information Model (FNIM) Umbrella Information Model (UIM)". [8] 3GPP TS 25.106: "UTRA repeater radio transmission and reception".

#### 3 Definitions and abbreviations

#### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 32.150 [5], 3GPP TS 32.101 [2], 3GPP TS 32.102 [3] and 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TS 32.150 [5], 3GPP TS 32.101 [2], 3GPP TS 32.102 [3] and 3GPP TR 21.905 [1], in this order.

#### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

BSS Base Station Subsystem
CAPEX Capital Expenditure
E-UTRAN Evolved UTRAN

GSM Global System for Mobile communications

IRP Integration Reference Point
NRM Network Resource Model
RAN Radio Access Network
RAT Radio Access Technology

UTRAN Universal Terrestrial Radio Access Network

### 4 Requirements

It is common that operators operate more than one RAT. To save CAPEX, some radio equipment can be shared between the different RATs. Radio equipment can also be shared within a RAT. This NRM makes it easy to operate such shared radio equipment and to understand the consequences in all affected RATs when a change is made in a shared equipment.

The following general and high-level requirement applies for the present IRP:

- A. IRP-related requirements in 3GPP TS 32.101 [2].
- B. IRP-related requirements in 3GPP TS 32.102 [3].
- C. IRP-related requirements in 3GPP TS 32.600 [4].

The NRM defined by this IRP:

- D. Shall support communications for telecommunication network management purposes, including management of converged networks.
- E. Is a member of the Federated Network Information Model (FNIM) [6] and its information is derived from FNIM Umbrella Information Model (UIM) [7]

In addition, the following more specific requirements apply:

**REQ-GRAN\_NRM-CON-001:** The NRM defined by this IRP shall contain IOCs and related definitions, supporting equipment that may be shared between BSS, UTRAN and E-UTRAN networks.

**REQ-GRAN\_NRM-CON-002:** The IRPAgent shall support a capability allowing the IRPManager to know which RATs are served by each managed object.

**REQ-GRAN\_NRM-CON-003:** The IRPAgent shall support a capability allowing the IRPManager to perform basic configuration and retrieve inventory information of repeater (see 3GPP TS 25.106 [8]).

# Annex A (informative): Change history

	Change history								
Date		TSG Doc.	CR	Rev	Subject/Comment	Cat	Old	New	
2013-09	SA#61	SP- 130433	001	3	Add missing Repeater Object requirements definitions	F	11.0.0	11.1.0	
2014-06	SA#64	SP- 140359	002	-	remove the feature support statements	F	11.1.0	11.2.0	
2014-10	-	-	-	-	-	Update to Rel- 12 version (MCC)		12.0.0	

# History

Document history							
V12.0.0	October 2014	Publication					