

ETSI TS 132 753 V9.1.0 (2010-04)

Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Universal Mobile Telecommunications System (UMTS);
LTE;
Telecommunication management;
Evolved Packet Core (EPC) Network Resource Model (NRM)
Integration Reference Point (IRP):
Common Object Request Broker Architecture (CORBA)
Solution Set (SS)
(3GPP TS 32.753 version 9.1.0 Release 9)**



Reference

RTS/TSGS-0532753v910

Keywords

GSM, LTE, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Contents

| | |
|--|-----------|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Foreword..... | 4 |
| Introduction | 4 |
| 1 Scope | 5 |
| 2 References | 5 |
| 3 Definitions, symbols and abbreviations | 5 |
| 3.1 Definitions | 5 |
| 3.2 Abbreviations | 5 |
| 4 Architectural Features | 6 |
| 5 Mapping | 6 |
| 5.1 General mapping | 6 |
| 5.2 Information Object Class (IOC) mapping | 6 |
| 5.2.1 IOC MMEFunction..... | 6 |
| 5.2.2 IOC MMEPool..... | 6 |
| 5.2.3 IOC MMEPoolArea..... | 7 |
| 5.2.4 IOC EP_RP_EPS | 7 |
| 5.2.5 IOC ExternalMMEFunction | 7 |
| 5.2.6 IOC SGWFunction | 7 |
| 5.2.7 IOC ExternalSGWFunction | 7 |
| 5.2.8 IOC QCISet | 8 |
| Annex A (normative): CORBA IDL, NRM definitions | 9 |
| Annex B (informative): Change history | 14 |
| History | 15 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

- 32.751: "Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements";
- 32.752: "Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)";
- 32.753: "Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)";**
- 32.755: "Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition".

1 Scope

The present document is part of an Integration Reference Point (IRP) named EPC Network Resource Model (NRM) IRP, through which an IRPAgent can communicate configuration management information to one or several IRPManagers concerning EPC resources. The EPC NRM IRP comprises a set of specifications defining Requirements, a protocol neutral Information Service and one or more Solution Set(s).

The present document specifies the EPC Network Resources IRP: CORBA Solution Set, which defines the mapping of the IRP information model (see TS 32.752 [2]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment.

This Solution Set is related to 3GPP TS 32.752 v9.2.X.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1] 3GPP TS 21.905: 'Vocabulary for 3GPP Specifications'

[2] 3GPP TS 32.752: " Telecommunications management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

| | |
|-------|---|
| CORBA | Common Object Request Broker Architecture |
| DN | Distinguished Name |
| EPDG | Evolved Packet Data Gateway |
| IS | Information Service |
| IDL | Interface Definition Language (OMG) |
| IOC | Information Object Class |
| IRP | Integration Reference Point |
| MME | Mobility Management Entity |
| MO | Managed Object |
| MOC | Managed Object Class |

| | |
|------|------------------------------------|
| NRM | Network Resource Model |
| OMG | Object Management Group |
| PCRF | Policy and Charging Rules Function |
| P-GW | PDN Gateway |
| S-GW | Serving Gateway |
| SS | Solution Set |

4 Architectural Features

The overall architectural feature of EPC NRM IRP is specified in 3GPP TS 32.752 [2]. This clause specifies features that are specific to the CORBA SS.

5 Mapping

5.1 General mapping

Attributes modelling associations as defined in the NRM (here also called "reference attributes") are in this SS mapped to attributes. The names of the reference attributes in the NRM are mapped to the corresponding attribute names in the MOC. When the cardinality for an association is 0..1 or 1..1 the datatype for the reference attribute is defined as an MOReference. The value of an MO reference contains the distinguished name of the associated MO. When the cardinality for an association allows more than one referred MO, the reference attribute will be of type MOReferenceSet, which contains a sequence of MO references.

5.2 Information Object Class (IOC) mapping

5.2.1 IOC MMEFunction

| Attribute of IOC MMEFunction in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|--------------|---|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| pLMNIdList | pLMNIdList | genericEPCNRMAAttributeTypes::plmnIdListType | M | M | - |
| mMEC | mMEC | long | M | M | - |
| mMEPool | mMEPool | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference | M | M | - |

5.2.2 IOC MMEPool

| Attribute of IOC MMEPool in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|-------------------|--|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| mMEGI | mMEGI | long | M | M | - |
| mMEPoolMemberList | mMEPoolMemberList | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReferenceSet | M | M | M |
| mMEPoolArea | mMEPoolArea | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference | M | M | M |

5.2.3 IOC MMEPoolArea

| Attribute of IOC MMEPoolArea in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|--------------|---|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| mMEPool | mMEPool | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference | M | M | M |
| tACLList | tACLList | GenericNetworkResourcesIRPSystem::AttributeTypes::LongSet | M | M | |
| pLMNIdList | pLMNIdList | genericEPCNRMAAttributeTypes::plmnlIdListType | O | M | - |

5.2.4 IOC EP_RP_EPS

| Attribute of IOC EP_RP_EPS in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|----------------|---------|-------------------|----------------|-----------------|
| farEndNeIpAddr | farEndNeIpAddr | string | O | M | CM |

5.2.5 IOC ExternalMMEFunction

| Attribute of IOC ExternalMMEFunction in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|--------------|---|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| pLMNIdList | pLMNIdList | genericEPCNRMAAttributeTypes::plmnlIdListType | M | M | M |
| mMEC | mMEC | long | M | M | M |
| mMEPool | mMEPool | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReference | M | M | M |

5.2.6 IOC SGWFunction

| Attribute of IOC SGWFunction in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|--------------|---|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| pLMNIdList | pLMNIdList | genericEPCNRMAAttributeTypes::plmnlIdListType | M | M | - |
| tACLList | tACLList | GenericNetworkResourcesIRPSystem::AttributeTypes::LongSet | M | M | - |

5.2.7 IOC ExternalSGWFunction

| Attribute of IOC ExternalSGWFunction in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier |
|--|--------------|---|-------------------|----------------|
| id | id | string | M | M |
| pLMNIdList | pLMNIdList | genericEPCNRMAAttributeTypes::plmnlIdListType | M | M |
| tACLList | tACLList | GenericNetworkResourcesIRPSystem::AttributeTypes::LongSet | M | M |

5.2.8 IOC QCISet

| Attribute of IOC QCISet in 3GPP TS 32.752 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Wri Quali |
|---|--------------|---|-------------------|----------------|-----------|
| id | id | string | M | M | - |
| qCIList | qCIList | genericEPCNRMAAttributeTypes::qciListType | M | M | M |

Annex A (normative): CORBA IDL, NRM definitions

```

//File:EPCResourcesNRMDefs.idl
#ifndef _EPCNETWORKRESOURCESNRMDEFS_IDL_
#define _EPCNETWORKRESOURCESNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
/**
 * This module defines constants for each MO class name and
 * the attribute names for each defined MO class.
 */
module EPCNetworkResourcesNRMDefs
{
    /**
     * Definitions for MO class EPDGFunction
     */
    interface EPDGFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "EPDGFunction";
        // No New Attribute Names
        //
    };

    /**
     * Definitions for MO class MMEFunction
     */
    interface MMEFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "MMEFunction";
        // Attribute Names
        //
        const string id = "id";
        const string pLMNIdList = "pLMNIdList";
        const string mMEC = "mMEC";
        const string mMEEPool = "mMEEPool";
    };

    /**
     * Definitions for MO class PCRFFunction
     */
    interface PCRFFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "PCRFFunction";
        // No New Attribute Names
        //
    };

    /**
     * Definitions for MO class PGWFunction
     */
    interface PGWFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "PGWFunction";
        // Attribute Names
        //
        const string id = "id";
        const string pLMNIdList = "pLMNIdList";
        const string tACLList = "tACLList";
        //
    };

    /**
     * Definitions for MO class SGWFunction
     */
    interface SGWFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "SGWFunction";
    };
}

```

```

    // Attribute Names
    //
    const string id = "id";
    const string pLMNidList = "pLMNidList";
    const string tACLList = "tACLList";
};

/**
 * Definitions for MO class MMEPool
 */
interface MMEPool : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "MMEPool";
    // Attribute Names
    //
    const string id = "id";
    const string mMEGI = "mMEGI";
    const string mMEPoolMemberList = "mMEPoolMemberList";
    const string mMEPoolArea = "mMEPoolArea";
};

/**
 * Definitions for MO class MMEPoolArea
 */
interface MMEPoolArea : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "MMEPoolArea";
    // Attribute Names
    //
    const string id = "id";
    const string mMEPool = "mMEPool";
    const string tACLList = "tACLList";
    const string pLMNidList = "pLMNidList";
};

/**
 * Definitions for MO class EP_RP_EPS
 */
interface EP_RP_EPS : GenericNetworkResourcesNRMDefs::EP_RP
{
    const string CLASS = "EP_RP_EPS";
    // Attribute Names
    const string farEndNeIpAddr = "farEndNeIpAddr";
};

/**
 * Definitions for MO class Link_ENB_MME
 */
interface Link_ENB_MME : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_ENB_MME";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_ENB_SGW
 */
interface Link_ENB_SGW : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_ENB_SGW";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_EPDG_PCRF
 */
interface Link_EPDG_PCRF : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_EPDG_PCRF";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_EPDG_PGW
 */

```

```
interface Link_EPDG_PGW : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_EPDG_PGW";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_HSS_MME
 */
interface Link_HSS_MME : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_HSS_MME";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_MME_MME
 */
interface Link_MME_MME : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_MME_MME";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_MME_SGSN
 */
interface Link_MME_SGSN : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_MME_SGSN";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_MME_SGW
 */
interface Link_MME_SGW : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_MME_SGW";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_PCRF_SGW
 */
interface Link_PCRF_SGW : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_PCRF_SGW";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_PCRF_PGW
 */
interface Link_PCRF_PGW : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_PCRF_PGW";
    // No New Attribute Names
    //
};

/**
 * Definitions for MO class Link_PGW_SGW
 */
interface Link_PGW_SGW : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_PGW_SGW";
    // No New Attribute Names
    //
};

/**
```

```

* Definitions for MO class Link_SGSN_SGW
*/
interface Link_SGSN_SGW : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_SGSN_SGW";
    // No New Attribute Names
    //
};

/**
* Definitions for MO class ExternalMMEFunction
*/
interface ExternalMMEFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "ExternalMMEFunction";
    // Attribute Names
    //
    const string id = "id";
    const string pLMNIdList = "pLMNIdList";
    const string mMEC = "mMEC";
    const string mMEPool = "mMEPool";
};

/**
* Definitions for MO class ExternalSGWFunction
*/
interface ExternalSGWFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "ExternalSGWFunction";
    // Attribute Names
    //
    const string id = "id";
    const string pLMNIdList = "pLMNIdList";
    const string tACLList = "tACLList";
};

/**
* Definitions for MO class QCISet
*/
interface QCISet : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "QCISet";
    // Attribute Names
    //
    const string id = "id";
    const string qCILList = "qCILList";
};
};

module genericEPCNRMAAttributeTypes
{
    /**
    * Definitions for struct PlmnIdType
    */
    struct PlmnIdType
    {
        short mcc;
        short mnc;
    };

    typedef sequence<PlmnIdType> plmnIdListType;

    /**
    * Definitions for struct QciType
    */
    struct QciType
    {
        short qci;
        boolean resourceType;
        // True is GBR, False is Non-GBR
        short priority;
        short packetDelayBudget;
        float packetErrorLossRate;
    };

    typedef sequence<QciType> qciListType;
};

```

```
};  
#endif // _EPCNETWORKRESOURCESNRMDEFS_IDL_
```

Annex B (informative): Change history

| Change history | | | | | | | |
|----------------|-------|-----------|-----|-----|--|-------|-------|
| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
| Mar 2009 | SP-43 | SP-090072 | -- | -- | Presentation to SA for information and approval | 1.0.0 | 8.0.0 |
| Jun 2009 | SP-44 | SP-090291 | 001 | - | Add the missing ExternalMmeFunction IOC | 8.0.0 | 8.1.0 |
| Jun 2009 | SP-44 | SP-090291 | 002 | - | Add the missing ExternalSGWFunction IOC and attributes for SGWFunction | 8.0.0 | 8.1.0 |
| Sep 2009 | SP-45 | SP-090534 | 003 | -- | Removal of the Write Qualifier from the TACLlist attribute for the MMEPoolArea | 8.1.0 | 8.2.0 |
| Sep 2009 | SP-45 | SP-090627 | 004 | -- | Add QCI model | 8.2.0 | 9.0.0 |
| Mar 2010 | SP-47 | SP-100035 | 006 | -- | Removal of sgwAddress and sgsnAddress in MMEFunction | 9.0.0 | 9.1.0 |
| Mar 2010 | SP-47 | SP-100034 | 008 | -- | Correct the attributes of SGWFunction and MMEPoolArea to align with IS | 9.0.0 | 9.1.0 |

History

| Document history | | |
|-------------------------|--------------|-------------|
| V9.0.0 | January 2010 | Publication |
| V9.1.0 | April 2010 | Publication |
| | | |
| | | |
| | | |