

ETSI TS 136 521-2 v13.4.0 (2017-04)



**LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA);
User Equipment (UE) conformance specification;
Radio transmission and reception;
Part 2: Implementation Conformance Statement (ICS)
(3GPP TS 36.521-2 version 13.4.0 Release 13)**



Reference

RTS/TSGR-0536521-2vd40

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
oneM2M logo is protected for the benefit of its Members
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----------|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 4 |
| Introduction | 4 |
| 1 Scope | 5 |
| 2 References | 5 |
| 3 Definitions, symbols and abbreviations | 5 |
| 4 Recommended test case applicability..... | 5 |
| Annex A: Void | 6 |
| Annex B (informative): Change history | 7 |
| History | 18 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part 2 of a multi-parts TS:

3GPP TS 36.521-1 [1]: Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification Radio transmission and reception Part 1: Conformance testing.

3GPP TS 36.521-2: Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification Radio transmission and reception Part :2 Implementation Conformance Statement (ICS).

3GPP TS 36.521-3 [2]: Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification Radio transmission and reception Part 3: Radio Resource Management (RRM) Conformance Testing.

1 Scope

The present document provides the Implementation Conformance Statement (ICS) proforma for 3G Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE), in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-1 [3] and ISO/IEC 9646-7 [4].

The present document specifies the recommended applicability statement for the test cases included in 3GPP TS 36.521-1 [1] and 3GPP TS 36.521-3 [2]. These applicability statements are based on the features implemented in the UE.

Special conformance testing functions can be found in 3GPP TS 36.509 [5] and the common test environments are included in 3GPP TS 36.508 [6].

The present document is valid for UE implemented according to 3GPP releases starting from Release 8 up to the Release indicated on the cover page of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).

[1] to [18] (void)

[19] 3GPP TS 36.521-2 Release 14: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification; Radio transmission and reception; Part 2: Implementation Conformance Statement (ICS)"

3 Definitions, symbols and abbreviations

Void

4 Recommended test case applicability

The requirements of the present document are provided in 3GPP TS 36.521-2 Release 14 [19].

Annex A: Void

Annex B (informative): Change history

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|--|-------|-------|
| 2008-03 | | | | | Skeleton proposed for RAN5#38 Malaga | 0.0.1 | |
| 2008-06 | | | | | Updated after RAN5#39bis: - Editorial update and alignment with 36.523-2 - TC included in 36.521-1 and 36.521-3 included - Some Conditions for TC selections introduce | 0.0.1 | 0.1.0 |
| 2008-08 | | | | | Updated after RAN5#40: - Editorial update in regard to changing spec names, etc. - FDD and TDD split (R5-083839) - RRM TC numbers aligned with 36.521-3 v030 | 0.1.1 | 0.2.0 |
| 2008-10 | | | | | Update after RAN5#40bis: - Table split in different clauses for Conformance and RRM test cases - Extension of applicability tables to include Additional information column - Change of applicability of TCs that apply to any E-UTRA device into "R" - recommended - Updated TCs in accordance to 36.521-1 v110 and 36.521-3 v040 - Some editorial updates | 0.2.0 | 0.3.0 |
| 2008-11 | | | | | Update After RAN5#41 (R5-055360): - Renamed 8.1.1, added new 8.1.2, - Added new TCs to RRM section Measurement Performance Requirements - Added Table A.4.3-2 with reference to test loop functions in 36.509 - Some editorial changes - Normative References updated - Change RRM TC titles to reflect their applicability to FDD only | 0.3.0 | 2.0.0 |
| 2008-12 | RAN#42 | RP-080970 | | | Approval of version 2.0.0 at RAN#42, then put to version 8.0.0. | 2.0.0 | 8.0.0 |
| 2008-01 | | | | | Editorial corrections. | 8.0.0 | 8.0.1 |
| 2009-05 | RAN#44 | RP-090448 | 0001 | | CR to 36.521-2: Applicability changes and additions for RRM test cases | 8.0.1 | 8.1.0 |
| 2009-05 | RAN#44 | RP-090448 | 0002 | | LTE-RF: Applicability for Output Power Dynamics test cases | 8.0.1 | 8.1.0 |
| 2009-09 | RAN#45 | R5-094035 | 0003 | - | Correction CR to 36.521-2: Applicability changes to introduce additional RRM tests | 8.1.0 | 8.2.0 |
| 2009-09 | RAN#45 | R5-094572 | 0004 | - | Applicability for Output Power Dynamics test cases | 8.1.0 | 8.2.0 |
| 2009-09 | RAN#45 | R5-094710 | 0005 | - | Resubmission-Correction CR to 36.521-2: Applicability changes to introduce additional RRM tests | 8.1.0 | 8.2.0 |
| 2009-09 | RAN#45 | R5-094768 | 0006 | - | Update of RRM Conformance test applicability for SON | 8.1.0 | 8.2.0 |
| 2009-09 | RAN#45 | R5-094999 | 0007 | - | Correction CR to 36.521-2: Applicability changes to RF PDSCH Demodulation tests | 8.1.0 | 8.2.0 |
| 2009-12 | RAN#46 | R5-095519 | 0008 | | Correction CR to 36.521-2: Applicability changes to update the Demodulation of PDSCH (FDD) tests based on the CR merge results from RAN5#44 | 8.2.0 | 8.3.0 |
| 2009-12 | RAN#46 | R5-095778 | 0009 | | Update of RRM Conformance test applicability for RLM in DRX test cases | 8.2.0 | 8.3.0 |
| 2009-12 | RAN#46 | R5-095841 | 0010 | - | CR to 36.521-2: Applicability additions for new RRM (FDD) tests | 8.2.0 | 8.3.0 |
| 2010-03 | RAN#47 | R5-100358 | 0011 | - | CR to 36.521-2 Rel-8 Introduction of Applicability for E-UTRAN FDD - FDD Intra Frequency Cell Search with DRX when L3 filtering is used | 8.3.0 | 8.4.0 |
| 2010-03 | RAN#47 | R5-100561 | 0012 | - | CR to 36.521-2: Update baseline implementation capabilities with extended LTE1500 operating bands | 8.3.0 | 8.4.0 |
| 2010-03 | RAN#47 | R5-100872 | 0013 | - | CSI: Following up corrections to tests titles and RI clause structure | 8.3.0 | 8.4.0 |
| 2010-03 | RAN#47 | - | - | - | Moved to v9.0.0 with no change | 8.4.0 | 9.0.0 |
| 2010-06 | RAN#48 | R5-103147 | 0014 | - | Adding band 20, 800MHZ in EU to TS36.521-2 | 9.0.0 | 9.1.0 |
| 2010-06 | RAN#48 | R5-103757 | 0015 | - | Introduction of feature group indicator in applicability for RRM test cases | 9.0.0 | 9.1.0 |
| 2010-09 | RAN#49 | R5-104246 | 0017 | - | CR to 36.521-2 on Correction to cell search | 9.1.0 | 9.2.0 |
| 2010-09 | RAN#49 | R5-104264 | 0018 | - | Addition of applicability for new RRM test cases | 9.1.0 | 9.2.0 |
| 2010-09 | RAN#49 | R5-104372 | 0019 | - | Update of Applicability for Demodulation test cases and UE implementation Types for UTRA TDD | 9.1.0 | 9.2.0 |
| 2010-09 | RAN#49 | R5-104840 | 0020 | - | 36521-2 General update to add-remove TCs applicability correct, TC titles and numbers and editorials | 9.1.0 | 9.2.0 |
| 2010-09 | RAN#49 | R5-105056 | 0021 | - | Applicability of a new Rel-9 downlink sustained data rate performance test cases | 9.1.0 | 9.2.0 |
| 2010-12 | RAN#50 | R5-106118 | 0022 | - | CR to 36.521-2: Update baseline implementation capabilities for EUTRA TDD LTE band 41 | 9.2.0 | 9.3.0 |
| 2011-03 | RAN#51 | R5-110536 | 0023 | - | Defining new bands 42 and 43 (3500MHz) | 9.3.0 | 9.4.0 |
| 2011-03 | RAN#51 | R5-110955 | 0024 | - | CR to 36.521-2: General update to add, remove, and correct applicability of RRM TCs | 9.3.0 | 9.4.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|--|--------|--------|
| 2011-06 | RAN#52 | R5-112131 | 0025 | - | Correction to Band 12 frequency range in 36.521-2 | 9.4.0 | 9.5.0 |
| 2011-06 | RAN#52 | R5-112212 | 0026 | - | Adding Band 24 to TS 36.521-2 | 9.4.0 | 9.5.0 |
| 2011-06 | RAN#52 | R5-112378 | 0027 | - | Update of FGI bit definitions for rel-9 | 9.4.0 | 9.5.0 |
| 2011-06 | RAN#52 | R5-112821 | 0028 | - | Add release applicability for spatial multiplexing test cases | 9.4.0 | 9.5.0 |
| 2011-06 | RAN#52 | R5-112857 | 0029 | - | Addition of applicability for new RRM test cases 4.3.4.3 and 8.4.3 | 9.4.0 | 9.5.0 |
| 2011-06 | RAN#52 | R5-112865 | 0030 | - | Addition of applicability for new MBMS test cases 10.1 and 10.2 | 9.4.0 | 9.5.0 |
| 2011-09 | RAN#53 | R5-113306 | 0031 | - | Adding band 25 to TS36.521-2 | 9.5.0 | 9.6.0 |
| 2011-09 | RAN#53 | R5-113625 | 0033 | - | Introduction of applicability of Rel-9 Scenarios | 9.5.0 | 9.6.0 |
| 2011-09 | RAN#53 | R5-113626 | 0034 | - | Introduction of applicability of PDSCH performance tests for low UE categories | 9.5.0 | 9.6.0 |
| 2011-09 | RAN#53 | R5-114025 | 0035 | - | Test Cases 6.2.3 and 6.2.4 Applicability Clarification | 9.5.0 | 9.6.0 |
| 2011-09 | RAN#53 | R5-114070 | 0036 | - | Update baseline implementation capabilities for FDD LTE Band 23 in 36.521-2 | 9.5.0 | 9.6.0 |
| 2011-09 | RAN#53 | R5-114074 | 0037 | - | Applicability for new R9 RRM test cases | 9.5.0 | 9.6.0 |
| 2011-09 | RAN#53 | R5-114096 | 0038 | - | Missing FGIs in RRM Test Case Applicabilities in 36.521-2 | 9.5.0 | 9.6.0 |
| 2011-12 | RAN#54 | R5-115128 | 0039 | - | Correction the content of A.4.4-1_16 in 36.521-2 | 9.6.0 | 9.7.0 |
| 2011-12 | RAN#54 | R5-115134 | 0040 | - | Correction to the test case condition of C12 in 3GPP TS 36.521-2 | 9.6.0 | 9.7.0 |
| 2011-12 | RAN#54 | R5-115186 | 0041 | - | Adding band 22 (3500MHz FDD) to 36.521-2 | 9.6.0 | 9.7.0 |
| 2011-12 | RAN#54 | R5-115785 | 0042 | - | Requirement change in UE spurious emissions for Band 7 and 38 co-existence (Rel-8 only) | 9.6.0 | 9.7.0 |
| 2011-12 | RAN#54 | R5-115422 | 0043 | - | Update of FGI bit table in 36.521-2 | 9.6.0 | 9.7.0 |
| 2011-12 | RAN#54 | R5-115813 | 0044 | - | RF: Update of the applicability list | 9.6.0 | 9.7.0 |
| 2011-12 | RAN#54 | - | - | - | Moved to Rel-10 with no change | 9.7.0 | 10.0.0 |
| 2012-03 | RAN#55 | R5-120340 | 0046 | - | Addition of FGI bit 16 into test cases 9.1.x.x and 9.2.x.x | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120534 | 0047 | - | Introduction to Applicability for RSRQ for E-UTRA Carrier Aggregation | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120596 | 0048 | - | Updates to applicability for newly introduced CA feature chapter8 test cases in 36.521-2 | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120811 | 0049 | - | Correction to FGI bits in test case 8.5.2 | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120812 | 0050 | - | Addition of FGI bit 15 into test cases configuring event 1B | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120832 | 0051 | - | Update of FGI bit table in TS36.521-2 | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120836 | 0052 | - | Introduction to CA Applicability for Transmitter Characteristics tests MPR and ACLR | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120838 | 0053 | - | RF/RRM: Applicability for new added RRM test cases | 10.0.0 | 10.1.0 |
| 2012-03 | RAN#55 | R5-120840 | 0054 | - | Applicability for new UL MIMO test case | 10.0.0 | 10.1.0 |
| 2012-06 | RAN#56 | R5-121185 | 0055 | - | Updates to applicability for newly introduced CA feature TDD chapter 8 test cases in 36.521-2 | 10.1.0 | 10.2.0 |
| 2012-06 | RAN#56 | R5-121219 | 0056 | - | Adding operating band 26 to TS 36.521-2 | 10.1.0 | 10.2.0 |
| 2012-06 | RAN#56 | R5-121904 | 0057 | - | Addition of applicability for E-UTRAN Inter frequency case reselection in the existence of non-allowed CSG cell | 10.1.0 | 10.2.0 |
| 2012-06 | RAN#56 | R5-121965 | 0058 | - | Applicability for new UL MIMO test cases | 10.1.0 | 10.2.0 |
| 2012-06 | RAN#56 | R5-121966 | 0059 | - | Updates to applicability for Transmit timing tests in 36.521-2 | 10.1.0 | 10.2.0 |
| 2012-06 | RAN#56 | R5-121967 | 0060 | - | Applicability for new R9 RRM test cases | 10.1.0 | 10.2.0 |
| 2012-06 | RAN#56 | R5-121990 | 0061 | - | Addition of applicability for CA TCs | 10.1.0 | 10.2.0 |
| 2012-09 | RAN#57 | R5-123093 | 0062 | - | Updates to applicability for Chapter9 absolute and relative RSRP measurement test cases for carrier aggregation. | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123165 | 0063 | - | Introduction of Applicability for E-UTRAN Event Triggered reporting on deactivated SCell with PCell interruption in non-DRX for CA | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123169 | 0064 | - | Correction to Applicability for RSRQ for E-UTRA Carrier Aggregation | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123170 | 0065 | - | Introduction of eDL MIMO to UE service capabilities | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123533 | 0066 | - | Update of References in 36.521-2 v980 (pointer) | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123542 | 0067 | - | TS 36.521-2:TDD CA test cases applicability correction | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123788 | 0068 | - | Clarification of the release of UTRAN-EUTRAN Inter-RAT RRM test cases in 36.521-2 | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123856 | 0069 | - | Applicability for new RRM test cases | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123858 | 0070 | - | Introduction of Applicability for ACS for CA and UE config Tx output power for CA | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123909 | 0071 | - | TS 36.521-2:New UE categories addition | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123942 | 0072 | - | Applicability update for test cases in TS36.521-1 with single BW requirements not defined for all operating bands, rel-8 | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123993 | 0073 | - | Update applicability of UL-MIMO related conformance test cases | 10.2.0 | 10.3.0 |
| 2012-09 | RAN#57 | R5-123997 | 0074 | - | TS 36.521-2:Applicability for new CQI test cases | 10.2.0 | 10.3.0 |
| 2012-12 | RAN#58 | R5-125251 | 0075 | - | Removing FGI bit 5 from section four RRM test cases | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-125390 | 0076 | - | Adding bands 28 and 44 to TS36.521-2 | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-125821 | 0077 | - | Correction to Additional Information for RRM 4.3.4.3 | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-125833 | 0078 | - | Introduction of Band 27 to TS 36.521-2 | 10.3.0 | 10.4.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|--|--------|--------|
| 2012-12 | RAN#58 | R5-125836 | 0079 | - | Update applicability of UL-MIMO related conformance test cases | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-125920 | 0080 | - | Applicability removal of RRM TC8.12.1 | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-126049 | 0081 | - | Updates to the applicability of CA RF Tx tests | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-124138 | 0082 | - | Updates to the applicability of CA RF Performance tests | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-124168 | 0083 | - | Updates to the applicability of CA RF Rx tests | 10.3.0 | 10.4.0 |
| 2012-12 | RAN#58 | R5-124169 | 0084 | - | Applicability for new RRM CA related TCs | 10.3.0 | 10.4.0 |
| 2013-03 | RAN#59 | R5-130177 | 0085 | - | Introduction of new rel-10 Reporting of RI test cases into applicability specification | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130297 | 0086 | - | Introduction of eDL-MIMO applicability | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130306 | 0087 | - | Updates to applicability for newly introduced eICIC feature chapter9 RRM test cases | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130445 | 0090 | - | Correction to CA physical layer implementation capabilities | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130464 | 0091 | - | Correction of FGI bit 8 in 36.521-2 | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130802 | 0092 | - | Addition of applicability for RRM TCs 9.1.7.1 and 9.1.7.2 | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130807 | 0093 | - | Applicability correction to Spurious emission band UE co-existence(36.521-2) | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130997 | 0098 | - | Addition of applicability statement for 6 new eICIC test cases | 10.4.0 | 10.5.0 |
| 2013-03 | RAN#59 | R5-130375 | 0088 | - | Updates to CA physical layer baseline implementation capabilities for CA band 7 | 10.5.0 | 11.0.0 |
| 2013-03 | RAN#59 | R5-130379 | 0089 | - | Updates to CA physical layer baseline implementation capabilities for CA band 41 | 10.5.0 | 11.0.0 |
| 2013-03 | RAN#59 | R5-130927 | 0094 | - | Updates on the supported CA configurations for CA_38, CA_3-7 and CA_7-20 | 10.5.0 | 11.0.0 |
| 2013-03 | RAN#59 | R5-130928 | 0095 | - | Addition of CA physical layer implementation capabilities for CA_4-5 and CA_4-13 | 10.5.0 | 11.0.0 |
| 2013-03 | RAN#59 | R5-130929 | 0096 | - | Updates of Inter-Band CA combinations CA_3-20 and CA_2-29 | 10.5.0 | 11.0.0 |
| 2013-03 | RAN#59 | R5-130930 | 0097 | - | CA_2-17 and CA_4-17 addition to supported capabilities in 36.521-2 | 10.5.0 | 11.0.0 |
| 2013-06 | RAN#60 | R5-131155 | 0100 | - | Introduction of new rel-11 Reporting of RI test cases into applicability specification | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131159 | 0101 | - | Introduction of Maximum Input Level test case for CA (inter-band DL CA without UL CA) into applicability specification | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131212 | 0102 | - | Correction of applicability conditions for TC 8.2.1.1.1_1: TC 8.2.1.2.1_1 and TC 8.3.2.1.1_1 in 36.521-2 | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131444 | 0103 | - | Addition of applicability for Configured UE transmitted Output Power for inter-band CA | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131525 | 0104 | - | Corrections of eDL-MIMO applicability to align with reporting of CSI | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131712 | 0105 | - | Corrections to Table 4.1-1a "Applicability of RF conformance test cases Conditions" and Table 4.2-1a: Applicability of RRM conformance test cases Conditions | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131912 | 0106 | - | 36.521-2: Inter-band CA configurations update | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131914 | 0107 | - | Addition of applicability for FDD RF TCs 9.3.4.1.1, 9.3.4.2.1, 9.4.1.2.1, 9.4.2.2.1 and TDD RF TCs 9.3.4.1.2, 9.3.4.2.2, 9.4.1.2.2 and 9.4.2.2.2 | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-131927 | 0108 | - | Updates to applicability for newly introduced eICIC feature chapter9 RRM test cases in 36.521-2 | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-132013 | 0109 | - | 36.521-2 specification clean up | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-132015 | 0110 | - | Update of FGI tables in TS 36.521-2 | 11.0.0 | 11.1.0 |
| 2013-06 | RAN#60 | R5-132111 | 0111 | - | Removal of Spurious emission UE co-existence test case 6.6.3.2_1 from 36.521-2 | 11.0.0 | 11.1.0 |
| 2013-09 | RAN#61 | R5-133125 | 0112 | - | editorial correction for RRM test case Condition C46 | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133143 | 0113 | - | Addition of applicability for test cases 7.3.13 and 7.3.15 | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133251 | 0114 | - | Addition of Band 31 to 36.521-2 | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133315 | 0115 | - | Applicability for new CA TCs for 20MHz | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133347 | 0116 | - | eICIC RRM: Applicability for some new added eICIC test cases | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133350 | 0117 | - | CA RF: Applicability for some new added CA test cases | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133403 | 0118 | - | CA RRM: Corrections to applicability of CA RRM TC-s | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133816 | 0119 | - | Update applicability of test cases required to support PUSCH 2-2 | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133825 | 0120 | - | eICIC RF: Applicability for some new added eICIC test cases | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133827 | 0121 | - | Correction to applicability of TC 8.3.2.1.2, 8.3.2.1.3 and 8.3.2.2.1 | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133839 | 0122 | - | Correction of applicability for FDD RF TCs 9.3.4.1.1, 9.3.4.2.1 & 9.4.1.2.1 and TDD RF TCs 9.3.4.1.2, 9.3.4.2.2 & 9.4.1.2.2 | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133840 | 0123 | - | Addition of applicabilities for inter-freq/RAT without measurement gaps TCs | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133841 | 0124 | - | Correction to the reference information of chapter 2. | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133849 | 0125 | - | RRM: Update of applicability of some test cases | 11.1.0 | 11.2.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|--|--------|--------|
| 2013-09 | RAN#61 | R5-133868 | 0126 | - | Addition of UE capability information Bandwidth Combination Set for Carrier Aggregation in ICS proforma tables | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133872 | 0127 | - | Update RF performance test applicability table for LTE B14 public safety high power UE | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133875 | 0128 | - | Addition of applicability for new TCs 8.3.1.1.3 and 8.3.2.1.4 | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133891 | 0129 | - | Applicability addition for CA test cases | 11.1.0 | 11.2.0 |
| 2013-09 | RAN#61 | R5-133897 | 0130 | - | Addition of the applicability of TC7.3.14 & TC7.3.16 | 11.1.0 | 11.2.0 |
| 2013-12 | RAN#62 | R5-134129 | 0131 | - | RRM: Corrections of applicability of some test cases | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134164 | 0132 | - | Introduction of UE TM3 Demodulation Performance under High Speed Applicability | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134281 | 0134 | - | Addition of applicability for Sustained data rate test(FDD) for category 6 and 7 UEs | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134285 | 0135 | - | Removal of 6.2.5A.2 from applicability table | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134293 | 0136 | - | Correction to applicabilities for inter-freq/RAT without measurement gaps TCs | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134315 | 0137 | - | Removal of comma separated conditions | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134883 | 0138 | - | Addition of applicability for new TCs 7.4.A.4 and 7.5.A.4 | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134893 | 0142 | - | Addition of applicabilities of LTE Type A performance requirements | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134895 | 0139 | - | Removal of redundant not applicable to any device tests from applicability table | 11.2.0 | 11.3.0 |
| 2013-12 | RAN#62 | R5-134279 | 0133 | - | Addition of Rel-12 CA band combinations(CA_3-19 and CA_19-21) to Table A.4.6.3-3 | 11.3.0 | 12.0.0 |
| 2013-12 | RAN#62 | R5-135011 | 0141 | - | Updates of Table A.4.6.3-3 for CA 1A-26A | 11.3.0 | 12.0.0 |
| 2013-12 | RAN#62 | R5-135032 | 0140 | - | Applicability for new RRM test cases for 5MHz bandwidth | 11.3.0 | 12.0.0 |
| 2014-03 | RAN#63 | R5-140390 | 0143 | - | LTE Type A performance requirements - Adding a new test case 9.3.5.1.2 | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140426 | 0144 | - | Updates to Intra-band non-contiguous CA applicability | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140526 | 0145 | - | Addition of applicability for TC 8.2.2.2.4 and TC 8.2.2.4.3 | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140808 | 0146 | - | Correction the applicability for test case 8.2.1.3.2. | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140809 | 0147 | - | Update applicability table for LTE B14 public safety high power UE test cases | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140817 | 0148 | - | Applicability for new DL CoMP test cases | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140870 | 0150 | - | Corrections the applicability of test cases 8.16.3 and 8.16.4 | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140871 | 0151 | - | Correcting applicability in 8.2.2.1.1_1 and 8.2.2.2.1_1 for UE categories 1 and/or 2 | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140897 | 0152 | - | Addition of Applicability for EPDCCH New Test Cases | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-140923 | 0153 | - | Introduction of UE CA Inter-band uplink capabilities | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-141020 | 0154 | - | Addition of test applicability of WB-RSRQ measurement | 12.0.0 | 12.1.0 |
| 2014-03 | RAN#63 | R5-141035 | 0155 | - | Applicability for new CA RRM TCs 7.1.3+7.1.4 | 12.0.0 | 12.1.0 |
| 2014-06 | RAN#64 | R5-142113 | 0157 | - | Addition of CA 3A-28A to 36.521-2 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142337 | 0158 | - | Applicability update for CA band Combo CA_2A-13A | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142345 | 0159 | - | Addition of CA band combination CA_39A-41A to Table A.4.6.3-3 in TS 36.521-2 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142347 | 0160 | - | Updates of Table A.4.6.3-3 for CA_3A-26A and CA_3A-27A | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142583 | 0161 | - | Update of FGI definitions in TS 36.521-2 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142674 | 0162 | - | Definition correction to UL and DL category tables | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142772 | 0163 | - | Addition of CA_2A-4A and CA_5A-7A to 36.521-2 Annex A4 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142782 | 0164 | - | Introduction of TC 7.6.xA.4 and 7.7A.4 applicabilities | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-142799 | 0165 | - | Addition of applicability for TC 6.6.3B.2 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143000 | 0166 | - | Conditions C19, C20, C21 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143016 | 0167 | - | Addition of RF test cases applicability for eICIC | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143017 | 0168 | - | Addition of RRM test cases applicability for eICIC | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143028 | 0169 | - | LTE Type A performance requirements - Adding test case 8.2.1.4.3 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143030 | 0170 | - | Condition C43 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143053 | 0171 | - | Correction to the applicability of the test case 7.6.2A.3 and 7.7A.3. | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143054 | 0172 | - | Correction of the condition of test case 8.7.1.1 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143055 | 0173 | - | Correction of the condition of the test cases 8.2.2.1.1_A.2, 8.2.1.3.1_A.1, 8.2.1.3.1_A.2 and 8.2.2.1.4.2_A.2 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143056 | 0174 | - | Correction of the condition for the test cases 8.2.2.1.1_A.1, 8.2.1.4.2_A.1 and 8.2.2.1.1_A.1 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143060 | 0175 | - | Introduction of eICIC applicability statement for CSI test cases | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143061 | 0176 | - | Introduction of eICIC applicability statement for RRM test cases | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143078 | 0177 | - | Applicability for new CoMP TDD TCs | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143083 | 0178 | - | Addition of applicability for newly added RRM test cases | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143084 | 0179 | - | Addition of CA_27B related information into A.4.6 in TS 36.521-2 | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143119 | 0180 | - | Update of applicability for EPDCCH test cases | 12.1.0 | 12.2.0 |
| 2014-06 | RAN#64 | R5-143145 | 0181 | - | Condition on no UL CA in C20 and C21 | 12.1.0 | 12.2.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|---|--------|--------|
| 2014-06 | RAN#64 | R5-143215 | 0182 | - | Addition of applicability for new TM3, soft buffer management and SDR test cases | 12.1.0 | 12.2.0 |
| 2014-09 | RAN#65 | R5-144109 | 0183 | - | Introduction of felCIC applicability statement for Performance test cases (resubmission of R5-143075 not implemented) | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144121 | 0184 | - | Corrections to felCIC applicability statement for CSI test cases | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144200 | 0185 | - | Applicability for newly added 5MHz+5 MHz and 10MHz+5MHz BW RRM test cases | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144245 | 0186 | - | Corrections to applicability conditions for RRM test cases | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144329 | 0187 | - | Update of FGI definitions in TS 36.521-2 | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144449 | 0188 | - | Applicability update for CA band Combo CA_7A-28A | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144484 | 0189 | - | Update Tx intra-band contiguous DL CA without UL CA TCs applicability to include BW Class B | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144504 | 0190 | - | New CA band combination CA_NC_42 and CA_4-27-Update to 36.521-2 | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144512 | 0191 | - | Addition of applicability for CA band combo CA_2A-5A | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144800 | 0192 | - | Correction to RF Baseline capabilities with Band 29 | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144837 | 0193 | - | Update test applicability for intra band non-contiguous CA test cases | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144848 | 0194 | - | Update test applicability for inter band and intra band contiguous CA test cases | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144849 | 0195 | - | Addition of CA_2A-2A to 36.521-2 Annex A4 | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144864 | 0202 | - | Addition of operating band 30 to TS36.521-2 | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144871 | 0196 | - | Correction to Merge UE category tables | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144877 | 0197 | - | CA: Review of CA capabilities tables | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144878 | 0198 | - | Addition of applicability for newly added performance test cases | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144911 | 0199 | - | Update applicabilities for serving cell RSRP and RSRQ absolute accuracy TCs | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144919 | 0200 | - | Update the applicability conditions for TCs 8.8.2.1 and 8.8.2.2 | 12.2.0 | 12.3.0 |
| 2014-09 | RAN#65 | R5-144921 | 0201 | - | Addition of applicability for SDR test case 8.7.1.1_A.3 | 12.2.0 | 12.3.0 |
| 2014-12 | RAN#66 | R5-145017 | 0202 | - | Correction to 6.7A title number | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145180 | 0203 | - | New CA band combination CA_1A-3A - Updates of Table A.4.6.3-3 | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145226 | 0204 | - | Introduction of CA_42C into TS36.521-2 | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145244 | 0205 | - | New CA band combination CA_41-42 update to 36.521-2 section A.4.6.3 | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145262 | 0206 | - | Applicability table update for RRM CA test cases in clause 8 and 9 to avoid redundant testing | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145359 | 0207 | - | Addition of applicability for TCs of activation and deactivation of known SCell | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145361 | 0208 | - | Removing SDR test applicability for Rel-11 and 12 inter-band CA | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145396 | 0209 | - | New CA band combination CA_18A-28A - Updates of Table A.4.6.3-3 | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145440 | 0210 | - | New CA band combination 1+11 and 8+11 û Introduction of 1+11 and 8+11 to 36.521-2 | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145478 | 0211 | - | Correction to felCIC applicability statement for PHICH test cases | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145529 | 0212 | - | Updates to applicability of CA demodulation tests for release independence | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145821 | 0213 | - | Update of applicability statements for mandatory Rel-11 capabilities, CoMP, and more | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145822 | 0214 | - | Update of FGI definitions in TS 36.521-2 | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145823 | 0215 | - | Updates the applicable release for soft buffer management and TDD SDR CA tests in part 2 | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145842 | 0216 | - | Corrections to applicabilities for COMP | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145869 | 0217 | - | Applicability for FDD TC 8.2.1.1.1_A.3 and TDD TC 8.2.2.1.1_A.3+TC 8.2.2.4.2_A.3 for CA | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145873 | 0218 | - | Update to TM9 test case applicability | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145905 | 0219 | - | Applicability for newly added RRM TCs for testing of SCell in sTAG | 12.3.0 | 12.4.0 |
| 2014-12 | RAN#66 | R5-145981 | 0220 | - | Update to Additional information section to handle IMSVoIP not supported in 36.521-2 | 12.3.0 | 12.4.0 |
| 2015-03 | RAN#67 | R5-150298 | 0221 | - | Introduction of CA_1A-7A to TS 36.521-2 | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150304 | 0222 | - | Corrections to title of RRM test case 8.7.1 in applicability table | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150365 | 0223 | - | CA: Corrections to CA capability tables | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150374 | 0224 | - | Introduction of RF applicability for CA band combinations 5+25 and 12+25 | 12.4.0 | 12.5.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|--|--------|--------|
| 2015-03 | RAN#67 | R5-150444 | 0225 | - | New CA band combination CA_1A-28A - Updates of Table A.4.6.3-3 | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150524 | 0226 | - | Addition of CA_1A-20A to TS 36.521-2 | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150546 | 0227 | - | Addition of 2A-12A and 5A-13A 2DL Interband CA to 36.521-2 | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150558 | 0228 | - | Applicability conditions added to TCs 9.1.12.x and 9.2.11.x | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150564 | 0229 | - | Addition of CA_2A-2A-13A to TS 36.521-2 | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150805 | 0230 | - | Update of FGI definitions in TS 36.521-2 | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150830 | 0231 | - | Addition of CA_2-30 to Annex A.4.6 of TS 36.521-2. | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150831 | 0232 | - | Addition of CA_4-30 to Annex A.4.6 of TS 36.521-2. | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150832 | 0233 | - | Addition of CA_5-30 to Annex A.4.6 of TS 36.521-2. | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150858 | 0234 | - | Update of applicability statements for CoMP - TCs being split | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150872 | 0235 | - | Addition of applicability for 3DL CA test cases | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150876 | 0236 | - | Addition of applicability for CA_39C in TS36.521-2 | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150882 | 0238 | - | Addition of applicability for newly added 20MHz+10MHz RRM test cases | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150883 | 0239 | - | Addition of applicability for newly added RSRP accuracy RRM test cases | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150904 | 0240 | - | Addition of a new table for Supported CA configurations for Inter-band CA (three bands) | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150914 | 0241 | - | Addition of applicability for Multi-Cluster PUSCH with One Uplink Carrier test cases | 12.4.0 | 12.5.0 |
| 2015-03 | RAN#67 | R5-150923 | 0242 | - | CA demod test case variants merge in 36.521-2 | 12.4.0 | 12.5.0 |
| 2015-06 | RAN#68 | R5-151156 | 0245 | - | Correction of applicability conditions for RRM test case 5.3.5 and 5.3.6 | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151164 | 0246 | - | CA RF: Correction to condition description | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151461 | 0261 | - | Updates to 36.521-2 regarding merging of TDD CA test cases | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151463 | 0262 | - | Addition of applicability of TD-LTE to UTRA TDD periodic measurements | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151509 | 0263 | - | Introduction of applicability for test cases 9.6.1.1-A.2 and 9.6.1.2-A.2: FDD/TDD CQI Reporting under AWGN conditions – PUCCH 1-0 (3DL CA) | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151826 | 0250 | 2 | Addition and correction of applicability for TDD sustained data rate performance | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151827 | 0254 | 1 | Update applicabilities of merged TDD CA cases | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151828 | 0258 | 2 | Correction of applicability for TDD sustained data rate performance | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151829 | 0268 | 1 | Correction to PICS items referenced in C32b and C33b applicability conditions. | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151892 | 0248 | 1 | Addition of frequency E-UTRA band 32 | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-151949 | 0259 | 1 | Applicability update of FDD-TDD RSRP accuracy test cases for FDD-TDD CA. | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152009 | 0253 | 1 | Addition of applicability for newly added 20MHz+20MHz and 20MHz+10MHz CA RRM test cases | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152016 | 0264 | 1 | Introduction to applicability for 2UL CA RF test cases (Tx and Rx) | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152019 | 0260 | 1 | Addition of UE category 0 ICS and test cases | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152023 | 0251 | 1 | Update of CA Physical Layer Baseline Implementation Capabilities for Rel-12 CA 2UL configurations | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152029 | 0243 | 1 | Introduction of Band Selection Concept and new 3DL CA Combinations to 36.521-2 | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152036 | 0255 | 1 | Addition of applicability for newly introduced RSRP accuracy RRM test cases | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152037 | 0256 | 1 | Addition of applicability for newly added FDD CA RSRP accuracy RRM test cases | 12.5.0 | 12.6.0 |
| 2015-06 | RAN#68 | R5-152129 | 0270 | - | CoMP TCs applicability update | 12.5.0 | 12.6.0 |
| 2015-09 | RAN#69 | R5-153062 | 0271 | - | Introduction of LTE eDL_MIMO applicability for TCs | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153162 | 0273 | - | Test applicability for TC 9.7.1.2 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153236 | 0278 | - | Addition of additional capabilities for Enhanced performance requirements type C for LTE | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-154023 | 0279 | 1 | RF: Applicability of CSI requirements to UE Category 1 (for 36.521-2) | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153388 | 0286 | - | Correction to applicability of feICIC test cases. | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153416 | 0287 | - | Correction to information of feature group indicators | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153477 | 0290 | - | 521-2 change applicability for Rel-10 CA RSRP relative accuracy tests | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153479 | 0292 | - | 521-2 change applicability for Rel-11 CA RSRP relative accuracy tests | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153480 | 0293 | - | Introduction of 2DL CA test skipping if 3DL CA is tested in 36.521-1 Chapter 7 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153481 | 0294 | - | 521-2 Addition of test applicabilities for Rel-12 CA RSRP relative accuracy tests | 12.6.0 | 12.7.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|--|--------|--------|
| 2015-09 | RAN#69 | R5-153503 | 0296 | - | Correction to applicability content in Table 4.1-1, 4.1-1a. for 36.521-1 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153528 | 0299 | - | Update of FGI definitions in TS 36.521-2 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153580 | 0300 | - | Correction of applicability condition TC 9.6.1.1_A.1 non-contiguous part | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153614 | 0302 | - | Applicability for Receiver Spurious emissions test case for Carrier aggregation in DL-only bands | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153689 | 0306 | - | Applicability for new RRM TCs 7.1.3_1+7.1.4_1 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153813 | 0283 | 1 | Correction of L2G PSHO applicability for TS 36.521-2 spec | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153828 | 0280 | 1 | Addition of applicabilities for 3DL CA test cases | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153846 | 0298 | 1 | Addition of applicability of SU-MIMO conformance tests | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153860 | 0282 | 1 | Addition of test applicabilities of some test cases for 2UL CA | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153861 | 0291 | 1 | Proposal for missing Selection Criteria in table 4.1 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153896 | 0281 | 1 | Addition of applicabilities for 3DL CA RRM test cases | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153897 | 0289 | 1 | Implementation of 36.521-1 Chapter 8.1 and 9.1 test selection rules in Table 4.1-1 testcases | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153910 | 0276 | 1 | Corrections to MTC test applicabilities | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153911 | 0297 | 1 | Correction of MTC UE test case applicability | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153929 | 0272 | 1 | Addition of applicability for newly introduced 20MHz+20MHz and 20MHz+10MHz cases (Rel-12) | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153932 | 0274 | 1 | Addition of applicability for newly introduced TC8.16.18A (Rel-10) | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153933 | 0275 | 1 | Addition of applicability for newly introduced TC7.1.4A (Rel-11) | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153935 | 0277 | 1 | Correction to applicability of EUTRA TDD to UTRA TDD connected mode measurements | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153946 | 0301 | 1 | Adding applicability for TC 8.2.1.7_A.1 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-153948 | 0305 | 1 | Applicability corrections for test case 8.2.1.4.2_A.1 | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | R5-154013 | 0295 | 1 | Addition of UE category 0 test cases | 12.6.0 | 12.7.0 |
| 2015-09 | RAN#69 | - | - | - | update of the "non-specific references" in section 2 according to the approved R5-153582 and an action point on ETSI MCC | 12.6.0 | 12.7.0 |
| 2015-12 | RAN#70 | R5-155275 | 0314 | - | Introduction of applicabilities of 2 test cases for 2UL CA Tx test cases | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155301 | 0316 | - | Introduction of test applicability for TC 6.6.2.2A.1 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155318 | 0319 | - | Update of UE categories for R8 in 36.521-2 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155319 | 0320 | - | Update of UE categories for R10 in 36.521-2 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155323 | 0322 | - | Update of UE categories for R11 in 36.521-2 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155544 | 0326 | - | Correction to conditions C32 and C35 in Table 4.1-1 and Table 4.1-1a | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155545 | 0327 | - | Correction to conditions of Table 4.1-1a | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155556 | 0328 | - | Correction of RRM Condition C77 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155558 | 0329 | - | Correction of RRM Condition C79 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155560 | 0330 | - | Correction of RRM Condition C80 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155563 | 0332 | - | Correction of RRM Condition C81 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155565 | 0334 | - | Correction of RRM Condition C82 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155635 | 0339 | - | Release indication corrections in table A.4.1-1: UE Radio Technologies | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155750 | 0341 | - | Addition of test cases in Table 4.1-1: Applicability of RF conformance test cases. | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155777 | 0342 | - | Test applicability for Intra Frequency RSRP Accuracy for UE category 0 Test Cases | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155843 | 0309 | 1 | Update of applicability of SU-MIMO conformance tests | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155870 | 0323 | 1 | Applicability updates on inter-band CA receiver test cases | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155871 | 0324 | 1 | Correction of applicability for FDD-TDD CA | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155872 | 0336 | 1 | Applicability update to FDD-TDD CA test cases | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155873 | 0335 | 1 | Introduction of applicability expression for new 3DL CA RRM test case TC 8.16.41 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-155874 | 0340 | 1 | 36.521-2: CA_2A-2A-13A update | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156050 | 0308 | 1 | Addition of applicability for newly introduced MTC RRM tests | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156060 | 0331 | 1 | Addition of applicability for 2UL CA test cases 6.2.5A.3 and 6.2.5A.4 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156061 | 0333 | 1 | Addition of applicability for 2UL CA test cases 6.2.4A.3, 6.3.5A.3.2 and 6.6.3.A.3 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156093 | 0313 | 1 | LTE Type B performance requirements - Addition of applicability for 6 new NAICS test cases | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156107 | 0325 | 1 | Correction to test case condition for the test cases 9.5.1.x | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156132 | 0338 | 2 | Applicability for new SCE-L1 test cases | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156135 | 0318 | 2 | Update of test applicabilities for R12 RRM cases in 36.521-2 | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156136 | 0337 | 1 | Update of the 1.4MHz MBMS test applicability | 12.7.0 | 12.8.0 |
| 2015-12 | RAN#70 | R5-156087 | 0315 | 1 | Introduction of test applicabilities for UL 64QAM cases | 12.8.0 | 13.0.0 |
| 2016-03 | RAN#71 | R5-160037 | 0343 | - | LTE Type B performance requirements - Addition of applicability for test cases 8.2.1.4.4 and 8.2.2.4.5 | 13.0.0 | 13.1.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|--|--------|--------|
| 2016-03 | RAN#71 | R5-160054 | 0344 | - | Addition of applicability for 2UL CA TC 6.5.2A.1.2, 6.5.2A.1.3, 6.5.2A.2.2 and 6.5.2A.2.3 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160069 | 0345 | - | Introduction of applicability of Tx test case 6.5.2A.3.2 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160071 | 0347 | - | Introduction of applicability of Tx test case 6.6.3.1A.3 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160073 | 0346 | 2 | Introduction of applicability of Tx test case 6.5.2A.3.3 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160108 | 0349 | - | Removal of technical content in 36.521-2 v12.8.0 and substitution with pointer to the next Release | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160126 | 0353 | - | Correction to applicability condition C22. | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160273 | 0362 | - | Applicability for new SCE RRM test cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160372 | 0368 | - | Rel-8 UE category correction | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160373 | 0369 | - | Rel-10 UE category correction | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160511 | 0375 | - | New CA band combination CA_41A-42C - Updates of Table A.4.6.3-3 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160530 | 0378 | - | Addition of CA Physical Layer Baseline Implementation Capabilities for the new CA configuration | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160575 | 0381 | - | Correction to the applicability of RRM test cases 9.5.1 and 9.5.2 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160593 | 0382 | - | Corrections to applicabilities of TDD FDD CA chapter 8 TCs | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160694 | 0385 | - | Applicability for newly added UL CA test cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160714 | 0351 | 1 | Test applicability for Intra Frequency RSRQ Accuracy for UE category 0 Test Cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160806 | 0355 | 1 | Correction of applicability conditions C57 and C58 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160807 | 0356 | 1 | Missing applicability for TC 7.8.1A.4 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160808 | 0357 | 1 | Correction of Tested CA-Configurations for TC 7.5A.4 and TC 7.6.1A.4 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160816 | 0366 | 1 | Addition of some Rel-13 defined CA combinations to TS 36.521-2 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160817 | 0373 | 1 | CA_20A-67A: Update of CA Physical Layer Baseline Implementation | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160818 | 0376 | 1 | Correction to condition C25x | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160851 | 0379 | 1 | Applicability of new RF NAICS test cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160857 | 0361 | 1 | MTC applicability of RF test cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160885 | 0360 | 1 | Adding applicability of RRM test cases for LC_MTC_LTE-UEConTest. | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-160962 | 0387 | - | Adding applicability statements to MTC RRM test cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161027 | 0363 | 1 | Applicability for new LTE_CA_Rel12_2UL test case 6.6.3.2A.3 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161036 | 0359 | 1 | Applicability for new DL 256QAM RF and BB test cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161055 | 0352 | 1 | Adding applicability of RRM test cases for LC_MTC_LTE-UEConTest | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161058 | 0377 | 1 | Correction to conditions used item "support 256QAM in DL" | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161067 | 0370 | 1 | 36.521-2 Test point reduction for UL 64QAM multi-cluster ACLR tests | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161069 | 0374 | 1 | Add test case 8.16.17A and update release for test cases 8.16.18A | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161074 | 0348 | 1 | Addition of test case applicability for eDL MIMO Enhancement test cases | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161083 | 0384 | 1 | Introduction of applicability expression for new 3DL CA RRM test case TC 8.16.42 | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161084 | 0358 | 1 | Adding applicability of TC 8.16.39 and 8.16.40 for LTE_CA_Rel12_3DL-UEConTest | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161108 | 0364 | 1 | Addition of applicability for Reference sensitivity with 4Rx antenna ports | 13.0.0 | 13.1.0 |
| 2016-03 | RAN#71 | R5-161116 | 0380 | 2 | Split FGI table for FDD and TDD and update related test case applicability | 13.0.0 | 13.1.0 |
| 2016-06 | RAN#72 | R5-162022 | 0388 | - | Adding missing ICS for UE supporting multiple timing advances | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162197 | 0395 | - | 7.6.1_1 In-band blocking with 4 Rx antenna ports test applicability | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162229 | 0396 | - | Introduction of test applicability for newly introduced UL 64QAM test cases | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162250 | 0397 | - | Addition of applicabilities for 2 Tx test cases 6.5.1D.1 and 6.5.1D.2 | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162256 | 0398 | - | Addition of applicability for test case 8.10.4.1.1 with 4 Rx antenna ports | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162257 | 0399 | - | Addition of applicability for test case 8.10.4.1.2 with 4 Rx antenna ports | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162259 | 0400 | - | Addition of applicability for test case 8.10.4.2.1 with 4 Rx antenna ports | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162260 | 0401 | - | Addition of applicability for test case 8.10.4.2.2 with 4 Rx antenna ports | 13.1.0 | 13.2.0 |
| 2016-06 | RAN#72 | R5-162298 | 0406 | - | Applicability of new RF NAICS test cases | 13.1.0 | 13.2.0 |

| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
|---------|--------|-----------|------|-----|---|--------|--------|
| 2016-09 | RAN#73 | R5-165647 | 0461 | - | Correction to applicability condition for EUTRA TDD to UTRA TDD | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-165656 | 0462 | - | Correction to test cases release information for test cases 9.3.3 and 9.4.3 | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-165662 | 0464 | - | Update of applicability for RRM 3 DL CA activation and deactivation test cases | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-165824 | 0465 | - | 36.521-2 4CC Band combinations addition (CA_2A-2A-4A-4A and CA_2A-4A-5A-30A) | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-165830 | 0466 | - | Correction to applicability for RF test cases in TS 36.521-2 table 4.1-1 | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-165984 | 0451 | 1 | Introduction of ICS proforma tables for NB-IoT in 36.521-2 | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166014 | 0429 | 1 | Adding missing test cases 6.3.5_1.1, 6.3.5_1.2, 6.3.5_1.3 to table 4.1-1, 36.521-2 | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166016 | 0449 | 1 | Correction to test cases not applicable for UE category 1 | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166017 | 0450 | 1 | Correction for UL 64QAM test cases to TS36.521-2 | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166018 | 0463 | 1 | Additional new PICS items to handle CA test cases bandwidth configurations of 20MHz+20MHz and 20MHz+10MHz in 3GPP TS 36.521-3 | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166019 | 0467 | 1 | Addition of modifiedMPR-behavior capability | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166049 | 0441 | 1 | Introduction of CA physical layer capabilities for CA_8A-42A (2DL) and CA_8A-42C (3DL) | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166088 | 0447 | 1 | Update of Feature Group Indicators for eMTC | 13.2.0 | 13.3.0 |
| 2016-09 | RAN#73 | R5-166332 | 0442 | 2 | Cleanup TS36.521-2 for XML compliant | 13.2.0 | 13.3.0 |
| 2017-03 | RAN#75 | R5-171324 | 0546 | - | Removal of technical content in 36.521-2 v13.3.0 and substitution with pointer to the next Release | 13.3.0 | 13.4.0 |

History

| Document history | | |
|-------------------------|---------------|-------------|
| V13.0.0 | January 2016 | Publication |
| V13.1.0 | June 2016 | Publication |
| V13.2.0 | August 2016 | Publication |
| V13.3.0 | November 2016 | Publication |
| V13.4.0 | April 2017 | Publication |