

ETSI TS 170 001 V3.3.1 (2008-03)

Technical Specification

Project MESA; Service Specification Group - Services and Applications; Statement of Requirements (SoR)

Project
MESA



Reference

RTS/MESA-SA0070001v331

Keywords

digital, emergency, interoperability, PMR,
protection, radio, safety, SAR, satellite, security**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	8
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	10
3 Abbreviations	10
4 Executive Summary	12
5 Project MESA SoR.....	18
5.1 Objectives.....	18
5.2 Scope of requirements	18
5.3 User requirements.....	19
5.4 Use of existing protocols.....	19
5.5 Evolving specifications and standards.....	19
5.6 Use of open architectures	19
5.7 Mobile computer telecommunications system	19
5.8 Local, regional and national interoperability.....	19
5.9 Interoperability between MESA user devices	20
5.10 In building and portable service	20
5.11 Operational compromises.....	20
5.12 Compliant with the need of the participating nations	20
5.13 Pre-testing technology proposals.....	20
5.13a Type approval and interoperability testing.....	20
5.14 Frequency neutral technology	20
5.15 Improvements in spectrum efficiencies.....	20
5.16 Life-cycle procurements.....	20
5.17 Economical and ergonomically friendly design	21
5.18 Environmentally safe.....	21
5.18a Regional safety standards.....	21
5.19 Adequate interference protection.....	21
5.20 Migration.....	21
5.21 Consistent with existing standards	21
5.22 Related documents, standards, policies or requirements	22
5.23 Regulatory compliance.....	22
5.24 Compliance with national and international rules, regulations and standards.....	22
5.25 Compatible for multiple international standards	22
5.26 Publication of standards and specifications.....	22
5.27 Interface requirements	22
5.28 Interface protocol requirements.....	22
5.29 Transparent interfaces	22
5.30 Service platform	23
5.31 Two-way communication.....	23
5.32 Traffic distribution	23
5.33 Dynamic remote partitioning.....	23
5.34 Dynamic transfer rates and bandwidth allocation	23
5.35 Multiple levels of availability of service	23
5.36 Priority services.....	23
5.37 Simultaneous network or system access.....	23
5.38 Network pre-emption	23
5.39 First-In, first-Out	24
5.40 System and/or network transaction audit trail	24
5.41 Ability to provide statistical reports	24

5.42	Agency-by-agency reports.....	24
5.43	MESA network component identification.....	24
5.44	Security requirements.....	24
5.45	Automated information requirements.....	24
5.46	Blocking unauthorized access	24
5.47	Over-the-air-rekeying (OTAR)	24
5.48	High-speed, error-free service	25
5.49	End-to-end transmit time.....	25
5.50	Transparent transfer.....	25
5.51	Degradation and redundancy.....	25
5.52	Duty cycle requirements.....	25
5.53	Data to be transported.....	25
5.54	Network and data base interconnectivity.....	26
5.55	Network transmission requirements	26
5.56	Location Determination.....	26
5.57	Delayed transmission and remote stops.....	26
5.58	Dynamic updating of data fields.....	27

Annex A (informative): National and international public service and public safety programs, standards, specifications and requirements28

A.1	Implementation of interoperable technologies	28
A.2	Impact of PSWAC's four general requirements on Project MESA.....	28
A.3	Project MESA use of PSWAC recommendations.....	28
A.4	Impact of additional officers in the field.....	28
A.5	Law enforcement and criminal justice data systems	29
A.6	Prisons and correctional institutions.....	29
A.7	Use of Project MESA specifications and standards in deployment of Intelligent Transport System (ITS) communications and other public safety related networks and systems.....	29
A.8	Use of GLS for vehicle and personnel tracking, security, and inventory control	30
A.9	Impact of recent major events on Project MESA SoR.....	31
A.10	Major incident operational dynamics	31
A.11	Institutional monitoring.....	31
A.12	Environmental monitoring	31
A.13	Administrative control of transportation and other related public safety telemetry.....	31
A.14	The use of global location system in Project MESA.....	33
A.15	Office of the future and general administrative applications	33
A.16	Network or system messaging.....	33
A.17	Emergency or distress signals	34
A.18	Corrections and probation officers and staff's use of full motion video.....	34
A.19	Major incident management and control video.....	34
A.20	Airborne command and control video.....	34
A.21	Normal incident command and control video	34
A.22	Traffic surveillance video.....	34
A.23	Surveillance and monitoring	34
A.24	Law enforcement video applications.....	35
A.25	Disaster relief video applications	35

A.26	Land management and wildfire control applications for full motion video	35
A.27	Emergency medical services video applications	35
A.28	The use of robotics in a hazardous materials environment	35
A.29	Lifeguard and water rescue applications for robotics.....	36
A.30	Search and rescue applications of robotics.....	36
A.30.1	Robotics and video/imagery applications in search and rescue.....	36
A.30.2	Transmission of still photos for public safety applications	36
A.30.3	General encryption requirements	36
A.30.4	Specific and/or unique requirements of the United States Government.....	36
Annex B (informative):	Known North American Federal, state and country requirements	39
Annex C (informative):	Law enforcement scenario - Court House Murder.....	40
Annex D (informative):	Law enforcement Scenario - U.S. State and Urban Police Response to Earthquake Damage	42
Annex E (normative):	Criminal Justice providers.....	44
Annex F (normative):	Automated criminal history and law enforcement records systems and providers	45
Annex G (normative):	Emergency management or disaster recovery agencies	46
Annex H (normative):	Special Operations needs.....	47
Annex I (normative):	Health Services.....	48
I.1	Emergency Medical Services (EMS)	48
I.2	Disaster Medicine.....	48
Annex J (normative):	Fire Services	49
Annex K (normative):	Coast Guard Services (and related public safety functions).....	52
Annex L (normative):	Search and Rescue Activities	53
L.1	Search Activities	53
L.2	Rescue Activities.....	53
Annex M (normative):	Airport Security (and related public safety functions).....	54
Annex N (normative):	Humanitarian Assistance	55
Annex O (normative):	Hazardous Materials (HAZMAT) and related public safety services.....	56
O.1	Coordination and Management	56
O.2	Analysis and Material Classification.....	56
O.3	Handling	56
O.4	Cleanup and Rectification	56
Annex P (normative):	Correctional institutions.....	57
P.1	Correctional enforcement and probation officers.....	57
Annex Q (normative):	Planning precepts for responding to large public safety events or emergencies.....	58
Annex R (normative):	General governmental and/or government administration needs.....	59

Annex S (normative):	Land and natural resource management.....	60
Annex T (normative):	Transportation's organizational mandates and missions.....	61
Annex U (normative):	Intelligent Transport Systems (ITS)	62
Annex V (normative):	The use of technologies and the compatibility requirement for the various applications	63
V.1	Data to be transported.....	63
V.2	General	63
V.3	Electronic messaging.....	63
V.4	Encryption	65
V.5	Office of the future	65
V.6	Transparent network and system access.....	66
V.7	ITS System Requirements	66
V.8	Transmission of complex files	67
V.9	System integrations and interoperability	68
V.10	Transmission of user and patient monitoring telemeter	68
V.11	Other public safety telemetry applications	68
V.12	Transmission of geographical location data	69
V.13	ITS video requirements	69
V.14	Transmission of full-motion video	70
V.15	Robotics with full-motion video.....	70
V.16	Transmission of still-photographs and images	71
Annex W (normative): UK Highways Agency - Intelligent Transport Systems (ITS)	72	
W.1	Objectives.....	72
W.2	The English strategic road network.....	72
W.3	Highways Agency. Transportation's organizational mandates and missions	72
W.4	Intelligent Transport Systems.....	72
W.5	ITS System Requirements	73
W.6	ITS video requirements	74
W.7	Transmission of full-motion video	74
W.8	Transmission of still-photographs and images	75
Annex X (informative): Bibliography	76	
History	77	

Intellectual Property Rights

Project MESA is a collaborative activity whose Organizational Partners (OPs) as of the date of this document are the European Telecommunications Standards Institute (ETSI) and the Telecommunications Industry Association (TIA). It is not a legal entity.

MESA's Technical Working Procedures ("Procedures") provide that Individual Members of MESA are bound by the IPR Policy of their respective OPs. The Procedures further provide that Individual Members should declare at the earliest opportunity any IPRs that they believe to be essential or potentially essential to any work ongoing within MESA.

Under the Procedures, the MESA Secretariat is required to maintain a register of IPR declarations relative to MESA, received by the OPs.

Information concerning declarations of IPR relative to MESA which have been received from OPs and which have been communicated to the MESA Secretariat are available and can be found as follows:

1. As to the MESA Secretariat: www.projectmesa.org or mesa@projectmesa.org;
2. As to ETSI: <http://webapp.etsi.org/IPR/>;
3. As to TIA: ipr@tiaonline.org.

The use or practice of the contents of this document may involve the use of IPRs including, but not limited to, pending or issued patents, or copyrights. Pursuant to their respective policies, none of ETSI, TIA or MESA makes any search or investigation for IPRs of any nature. ETSI, TIA and MESA, and each of them, takes no position with reference to, and disclaims any obligation to investigate or inquire into, the scope or validity of any claims of IPR which are contained in declarations or otherwise communicated to them, or any of them.

The ETSI IPR Policy is available on the ETSI web server (<http://www.etsi.org/legal/>) and the TIA IPR Policy is available on the TIA web server (<http://www.tiaonline.org>) as part of the TIA Engineering Manual.

Foreword

This Technical Specification (TS) has been produced by Public Safety Partnership Project (MESA).

The contents of the present document are subject to continuing work within the Specification Group (SG) and may change following formal SG approval. Should the SG modify the contents of the present document, it will be re-released by the SG with an identifying change of release date and an increase in version number as follows:

Version x.y.z where:

- x the first digit:
 - 1 presented to SG for information;
 - 2 presented to SG for approval;
 - 3 or greater indicates SG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document includes a general outline of the public safety community's technological needs for the transport and distribution of rate-intensive data, digital video, infrared video and digital voice for both service-specific and general applications. The present document was developed as part of a global effort to create uniform specifications and eventually a suite of open standards that could be used for the creation of the next generation of wireless equipment that will be needed to achieve the objectives of the public safety community. This effort is intended to, among other things, support the efforts of the member countries of the Public Safety Partnership Project (PSPP), Project **MESA** (Mobility Emergency Safety Applications) in meeting their own public safety and public service requirements. (See also clause A.1, Implementation of Interoperable Technologies.)

NOTE: For the purpose of the SoR the terms "Public Safety" and "Public Protection and Disaster Relief" (PPDR) are synonymous. PPDR is defined by the ITU-R. Telecommunication for Disaster Relief (TDR) is utilized by the ITU-T. Emergency Telecommunication Service (ETS) is also defined by the ITU-T and involves "National" Public Protection interests (ITU-T work would involve inter-national communications issues only).

The convergence of voice and data services is revolutionizing the commercial transport of information, both wired and wireless. To date, this convergence has had minimal impact on the dedicated two-way radio systems employed by most public safety agencies. The Project **MESA** SoR anticipates that convergence will be a natural progression within the public safety community as new rate-intensive technologies are implemented. (See also clause A.2, Impact of PSWAC's Four General Requirements on Project **MESA**.)

The initial gross data rates identified in the present document involve capabilities that can support the next generation of public safety wireless technologies. However, all of these requirements identified herein are also intended to clearly chart the migration path from today's analogue systems to the next two generations of wireless, high-speed, digital transport system specifications and standards.

Consistent with the public safety users' missions, it is also expected that the Project **MESA** SoR will emphasize transparent and seamless applications, including multiple levels of security and encryptions. These applications should be available on an individual or system-wide basis.

The Project **MESA** SoR is intended to describe a functional and technical specification and standards platform that can be installed as either a private, leased or otherwise arranged system owned by the government or a governmental/commercial partnership that provides needed service and/or infrastructure to public safety agencies and possibly secondary service to other government or commercial clients.

For the purpose of the present document, public safety includes all criminal justice services, emergency management, Emergency Medical Services (EMS), fire, land management, natural resource management (see also clause A.16, Network or System Messaging), military, transportation, wildlife management, and other similar governmental functions that have a need for aeronautical and terrestrial, high-speed, broadband, digital, mobile wireless communications. (See also clause A.3, Project **MESA** Use of PSWAC Recommendations.)

Finally, it is important to note that the basic service and operational premises embodied in the Project **MESA** SoR are jointly predicated on full compliance with the European Human Rights legislation and/or other citizen's rights as may be defined in that document and/or by the United States Constitution and all other laws, rules and regulations that may be subordinate to either of those documents.

Introduction

The users of professional wireless telecommunications equipment within the Sector of Public Protection and Disaster Relief (PPDR) have developed the **MESA** SoR (SoR) document. It describes the services and applications, which a future advanced wireless telecommunications system should be able to support in order to realize the most effective operational environment for the Sector.

Emphasis has been placed on those applications, which current applied technology cannot carry out to the full, but which have been identified by the users and their agencies to be key requirements and capabilities.

The present document is unique in the sense that it represents the first trans-Atlantic consolidated view expressed directly by the professional users of advanced wireless telecommunication equipment.

Within Partnership Project **MESA** the present document will be updated at regular intervals. This represents the focal source of information for Project **MESA**'s Industry members in their technical work, including Research and Development, pointing forward towards the realization of globally applicable specifications for public safety-oriented next generation communications and subsequent standards that will be transposed (including regional developments) by the Organizations Partners. **MESA** will also take into account standards and technology that exists or is in development by other technical entities (i.e. ITU, IEEE, etc.) and strive for related coordination and referencing between such entities.

The present document is not specifically written to be studied end-to-end, rather it represents a unique source of information in the aim of understanding the often very difficult and dangerous working environments, which the user community is facing, such that Industry can provide the most effective and accurate technical solutions.

Finally, it represents the establishment of a clear understanding that the advanced needs of the PPDR Sector should be based on a high-mobility, broadband wireless network or related capabilities that allow for the provision of dynamic bandwidth, offering of self-healing characteristics and secure network access. The Project **MESA** SoR also reflects the vision of a mobile broadband-shared network that can be simultaneously accessed by multiple users, with multiple applications in a specified geographical area fully independent from availability of public networks and supply of electrical power.

1 Scope

The present document describes the basis for a functional and technical specification and standards platform that can be installed as either a private system owned by government or a governmental/commercial partnership that provides priority service to public safety agencies and possibly secondary service to other commercial clients.

It is envisaged that the Project **MESA** specifications will define robust management and control systems to ensure secure and reliable operational capabilities for the public safety and public security users worldwide.

The present document reflects the requirements of public service and public safety agencies to have priority service and system restoration, extremely reliable service, and ubiquitous coverage within a user's defined service area.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

Not applicable.

2.2 Informative references

- [1] ETSI TR 170 002: "Project MESA; Service Specification Group - Services and Applications; Definitions, symbols and abbreviations".

3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 170.002 [1] and the following apply:

AFIS	Automated Fingerprint Information System
ATF	U.S. Department of Treasury's Bureau of Alcohol, Tobacco, and Firearms
ATL	Attempt To Locate
CDMV	Canadian Department of Motor Vehicles

COMPUSEC	COMPUter SECurity
COMSEC	COMmunications SECurity
DMAT	Disaster Medical Assistance Team
DMV	Department of Motor Vehicles (US)
DOD	Department Of Defense (US)
DOT	Department Of Transportation (US)
ECG	ElectroCardioGram
EMS	Emergency Medical Services
ETSI	European Telecommunications Standards Institute
FBI	Federal Bureau of Investigation (US)
FCC	Federal Communications Commission (US)
FD	Fire Department
FIFO	First-In, First-Out
GIS	Geographic Information System
GLS	Global Location System
HAZMAT	HAZardous MATerials
HF	High Frequency
IAFIS	Integrated Automated Fingerprint Identification System
IDWCS	Integrated Digital Wireless Communications System
INFOSEC	INFORMation systems SECurity
IST	Incident Support Team
ISTEA	Intermodal Surface Transportation Efficiency Act (US)
ITS	Intelligent Transport System (Past term usage includes Intelligent Transportation System)
ITU	International Telecommunications Union
LAN	Local Area Network
MESA	Mobility Emergency Safety Applications
MRI	Magnetic Resonance Imaging
NCIC	National Crime Information Center (US)
NLETS	National Law Enforcement Telecommunications System (US)
NTIA	National Telecommunications and Information Administration (US)
OP	Organizational Partners
OSA	Open System Architecture
OTAR	Over-The-Air-Rekeying
PASS	Personal Alert Safety Systems
PD	Police Department
PP	Public Protection
PPDR	Public Protection and Disaster Relief
PS	Public Safety
PSAP	Public Safety Answering Point
PSPP	Public Safety Partnership Project
PSWAC	Public Safety Wireless Advisory Committee (US)
RF	Radio Frequency
SC	Steering Committee
SCADA	Supervisory Control And Data Acquisition
SENTRY	The Federal Bureau of Prisons' "SENTRY" database (US)
SoR	Statement of Requirements
SSG	Service Specification Group
TETRA	TErrestrial Trunked Radio
TRANSEC	TRANsmission SECurity
UL	Underwriters Laboratories
US&R	Urban Search and Rescue
USAR/TSAR	Urban Search And Rescue/Technical Search And Rescue
WAN	Wide Area Network

4 Executive Summary

The Public Safety Partnership Project (PSPP), Project **MESA** (Mobility for Emergency and Safety Applications), is an international collaborative effort for the coordination and development of next-generation high-mobility wireless broadband data specifications, standards, and capabilities. A **MESA**-capable system and applicable standards are envisioned to cover the transfer of digital voice, data, video (including infrared), and other digital data applications at high data rates between and among **MESA**-capable user devices and external network components. Various applications and services that the Project may benefit, as both an ad hoc or day-to-day operational environment, include all **MESA** users¹ involved in traditional Public Safety/Public Protection (PS/PP) entities such as law enforcement, fire protection and suppression, and emergency medical services (i.e. First Responders to incidents).

For the purposes of the present document, the term "**MESA** user" is construed to also include all compensated and volunteer PS/PP services, agencies, and entities that are involved in the aforementioned traditional activities and natural and manmade emergency and disaster mitigation and response, homeland security, peacekeeping activities, national/international crime and terror investigative services (including mass destruction and bio-terrorism investigation, mitigation, and response), transportation provision and management, and natural resources management. The term **MESA** user also includes those traditionally non-public safety governmental services that acquire a PS/PP role, activity, or tasks in preparation for or in response to an emergency event or a pre-planned large-scale event. This would include all military services that become engaged in support of any of these activities or roles.

The SoR (SoR) development, technical specification, and standards development activities of Project **MESA** are currently supported through two Organizational Partners (OP), representing Europe and North America—the European Telecommunications Standards Institute (ETSI) and the Telecommunications Industry Association (TIA). The final Project **MESA** deliverables will be used by the supporting Standards Development Organizations (i.e. TIA, ETSI, or others who join later) for regional development and publication. Other technical organizations and entities are also encouraged to consider **MESA** activities, specifications, and resulting standards that are published.

The initial Project **MESA** SoR document was approved by the Project **MESA** Steering Committee in 2002 and represents the first trans-Atlantic consolidated view expressed directly by the professional users of advanced wireless data communications equipment and systems. The SoR was developed as part of a global effort to identify and develop uniform capabilities, scenarios, specifications, and eventually a suite of open technical standards that can be used for the elaboration of next-generation wireless broadband data communications equipment and systems. These voluntary standards will be used to achieve the objectives of the **MESA** user communities. Project **MESA**'s activities support the efforts of the member organizations from many countries in meeting their own PS/PP and public service wireless data telecommunications requirements.

The Project **MESA** SoR reflects the vision of a mobile broadband network (shared and/or ad hoc) that can be simultaneously accessed by multiple users, using various applications and levels of security, in a specified geographical area, and that may operate potentially independently from the availability of public networks and the supply of commercial electrical power. Specifically, the SoR describes the services and applications (involving peak air interface user data rates at least 1,5 to 2 megabits per second (Mbps) or greater)² that a wireless telecommunications system should be capable of supporting, in order to realize the most effective operational environment for the users. Emphasis has been placed on those applications and technological platforms that current technology has not yet satisfactorily addressed, but which have been identified by the users and their agencies as key requirements for applications and services.

Consistent with the **MESA** users' missions, it is also expected that the Project **MESA** SoR and the resulting technical specifications will:

- Emphasize transparent and seamless wide-area network applications.
- Include multiple levels of security and data encryption schemes that may be a function of the network or a function of the application or communication device to ensure end-to-end data protection.

¹ Including federal, national, regional, state, local, tribal and non-governmental organizations, as applicable.

² This corresponds to the ITU definitions of 'broadband' viz. beyond the primary rate which is at least 1,5 Mbps to 2 Mbps (peak). Additionally, ITU-R Report M.2033 Radiocommunication objectives and requirements for public protection and disaster relief Edition, 2003 implies broadband starting as 1 Mbps to 4 Mbps. Ultimately, broadband is somewhat relative as it relates to data rates and capabilities that meet the needs of users and the type of transmission that is needed to facilitate such needs or applications.

- Offer robust operational management and control systems capabilities.
- Reflect the requirements of **MESA** users to have priority operational services and priority system restoration.
- Provide an extremely reliable service model and ubiquitous coverage within a user's defined service area.

Additionally, the **MESA** SoR is intended to describe a functional and open standards-based platform that can be installed as either a private system owned by the government or a governmental-commercial partnership that provides authorized service to **MESA** user agencies and possibly secondary service to other commercial clients. The Project **MESA** specifications are not intended to specifically identify particular frequency spectrum for use, thereby allowing standardized technology to be used in any authorized and available spectrum consistent with the required channel bandwidth.

Within the SoR document, a general outline of the **MESA** user community's technological needs for the transport and distribution of rate-intensive data, digital video, infrared video, and digital voice for both service-specific and general applications is categorized into six distinct sections:

- Technology needs of each type of **MESA** user discipline.
- General technology requirements.
- General, functional, and operational requirements.
- Technology and applications.
- Use of technologies.
- Compatibility requirements for the various applications.

Each clause details requirements used in different national and international PS/PP programs. Additionally, four annexes are incorporated into the SoR document, providing additional informational materials to further the reader's understanding of the requirements and how the resulting technology might be applied in "real-world" applications. The annexes include national and international PS/PP programs; standards, specifications, and requirements; known North American federal, state, and county requirements; and two law enforcement scenarios—a courthouse murder and a state and urban police response to an earthquake event.

The SoR document is not written specifically to be studied end-to-end; rather it represents a unique source of information with the aim of providing an understanding of the unique and often very difficult and dangerous working environments that the **MESA** user community is facing, that industry can use in providing the most innovative, effective, and accurate technical solutions to meet this unique operational environment. It also represents the establishment of the clear understanding that the advanced needs of this user community should be based on a highly mobile, interoperable, broadband wireless network that allows the provision of dynamic bandwidth, self-healing characteristics and secure network access.

Within Project **MESA**, the SoR document will be updated at regular intervals and represents the focal source of information for Project **MESA**'s industry members in their work toward the realization of next-generation, globally applicable communications capabilities, specifications, and the future standards that evolve from them.

The intention is that the corresponding **MESA** Technical Specification Group will utilize the evolving SoR in order to map existing and needed capabilities, standards and gaps, progressing toward the development of corresponding technical specifications. A "System of Systems" approach is being utilized, leveraging current and evolving communications technology and user requirements.

Within Project **MESA**, the SoR document will be updated at regular intervals and represents the focal source of information for Project **MESA**'s industry members in their work toward the realization of next-generation, globally applicable communications capabilities, specifications, and the future standards that evolve from them.

MESA output will be transposed by supporting standards development organizations (i.e. TIA, ETSI, etc.) for regional development and publication. Other technical organizations and entities are encouraged to consider **MESA** activities and approved specifications, as well as resulting standards that are published.

Summary of **MESA** user community's technological needs

General mission statements and the technology needs of each type of MESA user discipline

This clause of the Project **MESA** SoR describes the overall requirements of most **MESA** user agencies in Europe and North America. The Project **MESA** specifications and requirements created from the document should include, but are not limited to, the following security and PS/PP providers, services, and functions provided throughout the world. Project **MESA** participants have indicated the need for the providers, services, and functions stated below because the type of wireless communications support is crucial to ensure quality services can be provided to the constituents they serve. The following providers, services, and functions are included, along with their "Mission Statements" relative to the Project **MESA** SoR:

- **Criminal Justice Providers:** Project **MESA** should provide the technology necessary to support new telecommunications and automation tools that are aimed at reducing crime and its impact on the health, welfare, and safety of the citizenry.
- **Emergency Management or Disaster Response/Recovery Agencies:** Communications system requirements for emergency management and disaster services are characterized by a very low usage pattern during routine operations and extremely high usage patterns during major disasters or events. Special operations needs include response functions to an event requiring specialized training for safe and effective operations, consisting of hazardous materials leak and/or spill remediation, mountain rescue and associated technical rescue, collapse search and rescue, swift water rescue, blue water rescue, trench and confined space rescue, and heavy rescue.
- **Health Services:** This service encompasses the missions of two areas, including Emergency Medical Services (EMS) and disaster medicine. Doctors, paramedics, medical technicians, nurses, or volunteers can supply health services, including critical invasive and supportive care of sick and injured citizens and the ability to transfer the people in a safe and controlled environment.
- **Fire Services:** With variations from region to region and country to country, the primary areas of responsibility of the fire services include structural fire fighting and wild land fire fighting, fire safety and prevention, life saving through search and rescue, rendering of humanitarian services, management of hazardous materials and protection of the environment, salvage and damage control, safety management, and mass decontamination.
- **Coast Guard Services (and related PS/PP functions):** These services include search and rescue (at sea and other waterways), protection of coastal waters, criminal interdiction, illegal immigration, and disaster and humanitarian assistance in areas of operation.
- **Airport Security Services (and related PS/PP functions):** Airport security should include the capability to communicate by secure radio or wireless data services with "Airport Management" and "Control Tower" operations. Airport operations must be able to effectively communicate with various PS/PP organizations for routine and disaster incident communications.
- **Hazardous Materials (HAZMAT) (and related PS/PP functions):** HAZMAT incidents can be complex and may involve resources of many different PS/PP organizations, including coordination and management, analysis and material classification, handling, and cleanup and rectification.
- **Correctional Institutions:** The Project **MESA** SoR should include specifications and proposed standards to ensure the enhanced long-term wireless communications needs of prisons, jails, and other correctional institutions.
- **Correctional Enforcement and Probation Officers:** Project **MESA** specifications and standards will provide correctional and parole officers a full range of high-speed, high-data-rate wireless public safety/public protection services and applications to effectively support their mission.
- **Special Event Planning Groups:** The Project **MESA** SoR outlines some of the more urgently needed mobile data communications tools that will help PS/PP agencies be prepared and effectively coordinate response with efficient communications tools to predictable large-scale events simultaneously at various locations.
- **General Governmental and/or Government Administration:** The technological requirements included in the Project **MESA** SoR will greatly assist general government services providers in their efforts to offer effective and innovative water, sewage, electrical, public parks, schools, pest abatement and control, building code enforcement, planning and zoning and enforcement, and public health services.

- Land and Natural Resource Management: Governmental agencies at all levels are responsible for the oversight of a nation's environmental, land, forestry and conservation, and agricultural development. These entities fall into this unique but broad-based PS/PP category. The specifications and standards should define technology capable of operating in these sometimes extremely harsh conditions.
- Transportation's Organizational Mandates and Missions: Organizations at all levels of government are responsible for the planning, construction, management, and maintenance of many forms of transportation systems. To meet this requirement, these agencies must be able to effectively communicate and respond to events such as snowstorms, mudslides, flooding, earthquakes, and hazardous material spills that impact the world's transportation infrastructures.
- Intelligent Transport Systems (ITS): Many PS/PP transportation organizations interact with what is commonly designated as an ITS, which provide a plethora of information about transportation systems, corridors, and transport vehicles traversing these arteries. The services and applications defined in the Project **MESA** SoR are intended to enhance, not replace, the existing wireline, fibre-optic, or microwave infrastructures used to provide the travelling public with an ITS.

Introduction and general technology-requirements

The objective of the Project **MESA** SoR is to establish a suite of specifications and proposed technical standards that are created from the user's perspective. Some of the primary capabilities of a Project **MESA** network may include, but are not limited to, the following:

- Improvements in spectrum efficiencies.
- Incorporation of frequency neutrality and/or agility.
- Life-cycle procurements.
- Security requirements.
- Economical and ergonomically friendly design.
- Digital migration in place.
- Consistency with existing standards.
- Compatibility with multiple international standards.
- Two-way communication.
- Multiple levels of security.
- Multiple levels of availability of service.
- End-to-end network integrity.
- High-speed, error-free service.
- System and network access.
- Compliance with the need of the participating nations.

General, functional, and operational

The Project **MESA** specifications and technical standards developed in response to the SoR are intended to provide the baseline technology requirements to allow for the identification and development of universal specifications and standards. The specifications and standards will be regionally transposed to accommodate the implementation of local, wide-area, national, and international high-speed PS/PP data networks. The following issues related to requirements are presented and discussed to further the definition of the requirement and the compilation of the technical specifications:

- Requirements of the Project **MESA** SoR.
- Interface requirements.
- Transparent interfaces.

- End-to-end transmit time.
- Interface protocol requirements.
- Dynamic partitioning.
- High-speed simultaneous network or system access.
- Network pre-emption.
- First-In, First-Out (FIFO).
- Transparent transfer.
- Over-The-Air Rekeying (OTAR).
- Automated information requirements.
- Blocking of unauthorized access.
- **MESA** network component identification.
- Optional site-by-site implementation and management.
- Dynamic remote partitioning.
- System and/or network transaction audit trail.
- Ability to provide statistical reports.
- Agency-by-agency and site-by-site reports.
- Dynamic transfer rates and bandwidth allocation.
- Degradation and redundancy.
- Duty cycle requirements.
- Pre-testing technology proposals.
- Compliance with national and international rules, regulations, and standards.
- High-speed access to national databases.

Technology and applications

The Project **MESA** specifications and technical standards are being designed to accommodate, but not be limited to, the transfer of information from multiple digital applications, the use of existing protocols and platforms, in-building and portable service, regional and national interoperability, and interoperability between Project **MESA** user devices applications and Project **MESA** compliant systems. Some of the primary attributes of a Project **MESA** network(s) include, but are not limited to, the following:

- Use of standardized technology.
- Use of open architectures.
- Migration.
- Service platform.
- Priority services.
- Traffic (data) distribution.
- Network and data base interconnectivity.

- Dynamic network optimization.
- Frequency neutral technology.
- Adequate interference protection.
- Regulatory compliance.
- Environmental safety.
- Compliance with Project **MESA** SoR.
- Open interfaces.
- Related documents, standards, policies or requirements.
- Network transmission requirements.
- Location determination.
- Delayed transmission and remote stops.
- Dynamic updating of data fields.

The Use of technologies and the compatibility requirements for the various applications

Project **MESA**'s analysis and development efforts should elicit specifications and proposed standards that comply with the SoR's basic requirement for immediate, error-free transfer and display of all forms and types of data. These would include, and not be limited to, text, voice, video, infrared video, photographs, and detailed graphical information. Examples of the data and information that may be supported include maps, engineering plans or drawings, fingerprints, text and graphical files, reports, and all other data, information, or representations developed by applications as may otherwise be specified in the present document. The operational needs to address these issues are incorporated in the Project **MESA** SoR, providing the user's perspective of the types of applications, services, and technologies that are expected to be needed to continue improvement of both the performance and safety of PS/PP agencies. Some of the systems, applications, and information and data elements to be considered for inclusion are:

- Data to be transported.
- Electronic messaging.
- Encryption.
- Transparent network and system access.
- Access, switching, and rebroadcast of ITS and other real-time video sources to field resources.
- Transmission of complex files.
- System integration and interoperability.
- Transmission of user and patient monitoring telemetry.
- Transmission of geographical location data.
- Transmission of full-motion video, still photographs, and images.

Informational material in annexes A to D

The four annexes serve as informational material to educate interested parties regarding Project **MESA**'s efforts.

- Annex A describes national and international PS/PP programs, and existing potentially applicable standards, specifications, and requirements. Topics of discussion include, but are not limited to, the implementation of interoperable technologies, the impact of the U.S. Government's Public Safety Wireless Advisory Committee's (PSWAC) general requirements on Project **MESA**, the impact of recent major events, i.e. New York World Trade Center bombing, on the Project **MESA** SoR, the administrative control of transportation and other related public safety/public protection telemetry, the use of global location system in Project **MESA**, EMS video applications, and search and rescue applications of robotics.
- Annex B describes known North American federal, state, and country requirements. The informative material includes, but is not limited to, the Federal Bureau of Investigation's (FBI) "National Crime Information Center (NCIC) 2000 System Requirements", "the FBI's Technology Planning Guide", and "the Federal Manual on Approaches to Implementing an Incident-Based Reporting System (Volume 3)".
- Annex C details a possible law enforcement scenario, i.e. a courthouse murder, in which Project **MESA** requirements can be used to effectively and efficiently control the incident using Project **MESA** standards, specifications, and requirements set forth in the SoR.
- Annex D details a second possible law enforcement scenario, i.e. state and urban police response to earthquake damage, in which Project **MESA** requirements can be used to effectively and efficiently control the incident using Project **MESA** standards, specifications, and requirements set forth in the SoR.

5 Project MESA SoR

5.1 Objectives

The objective of the Project **MESA** SoR is to establish a suite of specifications that are articulated from the user's perspective. The present document will provide a profile of the common operational and functional requirements of next-generation aeronautical and terrestrial-based, mobile and fixed systems. The Project **MESA** specifications and the standards that will eventually be derived from those requirements will be created to accommodate the transmission and reception of voice, data, full-motion video and infrared video, and numerous other applications.

The Project **MESA** specifications and standards that are developed in response to the present document are intended to provide the baseline technology requirements that will allow for the creation of universal specifications and standards. Those specifications and standards will be created to accommodate the implementation of local, wide-area, national, and international high-speed public safety data networks. Whether the networks are implemented as a series of individual networks or as one or more local or wide area networks is outside the scope of this process. It is critical, however, that the specifications and standards created from the present document meet the primary needs of public safety users.

5.2 Scope of requirements

The Project **MESA** SoR seeks to satisfy the current and identified common long-term needs and requirements of national and local public safety, public service, and public security communities from throughout the world. Some of these organizations do not have all these needs and requirements. Some will have additional needs and requirements unique to them.

5.3 User requirements

The overall requirements of most public safety agencies in Europe and North America are included in the annexes and Appendices. The list is not exhaustive and is complete with their "Mission Statements" relative to the Project **MESA** SoR. The MESA SSG SA members believe the Project **MESA** specifications and standards created from the present document should include, but not be limited to, these security and public safety services provided throughout the world. The titles, descriptions of services and technologies that are used in the SoR are intended to define the users' needs. By meeting those requirements, it is anticipated that the public safety and public protection agencies will have the technology they will need to perform the most efficient and effective service possible. Most, if not all of these services, are in some way managed and controlled as a part of the public's capital resources.

NOTE: This partial list of system and user application requirements has been included in the Project **MESA** SoR to establish a base-line for proposed universal technical specifications and resulting standardized technology. Some of the items referenced in this Project **MESA** SoR were taken from other reports and studies done by groups outside the Project **MESA** process. For example, some of these items were taken directly from the *Operational Requirements Subcommittee Report* (Volume II, Appendix A) of the Public Safety Wireless Advisory Committee (PSWAC). By agreement of Project **MESA** SSG further refinements of the Project **MESA** SoR may continue to take place within the original TIA and ETSI process, supplanted by direct input and final approval from the Project **MESA** SSG. The output of all work done by such entities will be forwarded to the Project **MESA** SSG for their final approval, disapproval, comments, or recommendations as appropriate. Utilizing the process in this manner was agreed to in order to leverage user input while taking advantage of an existing process so as to maximize the benefits, reduce the number of meetings that would need to be held and expedite the work effort in order to ensure a rapid completion of the project.

5.4 Use of existing protocols

The specifications and standards written to meet the Project **MESA** SoR should be, wherever possible, based on existing protocols. It is necessary that the proposed seamless technology specifications and standards be able to allow the transport of digital information between different transport technologies as well as different systems.

5.5 Evolving specifications and standards

The Project **MESA** SoR assumes the requirements contained herein may need modification as the wireless specifications and standards evolve and develop to accommodate new technologies.

5.6 Use of open architectures

The Project **MESA** SoR expects the specifications and standards that are created from this process will include the adoption of an Open System Architecture (OSA) and design approach, which employs "best practices" for implementation where approved standards are not yet established.

5.7 Mobile computer telecommunications system

The Project **MESA** SoR for specifications and future standards should accommodate the creation of a new multiple-agency, multiple-function, multiple-services, mobile computer telecommunications system and associated network(s).

5.8 Local, regional and national interoperability

The specifications and standards written to meet the Project **MESA** SoR should ensure local, region-wide and/or nationwide interoperability between any applicable network elements.

5.9 Interoperability between MESA user devices

Any specification or standard written to meet the Project **MESA** SoR should ensure local, region-wide and/or nationwide interoperability between and among individual **MESA-capable** user devices. This includes devices that may be travelling outside of their home operational infrastructure.

5.10 In building and portable service

The specifications and standards written to meet the Project **MESA** SoR should be driven by the objective of being able to provide a complete suite of wide area portable, "in vehicle" and "in building" services. These standards and specifications should employ an assortment of technologies.

5.11 Operational compromises

It is understood by the Project **MESA** SSG user members that certain technological and operational compromises may be required to fully complete the wireless specifications and standards as envisioned in the present document. Each of those potential compromises will be addressed on a case-by-case basis.

5.12 Compliant with the need of the participating nations

Any specifications and standards written to meet the requirements of the Project **MESA** SoR will also be written to comply with the regulatory requirements of the national governments participating within the Project **MESA** process.

5.13 Pre-testing technology proposals

Any new technologies proposed to be used in response to the Project **MESA** SoR should be bench tested before their inclusion in a final specifications or standard. In addition, to be compliant with the SoR, and at the discretion of the SSG and Steering Committee (SC), it may be necessary to conduct actual field tests of a prototype technology.

5.13a Type approval and interoperability testing

The Project **MESA** SoR expects that **MESA** components and devices will be provided by multiple suppliers. **MESA** supports the creation of type approval and interoperability test regimes.

5.14 Frequency neutral technology

Any specifications and standards written to meet the Project **MESA** SoR shall be frequency agnostic or neutral, thereby allowing standardized technology to be used in any authorized and available spectrum consistent with the required channel bandwidth. Frequency allocation, dictated by national and international regulations and treaties, can impact capability and spectrum utilization in relation to a technology's agnostic ability.

5.15 Improvements in spectrum efficiencies

Affords immediate, significant and evolutionary improvements in radio bandwidth and spectrum efficiency through the cooperative use of broadband specifications and standards that optimize the use of the bandwidth allocated.

5.16 Life-cycle procurements

Promotes global competition in the participant's life-cycle procurements of technology platforms and systems.

5.17 Economical and ergonomically friendly design

The Project **MESA** SoR enables to use of ergonomically designed, human-engineered "user friendly" equipment (i.e. form factor) to meet the needs of the various Project **MESA** users. The proposed Project **MESA** specifications and related standards should also be written to ensure the hardware created from those specifications and standards is capable of meeting the specific environmental and operational requirements of various disciplines represented by Project **MESA** users, as may be articulated in the present document or any of its subordinate documents or annexes. Hardware and software developed for use in **MESA** should comply with relevant regulations concerning users with special needs.

5.18 Environmentally safe

Any specifications and standards written to meet the Project **MESA** SoR should be virtually free from technology that is capable of generating harmful non-ionizing radiation and primary and secondary Radio Frequency (RF) emissions that would have a negative impact on the tools used by the public safety community; including, but not be limited to, computers, cell phones, emergency medical monitors, breathalyzers and radar guns.

5.18a Regional safety standards

Any device that meets the Project **MESA** SoR must comply with regionally-adopted safety standards such as European Commission/Commission Européenne (CE) or Underwriters Laboratories (UL).

5.19 Adequate interference protection

Any specifications and standards written to meet the Project **MESA** SoR shall be developed to ensure an adequate level of interference protection to and from adjacent systems and/or channels. Adequate interference protection is defined as that which is sufficient to permit operation of a system within the specified interference-limits as defined in the final Project **MESA** specifications and standards.

Compliance with the Project **MESA** specification and standards implies a requirement for full compliance with all appropriate rules and regulations as may be specified by international standards or treaties, national laws, rules, regulations, or ordinances that were created to ensure spectrum harmony and should comply with the interference regulations of the country where the system is being deployed.

5.20 Migration

The technical specifications created for this SoR may establish, where practical, a tactical communications architecture that provides for a "migration-path" from existing public safety analogue and digital systems and platforms. While full, direct backward compatibility may not be achievable or even desirable, where possible, those existing standard platforms, such as TETRA and Project 25, may be able to interface with the new architecture. It is desirable that this migration path includes both current standard systems and additional standards that may be developed between now and the time the Project **MESA** derived technologies become available.

5.21 Consistent with existing standards

Any new Project **MESA** specifications and standards that are developed from those existing specifications and standards should be consistent with creating full and complete interoperability with technologies built to the Project **MESA** specifications. Of equal importance is the need for any future Project **MESA** specifications and standards to provide, wherever possible, the ability for existing public safety standards as may be embodied in TETRA, Project 25 Phase I and Phase II, and other national and international standards that may be germane, but have not yet been specifically identified by the users to interface to them.

5.22 Related documents, standards, policies or requirements

Any specifications and standards written to meet the Project **MESA** SoR are intended to embody the work previously done by other national and international agencies, groups of agencies or standards bodies as much as may be practical. Although all of these documents may not be directly related to the actual technical specifications or standards created from the Project **MESA** SoR, they may all relate to the type of data files and applications that may be accessed by the wireless network and systems that are created as a result of the Project **MESA** specifications and standards. To ensure clarity in the SoR, ancillary and supportive applications documentation will be created. This material does not and should not imply, nor is it intended to suggest, that the proposed specifications should comply with all the material contained therein. In fact, some of this material may have already been superseded and/or is in direct conflict with the stated purpose of the present document. However, for the purpose of the present document, these references will provide the creators of the specification and standards a snapshot of the networks, application and technologies with which the Project **MESA** network will need to interface.

5.23 Regulatory compliance

Any specifications and standards written to meet the Project **MESA** SoR will be written to ensure full compliance with existing European and North American, or other national or international, regulatory rules and regulations.

5.24 Compliance with national and international rules, regulations and standards

Any specifications and standards that are written to meet the requirements of the Project **MESA** SoR should meet or exceed, wherever possible, all applicable national minimum performance standards, regulations, rules or other criteria as may be in place or scheduled to be in place when the documents are completed. Any variations must be published.

5.25 Compatible for multiple international standards

Project **MESA** specifications and standards should provide a technology architecture that is transparent to the applications the technology is intended to carry and will be capable of transporting multiple international standards-based data protocols.

5.26 Publication of standards and specifications

Any specifications and standards written to meet the Project **MESA** SoR should be published for use by any other user.

5.27 Interface requirements

It is anticipated that the new Project **MESA** SoR technical specifications and derived standards will use existing national and/or international standards where appropriate and shall define new interface standards where necessary. It is anticipated, in particular, that new physical connection standards may be necessary for equipment developed to a specific class of users (e.g. fire-fighters, police officers, etc.).

5.28 Interface protocol requirements

The proposed Project **MESA** derived standards suite will include the development and/or incorporation of application layer protocols specific to PPDR not addressed by other international standards. Such protocols will be defined to support applications such as the exchange of information related to emergency incidents, fire fighting telemetry, etc.

5.29 Transparent interfaces

The proposed Project **MESA** specifications and standards are intended to provide interfaces that are transparent to the wireless network, the network being interfaced, and any application protocols carried across the interface.

5.30 Service platform

Any specification and standard written to meet the Project **MESA** SoR should accommodate both on-net and off-net services and applications.

5.31 Two-way communication

Any specifications and standards written to meet the needs of Project **MESA** SoR should allow for the indicated manner of two-way communication at all times, such as voice communication devices or data only or converged capabilities.

5.32 Traffic distribution

Any voice-related specifications and standards that are written to meet the Project **MESA** SoR should allow for both point-to-point and point-to-multipoint voice communications and the transfer of user defined data.

5.33 Dynamic remote partitioning

Any pertaining specifications and standards written to meet the requirements of the Project **MESA** SoR should include the capability of remotely partitioning the network, system or bandwidth at an individual site.

5.34 Dynamic transfer rates and bandwidth allocation

The choice of technologies utilized to satisfy the Project **MESA** SoR should allow for a dynamic information transfer rate and bandwidth allocation in order to meet user demands and priorities prevailing at that time.

5.35 Multiple levels of availability of service

Any specifications and standards written to meet the requirements of the Project **MESA** SoR shall allow for, but not require, different levels of service to different users (in order to meet clause 5.36).

5.36 Priority services

Any specifications and standards written to meet the Project **MESA** SoR should ensure public safety users can have several levels of priority services and the highest level of priority service as applicable. Priority services as defined in the present document are on-net priorities.

5.37 Simultaneous network or system access

Any applicable specifications and standards that are written to meet the requirements of the Project **MESA** SoR should also provide for simultaneous access to multiple networks or host computers by a single **MESA** user device, as well as simultaneous access from multiple **MESA** user devices to a single host.

5.38 Network pre-emption

Any specifications and standards that are created to meet the requirements of the Project **MESA** SoR should support prioritization of access and routing, and allow for pre-emption as applicable. It is noted that pre-emption (dynamic, forced or ruthless) of non-public safety users on shared commercial/government systems is a policy issue that should be addressed as these systems are being planned.

NOTE: Ruthless pre-emption is defined as the immediate disconnection of a low priority user when a completely busy system is needed for high priority use.

5.39 First-In, first-Out

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should ensure a system design that allows for access on a "first-in - first-out" basis within **each** priority class.

5.40 System and/or network transaction audit trail

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should allow network managers the option of creating an audit trail of all transactions that take place over their site, network or system. Access to this information has to be protected.

5.41 Ability to provide statistical reports

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should include all necessary systems or network management software to allow for the users to easily access operational and performance management information. This information should be formatted to allow for the creation of statistical reports on usage, traffic patterns and performance of the networks or systems and their **MESA** components and devices. Access to all management systems will require appropriate security authorization.

5.42 Agency-by-agency reports

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should include a management system that allows for usage, traffic patterns and performance reports to be generated on an agency-by-agency basis.

5.43 MESA network component identification

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should include the capability to automatically identify all appropriate **MESA** components and **MESA** user devices for each transmission within a network or a group of networks.

5.44 Security requirements

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should permit effective, efficient, reliable and, as may be required, secure (authenticated and/or encrypted) intra- and interagency communications (interoperability). The basic security platforms should be capable of being expanded and enhanced to meet each jurisdiction and nation's individual requirements without degradation to overall system performance.

5.45 Automated information requirements

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should accommodate access to each nation's specific automated security requirements.

5.46 Blocking unauthorized access

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should include the ability to block access by unauthorized users, authenticate authorized users and to stun and kill equipment, as applicable.

5.47 Over-the-air-rekeying (OTAR)

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should enable over the air rekeying.

5.48 High-speed, error-free service

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should be predicated on a network design that is capable of the rapid transmission of all potential data applications, through very harsh operating environments, with a minimum of data or transmission errors.

5.49 End-to-end transmit time

The proposed Project **MESA** wireless network(s) end-to-end transit time shall be less than 400 milliseconds. For voice communications, the end-to-end delay shall not exceed 150 ms for duplex systems and 250 ms for half-duplex systems. For links involving a non-terrestrial node, the delay shall not exceed 400 ms.

NOTE: 400 milliseconds in alignment with ITU-R Recommendations for Satellite.

5.50 Transparent transfer

Any specifications and standards written to meet the Project **MESA** SoR should allow for the seamless transfer of **MESA** user devices moving between **MESA** capable cells, and/or predefined system architecture, regardless of the **MESA** network services being utilized, as infrastructure and authorization permits.

5.51 Degradation and redundancy

Any specifications and standards that are written to meet the requirements of the Project **MESA** SoR should include the capability of providing "graceful system or network degradation" and/or complete redundancy when required.

- The specifications and standards written to comply with the Project **MESA** SoR should include the inherent ability to install a high level of redundancy with physical redundancy throughout the system or network platform to ensure a non-interruptible operational capability during a man-caused or natural disaster.

5.52 Duty cycle requirements

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should include all the technology requirements that ensure the equipment used in the system or network are capable of, and rated for, a 100 % duty cycle.

Panic Button

- The specifications and standards that are compliant with Project **MESA** should include the capability, as required, to provide field personnel access to a simple service-wide or system-wide "panic button" that will activate a general alarm, which may be received by a predefined table of **MESA** devices. All such alarms will take priority over all other voice or data traffic on a Project **MESA** compliant system or network.

Applications

- The specifications and standards written to meet the Project **MESA** SoR should be designed to support , but not be limited to:
 - the transfer of voice and data; including video, infrared video and other data intensive applications between and among **MESA** user devices and external network components.

5.53 Data to be transported

The Project **MESA** specifications and standards should comply with the SoR's basic requirement for immediate, error-free transfer and display of all forms of data, including but not limited to, text, voice, video, infrared video, photos, detailed graphical information, such as maps, engineering plans or drawings, and fingerprints, active files, reports, and all other applications as may otherwise be specified in the present document.

5.54 Network and data base interconnectivity

Any specifications and standards written to meet the Project **MESA** SoR should embody the concept of supporting the connection to, or interconnecting with, all known or specified local, regional, national and/or international public safety databases, applications, files, or related electronic technology services that allow the users to meet the requirements of the SoR.

- Project **MESA**'s specifications and standards should provide a flexible platform that allows field computers to remotely access automated information systems and files. Field computers, as defined in the present document, may be used for dispatch or field support to perform real-time changes to host system data files and/or access active host files.

Robotics

- The specifications and standards written to be compliant with the Project **MESA** SoR should provide, as applicable, the capability to remotely control all features and functions of wireless robotic devices.

5.55 Network transmission requirements

The technology selected and the specifications and standards written to meet the requirements of the Project **MESA** SoR should be capable of supporting information transfer rate-intensive applications, such as the rapid transmission of digital photos taken at the scene of a public safety incident. This transmission of public safety data should take place "almost instantaneously".

- The specifications and standards that are written to comply with the Project **MESA** SoR shall include the capabilities to minimize RF network data and message routing, and transport time. For voice communications, the end-to-end delay shall not exceed 150 ms for duplex systems and 250 ms for half-duplex systems. For links involving a non-terrestrial node, the delay shall not exceed 400 ms.

NOTE: 400 milliseconds in alignment with ITU Recommendations for Satellite. The SoR recognizes that Network Time Delay may be impacted by other factors, such as final system design and size of network

5.56 Location Determination

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should support geographical position-locating capability.

NOTE: A number of the services covered by the **MESA** effort share the common denominator of having to deploy their personnel into situations, which are potentially life threatening. A number of these situations occur inside buildings, and the knowledge of the physical location (in 3D) of the individuals will be extremely instrumental in risk reduction. However, current satellite-based location systems are not always operational inside buildings. The lack of service today does not eliminate the need for this type of service or application and future Project **MESA** specification and derived standards should be written to recognize that requirement.

5.57 Delayed transmission and remote stops

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should be capable of supporting delayed transmission and/or remote store and forward when required and authorized.

5.58 Dynamic updating of data fields

Any specifications and standards written to meet the requirements of the Project **MESA** SoR should support two-way operation to accommodate the implementation of "smart" systems that automatically update data fields being transmitted from authorized and authenticated **MESA** user devices, including:

- Data terminals.
- Subscriber radio and computer equipment referenced in the present document may be vehicle-mounted or a hand-held portable unit.

Annex A (informative): National and international public service and public safety programs, standards, specifications and requirements

A.1 Implementation of interoperable technologies

The Public Safety Wireless Network (PSWN) program was established in the United States to assist its city, county, state and Federal agencies in their efforts to implement new wireless technology and improve interoperability.

A.2 Impact of PSWAC's four general requirements on Project MESA

The present document reflects many of the major recommendations of the Final Report of the US Government's Public Safety Wireless Advisory Committee (PSWAC). Within that Final Report, the four generally universal limitations of (1) priority access and system restoration, (2) reliability, (3) ubiquitous coverage, and (4) security were identified as restricting the use of commercial services for mission critical public safety wireless applications (*ibid*, Section 1.23, p 14. Additionally, *Final Report* Appendix C (Interoperability Subcommittee Report), Sections 1.2.4, 3.3 and 6.1.3 and Appendix D (Spectrum Resources Subcommittee Report), Section 7.3 provides detailed technical discussions about these limitations).

NOTE 1: The Public Safety Wireless Advisory Committee was jointly chartered on June 25, 1995, in accordance with the requirements of the Federal Advisory Committee Act by the Federal Communications Commission (FCC) and the National Telecommunications and Information Administration (NTIA) to examine the operational and spectrum needs of federal, state and local public safety agencies through the year 2010 and to make recommendations for meeting those needs. Its *Final Report* was released on September 11, 1996.

NOTE 2: Appropriate ETSI citations should be added and the document reworded as information becomes available.

A.3 Project MESA use of PSWAC recommendations

The Project MESA SoR includes requirements taken directly from the "Operational Requirements Subcommittee Report" (Volume II, Appendix A) of the PSWAC.

A.4 Impact of additional officers in the field

This problem in the United States has been aggravated by the addition of over 100,000 new officers funded through the Violent Crime Control and Law Enforcement Act of 1994 (Public Law 03-322, commonly called the "Crime Bill"). The act requires that the new officers funded by the Violent Crime Control and Law Enforcement Act must be a community-policing officer. In the US, they are having a negative impact on already overworked communications systems.

A.5 Law enforcement and criminal justice data systems

Expansion to new high-speed wireless data systems will offer many new and expanded technological assets and tools to law enforcement agencies. These new tools will more effectively and efficiently provide information services to public safety agencies and will certainly prove to be a force multiplier in the world's war on the criminal element and organized crime in its many shapes and forms. For the first time, authorized field officers will be able to positively and rapidly confirm the identity of persons in the field by transmitting a fingerprint to local or national processing centers. The officer will be able to obtain a photograph of any person who has been catalogued by his or her own local, national or international series of criminal information and history files.

A.6 Prisons and correctional institutions

Prisons and jails can be viewed as small but fully autonomous communities. In addition to the normal custody staff, a variety of support services and staff are needed. Cooks, laundry workers, fire-fighters, doctors, dentists, educators, and maintenance personnel are needed to ensure inmates are housed, clothed, and fed in accordance with international and national laws, treaties, standards, rules or regulations. Activities, tasks, and communications that may appear mundane, routine or administrative in normal circumstances take on significant public safety and security implications in the environment of correctional institutions.

Correctional organizations throughout the world are a mix of both sworn and non-sworn personnel and have a unique and varied public safety mission. The operational public safety radio communications needs of correctional organizations will mirror one or more of all the other commonly recognized public safety and public service organizations. Correctional organizations provide public safety services to their clients that include law enforcement, fire services, emergency medical services, emergency management and disaster recovery services. At many institutions they may also provide some forms of highway maintenance, even though their primary mission will always be the reintegration of their client offenders into society.

A.7 Use of Project MESA specifications and standards in deployment of Intelligent Transport System (ITS) communications and other public safety related networks and systems

Effective and reliable radio communications are required for large national governmental agencies such as those found in the US federal government and its agencies, like the Department of Defense, who are required to perform congressionally mandated functions. Some of those US-mandated functions would include, but not be limited to, dealing with safety-of-life, security, and protection of US government-owned property and military bases, protection of the US President and other governmental dignitaries, enforcement of the Federal government's laws, protection of Native Americans, providing for enforcement of the United States Immigration and Nationality Act, operation of US Federal prisons, security of US coasts and harbours, protection of the United State's natural resources, maintenance and protection of US streams and inland waterways, distribution of its water and natural resources, and many other essential missions.

The Intermodal Surface Transportation Efficiency Act (ISTEA) was passed by Congress and approved by the President in December 1991. In the United States, the Federal government manages the associated ITS program, as related to the above.

To support the missions and responsibilities, national service and defence agencies frequently use wireless platforms, such as aeronautical and terrestrial-based mobile radio, High Frequency (HF), satellite, and cellular communications for clear and encrypted voice communications, paging, audio and video monitoring, alarm systems, electronic tags and tracers, technical surveillance, and limited data collection and transfer. These platforms are used both nationally and internationally, over diverse geographies, often requiring **MESA** user device interoperability and the ability to communicate on a priority basis at all times.

From an aeronautical and terrestrial broadband wireless perspective, there are many similarities between national government users and those of local governments. However, national security, extensive geographical coverage requirements, and privacy and security concerns are significant differences that require comment.

- National law enforcement data requirements:
 - 1) In the United States, for example, in order to provide compliance with legislative, executive, and departmental laws, orders and regulations, all Federal use of wireless data must be protected with an appropriate level of cryptography. The wireless data requirements include such uses as mobile computing terminal applications, geographic position and automatic location data, emergency signals, transmission of reports, electronic messaging, home incarceration monitoring, and perimeter and vehicle alarms. In addition, multimedia systems employing both photographic and fingerprint transmission in conjunction with report automation must be supported. Remotely controlled radio devices are routinely used for turning on and off surveillance microphones, activating kill switches in vehicles, arming and disarming alarm and monitoring systems, and aiming video cameras. This control can be a one-time data burst or can be a continuous data stream.
 - 2) The United States Government uses many applications with unattended electronic sensors/monitors, for border surveillance, parolee monitoring and other remote-sensing technologies will continue to evolve and will require increasingly sophisticated wireless communication paths.

As a practical matter, the present document recognizes the individual users will always have the responsibility for designing and implementing their own system or networks. However, the specifications and standards that result from the Project **MESA** should be considered as a baseline specification or standard that will ensure the system or network meets the users' needs, in an efficient and effective manner, while providing a high-level of interoperability and competition in the marketplace.

The United State's ISTEA was passed by the US Congress and approved by the United States' President in December 1991. It established the ITS program, which seeks to apply advanced communications and computer technologies to surface transportation systems in order to decrease traffic congestion, improve safety, reduce transportation-related environmental impacts, and increase productivity. Public safety goals of the ISTEA legislation being addressed by ITS are reducing the frequency of accidents, reducing the severity of accidents, reducing congestion due to incidents, and enhancing traveller security.

In order to reduce the time and cost of implementing such a system, existing communications services will be used to the extent possible, provided they can meet ITS requirements. Some systems will require wireless data communications technologies (such as dedicated short-range communications using roadside readers and vehicular mounted transponders) or may require the use of collision avoidance radar. There are likely to be ITS-specific systems or applications requiring new spectrum. ITS may also require dedicated and shared use of frequencies currently allocated to public safety and other services.

Video requirements for transportation management may include real-time situation updates from on-scene units to command centres. Multiple agencies may need to have the capability of monitoring another agency's video trans-missions; however, this capability should be controlled through a need-to-know or incident management process.

A.8 Use of GLS for vehicle and personnel tracking, security, and inventory control

Public safety users need reliable vehicle tracking systems to ensure the safety of the official in the field, track their equipment assets, and to know and track the location of specific public safety officials.

A.9 Impact of recent major events on Project MESA SoR

Following the New York World Trade Center bombing, the bombing of the Oklahoma City Federal Center, Hurricane Andrews in the state of Florida, the Rodney King riot in Los Angeles, California, and Loma Prieta and Northridge, California, earthquakes, it became very clear to US public safety users that poor planning, lack of interoperability, lack of advance technology, and inadequate infrastructure created major problems with the responding agencies. In addition, major fires that occurred on public lands, such as those in Yellowstone National Park in the United States, further exposed the inability of public safety responders to combine resources and continue to communicate on a highly controlled and effective basis. Such events have served as a warning sign to public safety agencies throughout the world that there is a need for better technology, improved interoperability, comprehensive planning, and improved international standards.

The US has recently seen a wave of forest and grassland fires in both the National Park system and in Malibu, California. During these events, over 1 000 fire-fighters work to contain fires throughout the country. The core of this fire-fighter manpower is drawn from agencies and organizations throughout the nation.

Other major events, such as the Olympics, political conventions, and the "Million Man March", can occur and often do occur throughout the world. All of these types of events create an environment where Project MESA's soon to be developed standards will provide a baseline for high-speed data interoperability.

A.10 Major incident operational dynamics

The dynamics of managing a major incident means the applications for emergency management agencies will exist to a smaller degree prior to disasters and then will become critical when it becomes a disaster.

A.11 Institutional monitoring

A major role in incarceration is the ability of some organizations to monitor their clients who are sequestered in their own home or resident. Monitoring is accomplished through the use of a remote electronic monitoring device. The use of "house arrest" has risen tremendously. Additionally, there is a mounting movement to develop systems and processes to continually monitor the whereabouts of probationers, parolees, and early-release inmates on a continuous basis. Proposed requirements have included a location accuracy of a few meters and a minimum five-minute interval report time.

A.12 Environmental monitoring

The Project MESA SoR envisions specifications and standards that will accommodate the real time environmental monitoring of public resources, such as water flow and quality. Telemetry applications envisioned should provide instant information and a timely warning of severe change in conditions in order to provide the maximum allowable time for an agency to respond with men and equipment. Early warnings will allow public safety responders an opportunity to perform their mission and functions more efficiently.

A.13 Administrative control of transportation and other related public safety telemetry

Future public safety telemetry systems may also provide both an inventory of remaining infrastructure and the control of moving fixed assets, such as fire trucks, snow ploughs, police cars, ambulances, and many other types of equipment used in emergency response. This would also include changeable signs and traveller information radio systems, as well as weather and road condition data transfer from remote sites.

The Project **MESA** SoR telemetry requirements include such applications as Supervisory Control and Data Acquisition (SCADA). This kind of procedure monitors systems and provides control functions to lighting, traffic control, pumping stations and specialized equipment, such as toll collection and lane access control equipment. While the Project **MESA** specifications and standards are required to provide the technology to accommodate these technologies, they are not intended to replace existing infrastructure unless or until it becomes economically and operationally efficient.

Specifications and standards that are compliant with the Project **MESA** SoR will also include the capability to provide monitoring of highway infrastructure integrity, such as pavement temperature, salt content, water flow and height at bridges, mud flow areas, and high wind areas to provide instant information and warning, thereby freeing up personnel and equipment to perform their functions more efficiently. The monitoring of equipment and fleet productivity increases effectiveness of operations.

Project **MESA** specifications and standards should be written to accommodate train and train signalling telemetry. A combination of on-board train data with information provided through an ITS suited to railroad operations is paramount in the avoidance of train collisions and the improvement of system safety.

In addition to the other transportation requirements listed, mass transit requirements also relate to local operations, system safety and the protection of property owned by transit operation or authority. One-way video provides a means to remotely view specific locations or interests through either snapshot or real-time video, as necessary. For example, this feature allows crews to monitor safety within train cars in response to incidents or activation of passenger emergency alarms, plus view upcoming stations and track for safety risks. Two-way portable video is necessary on a limited basis for system or passenger safety when responding to a remote station. Field units and dispatch control points could communicate using real-time video with voice from mobile radios, hand held portables, or fixed sites.

Specifications and standards written to comply with the Project **MESA** SoR are required to accommodate the wireless transmission of tracking data that will be used to protect endangered and threatened species and to control specific herd or animal depletion. These wireless communication links are established by the means of a specific **MESA** network. The gathering of wildlife data is crucial to track and catalogue the movement of specific species under study by multiple parties. The emphasis is on the identification of present and future migratory patterns that will influence the environmental habitats and future survival of these species.

The specifications and standards requirements outlined in the Project **MESA** SoR ensures US fire-fighters will have equipment that encompasses a wide variety of scenarios, ranging from provision of full-motion real-time video from on-site personnel or robotic sensors to remote command centers, to slow-scan images for damage assessment. These video data should be accessible by a number of users under strict, need-to-know management procedures. Often a video image of current conditions is necessary to make critical decisions, like the release of water from a reservoir, in the management of natural resources.

The Project **MESA** SoR is written to ensure the final specifications and standards include the technology to provide hydrologic management capabilities that will allow for the transmission of still photographs on demand to various locations to facilitate decisions concerning the adjustment of water releases or the evacuation of population downstream from a flood-stage river.

Many national governments, including the US Federal government, provide an array of emergency and disaster response communications capabilities to protect the public and resources from natural and technological hazards. This involves a wide range of missions, including prevention, mitigation, preparedness, response, and recovery.

These services involve virtually every department and agency of the government. Where safety of life and property are at risk, communications systems that can operate reliably when normal systems are disrupted are essential. A significant number of these governmental emergency and disaster response communications systems are designed to interface (but are not necessarily fully interoperable) with local governments, as well as with national volunteer organizations, such as the Red Cross, amateur radio operators, and similar groups.

Many specialized emergency requirements have unique spectrum-dependent needs that should also be satisfied by the international and national dedication of radio spectrum for that purpose. As an example, the US Federal government and its Department of Defense (DOD), state, and local government search and rescue teams, deployed to the site of a national emergency or disaster, need reliable communications to locate victims in collapsed buildings, administer medical assistance and lifesaving treatment, and relocate them to safety or medical facilities.

In general, the data and video requirements of a national emergency management and disaster services are similar to those of their local counterparts. Often the data collected, analyzed, and disseminated in these services originates and terminates between national and local agencies alike.

National activities in aviation, maritime, highways, and railroads have a tremendous investment in both fixed and mobile operations. In the United States, Federal agencies and the Department of Defense surface transportation operations provide a variety of management and oversight support to coordinate activities at various highway and rail sites.

Maritime safety and waterway management agencies provide for the safe operation of a nation's navigable water resources. These public safety activities require coordination of many diverse, yet interrelated, disciplines. These regulatory activities range from the inspection of user vessels and offshore facilities to the providing or contraction for icebreaking capabilities to keep shipping routes open year-round, in order to ensure each nation's shipping lanes and ports remain open. They may also be required to provide port security, fire protection, and fire fighting services.

These same entities may also be required to provide safe passage for shippers travelling through costal or inter-coastal waterways.

A.14 The use of global location system in Project MESA

Location information allows more efficient use of equipment and personnel, equipment management inventory, and location control. The ability of dispatch control point or other vehicles to monitor the location of equipment or apparatus within a defined geographical service area will improve efficiency of services provided by the governmental agency. Since some public safety field personnel and/or their clients are not assigned to vehicle-related tasks, there is a need for a personal location device to track the location of an assigned individual for general management purposes and in the event of an emergency.

These tracking devices may be incorporated within the voice communications equipment or could be a separate personal device. Public safety users also need access to the GLS to assist them in disaster management and recovery. Following an earthquake, flood, hurricane, or other disaster, it is not uncommon for normal landmarks to have disappeared: buildings are destroyed, streets are covered, and road signs are missing. Emergency management personnel need a means by which they can map the event so that they can better understand where the problems lie and dispatch personnel to deal with situations appropriately. Although access to the GLS signal itself does not create a path or channel requirement, use of location data at any other location requires that a communications link be established.

Public safety agencies will also use the GLS location information requested in the Project **MESA** SoR to more efficiently manage equipment utilization, equipment inventory, and operational and response control. The location and control of limited resources during routine and extended emergency incidents are crucial elements in being able to effectively manage a crisis and quickly mitigate the emergency.

In addition to being a telemetry function, the management of bridges, buildings, signs, road surface conditions and repair need inventory data acquisition. Road construction survey information requires high precision. This precision can be provided by many means, including transmission over a Project **MESA** system or existing dedicated public safety frequencies.

A.15 Office of the future and general administrative applications

Project **MESA** system should accommodate transmission of forms and reports to central sites from mobile and remote locations. This capability will be used to transmit long data streams to and from central locations and the field in just a few seconds.

Direct point-of-entry will allow public safety and other entities direct, high-speed entry and access to critical government records from **MESA** user devices.

A.16 Network or system messaging

Some public safety personnel, including correctional officers, need to have access to emergency networks. Those networks should be able to send emergency assistance or distress notices that are automatically routed to the appropriate location, place(s) or unit. **MESA** user devices provide for the transmission of status reporting, feature and service control functions and monitoring.

A.17 Emergency or distress signals

Public safety personnel who need emergency assistance should be able to activate an alarm that sends an automatic distress notice to a central monitoring point and to other staff in the field.

A.18 Corrections and probation officers and staff's use of full motion video

Correction and probation personnel often require the ability to transmit location data, determined by geographic position technology or other means, automatically or on demand, to other locations. Examples of this need to include constant updating of vehicle positions for dispatch and personnel safety purposes, constant updating of individual officer location for safety purposes when the officer is outside of her/his vehicle, and the ability to trigger position transmitting devices on lost or stolen equipment items. Many of these applications require secure transmission of the position information to protect operations from being compromised by potential adversaries.

A.19 Major incident management and control video

With major incidents, multiple agencies often need to be able to monitor another agency's video transmissions, but the ability to access public safety video should be based on a "need-to-know" or incident management basis.

A.20 Airborne command and control video

Airborne video platforms provide critical support and intelligence for major events, in particular for disaster response and management. Near-full motion and snapshot video transmissions from airborne platforms to command and control locations and supervisors on the ground are required. Airborne video is extremely important to the management of major disasters, wildfires, high-speed chases and other activities that require a broader vision.

The airborne video platform specified in the Project **MESA** SoR will also accommodate the need that exists for the transmission of video/imagery of multi-spectral toxic cloud replications.

A.21 Normal incident command and control video

Some incidents require real-time video. While these incidents may be infrequent in some areas and some disciplines, others have a more frequent demand for real-time video. The capability should exist for both point-to-point and broadcast use of the video. For example, full motion video should be transportable from the incident scene to an incident command post, and also to a remotely located emergency operations center. Major incidents often require monitoring of the incident from more than one location.

A.22 Traffic surveillance video

One-way video is required to view specific locations or interests through either snapshot, real-time or close to real-time accuracy, to monitor traffic flow, facilitate incident responses, and manage traffic control gates from remote sites.

A.23 Surveillance and monitoring

Law enforcement requires the ability to transmit high-resolution, limited motion video at the rate of one frame every five (5) seconds for surveillance and monitoring purposes. For example, person and building surveillance, low risk drug transactions, and building security would be adequately served by this quality of video transmission.

A.24 Law enforcement video applications

The ability to transmit full motion video from mobile video cameras directly to dispatch and other command and control installations is required. Although the constant transmission of this data from each individual officer or mobile unit is not required, the ability to monitor video from a unit is needed on an episodic basis in the event of officer-assistance situations and other high-risk events or operations of high-command interest. In addition, the system should support retransmission of full-motion video to mobile and remote locations, where command and control personnel and other mobile officers can monitor, make decisions, and provide assistance based on the video transmission.

A.25 Disaster relief video applications

The availability of a variety of video/imagery sources is critical to the effective management of a disaster. For example, automatic aid agreements with commercial broadcast agencies would often provide quality video/imagery of incident scenes for command personnel, either directly or through retransmission.

Video interoperability is a critical operational requirement. Disasters require the aid of a multitude of public safety and public service agencies to effectively save lives and protect property. Additionally, video and imagery is gathered from multiple sources, both public and private, during disasters. The ability to use video and imagery from multiple sources, as well as the ability to share this information among assisting and cooperating agencies, will greatly enhance emergency management operations.

A.26 Land management and wildfire control applications for full motion video

Real-time and close to real-time incident monitoring from remote sites (including airborne) provide up-to-date information on such incidents as wild land fires, as well as crowd control in routine parks" environments. Infrared real-time mapping from airborne platforms is rapidly becoming an essential component for fighting wild land fires.

A.27 Emergency medical services video applications

Video interoperability is a critical operational requirement. Disasters require the aid of a multitude of public safety and public service agencies to effectively save lives and protect property.

A.28 The use of robotics in a hazardous materials environment

Hazardous material and explosive disposal responses can frequently benefit from use of robotic devices. These devices require full-motion video that can be transmitted over a short distance (up to 1000 meters), from the control device to the robotic devices. This application may require the use of equipment and technologies developed for explosive atmospheric conditions and/or that will not initiate the explosive device being rendered safe. Indeed the Project **MESA** specifications should embody equipment that will not interfere with any approved device at all, explosive or otherwise. In extremely hazardous situations, hazardous material containment may only be accomplished with remote equipment supported by robotics. The operation of this equipment will be heavily dependent upon wireless data connectivity specified in the Project **MESA** SoR.

A.29 Lifeguard and water rescue applications for robotics

Lifeguard/water safety personnel often require the support of robotic devices in underwater search and rescue operations. Robotics is extremely important when persons, planes, and ships are submerged in water depths greater than 200 feet.

Robotics equipment becomes the preferred method of retrieval, as human divers require considerable decompression time at these depths. The use of remote control recovery vehicles eliminates the need to further risk human life to recover a dead body or salvage from ships or planes.

A.30 Search and rescue applications of robotics

Urban Search and Rescue/Technical Search and Rescue (USAR/TSAR) personnel often require the support of robotic devices in search and rescue operations when persons are trapped in collapsed buildings, mines, tunnels, etc. Robotics equipment may be the only method of locating trapped persons in areas where human rescuers are physically unable to enter because of access limitations or due to the presence of hazardous materials. The use of miniature remote control vehicles for such applications will dramatically increase in the future.

A.30.1 Robotics and video/imagery applications in search and rescue

In extremely hazardous situations, rescues may only be accomplished with remote equipment supported by robotics. The operation of this equipment will be heavily dependent upon wireless connectivity and the ability to guide these devices using video support. As with the law enforcement application, special equipment designs may be required.

A.30.2 Transmission of still photos for public safety applications

Agencies require the ability to transmit still photographs on demand to other locations. For example, a law enforcement, parole or probation officer in the field should be able to transmit and/or receive a digital image of probationers or parolees to and/or from other officers and central dispatch points.

A.30.3 General encryption requirements

In order to maximize the effectiveness of agents and officers in the field, a mobile office environment using cryptographically protected wireless data communications should be developed.

A.30.4 Specific and/or unique requirements of the United States Government

This clause identifies operational requirements unique to the U.S. and its Federal government and Department of Defense (DOD) public safety/public services agencies. While these requirements are based on "American" requirements, they are no doubt very similar to services provided by other National Public Safety Organizations in Europe.

The diversity and complexity of national agency missions, like those discussed above compel the use of a wide variety of telecommunications capabilities.

The Project **MESA** specifications and standards should embody the requirement of the US government to access information repository systems such as the United States' Department of Justice's National Crime Information Center (NCIC) 2000 and their Integrated Automated Fingerprint Identification System (IAFIS). These data systems are created to give national, regional, state and local law enforcement agencies immediate access to these and other automated files.

Project **MESA** should provide national public safety and security agencies high-speed and wireless access to remote, wireless, video equipment that can be used in covert video monitoring, particularly in dealing with organized crime and drug interdiction.

Project **MESA** specifications and standards should be written to allow Federal agencies in the United States to provide service nationwide to a multitude of different public safety providers. Specifications and standards created from the Project **MESA** SoR should be able to provide multiple levels of services to full-time Federal public safety governmental personnel, over 300 000 postal vehicles, and the security monitoring of 180 billion pieces of mail per year. In addition, it is anticipated the equipment developed from the Project **MESA** SoR will monitor and accommodate the distribution of water and assist in the management of timber growth and harvest. The technology may also be used for the protection, operation, and management of our national parks, national forests, range and grasslands, as well as the wildlife that inhabit them. Beyond that, the SoR includes technology requirements that will help monitor and protect game refuges, and protected preserves or nations, such as those of our Native Americans. Finally, the technology required by the Project **MESA** SoR will assist the US government in managing our national finite and renewable resources, such as may be found at dams, hydroelectric plants, or in mining operations or oil fields.

The Project **MESA** SoR includes requirements that are crucial to assure the latest weather patterns, snow and precipitation levels, temperature and water quality are monitored in order to minimize a natural disaster due to these conditions. The emphasis is on the collection of data from remote sensors and the prediction of flooding conditions based on that data. In the United States, the Federal Hydrologic Program involves a large number of Federal agencies as well as local agencies. The network, data, and frequency assets are shared among these agencies.

The Project **MESA** SoR includes technical requirements that will allow the US Postal Services' wireless data transmission that is mission critical to their objective of providing continued low-cost mail service to over 95 million addresses.

The Project **MESA** SoR includes technical requirements that will accommodate the United States' government's requirements to gather and distribute seismic data that remains crucial to any opportunity to eventually create an early warning and detection system. Earthquake monitoring equipment will detect earth movements and motions and transmit the parameters of that movement over the wireless Project **MESA** network to centralized locations to be catalogued and analyzed. Eventually this data will become part of a comprehensive system that will be used to reduce potential earthquake damage, and loss of life and property.

The Project **MESA** specifications and standards should accommodate Type I, Type II, Type III, Triple DES, AES, and other encryption algorithms used by the US government, other national governments, and local government (if standardized and widely available). They should also accommodate Type IV cryptographic algorithms with Over-The-Air-Rekey (OTAR) consistent with the Project 25 Phase 1 standards used in the United States.

The Project **MESA** SoR requires the use of specific automated security applications within each nation. In the United States the requirement will be to use Information Systems Security (INFOSEC) across the network as an integral part of their enterprise solution. INFOSEC should include, but not be limited to, the following security disciplines: communications security (COMSEC), computer security (COMPUSEC), transmission security (TRANSEC), personnel security, administrative security, and operational security.

Project **MESA** specifications and standards should accommodate the United States to meet the needs of NCIC 2000 standards. These specifications or standards would need to meet or exceed the Federal Bureau of Investigation's (FBI) NCIC 2000 standards, and or any future modifications as may be applicable at the time the **MESA** wireless specifications are approved.

The United States government has a number of high-speed data applications that can and should be served by a system built to Project **MESA**'s specifications and standards. Those include, but are not limited to, the following:

- 1) National and local offender file.
- 2) National and local victim file.
- 3) Non-offender files as may be appropriate.
- 4) Incident/complaint file as may be appropriate.
- 5) National and local witness file.
- 6) National and local apprehension file.
- 7) Agency case files as appropriate.
- 8) Agency and court disposition of charges files.

The United States government requires that all its criminal justice files, such as those embodied in the NCIC and National Law Enforcement Telecommunications System (NLETS) files, be supported by transparent, secure (authenticated and encrypted) access.

The following is a representative list of some of the applications files that will need to be accessible and secured in a Project **MESA** system that is fully compliant with the SoR:

- 1) Wanted persons files.
- 2) United States Secret Service Protective Service files.
- 3) Foreign fugitive files.
- 4) Unidentified person files.
- 5) License plate files.
- 6) Vehicle files.
- 7) Boat files.
- 8) Vehicle/boat parts files.
- 9) Stolen article files.
- 10) Gun files and stolen gun files.
- 11) Stolen and fraudulent securities files.
- 12) Convicted person and/or supervised release files.
- 13) All available electronic image files.
- 14) All authorized logically linked NCIC 2000 files.
- 15) The existing and proposed "Enhanced" name and personal information files.
- 16) The proposed improved NCIC identification files.
- 17) Files available through the NCIC 2000.
- 18) Files available through the Canadian Police Information Center Systems and the Canadian Department of Motor Vehicle (CDMV) databases.
- 19) Access to Federal Corrections Systems (SENTRY) database files that are proposed under NCI 2000.
- 20) Access to the proposed NCIC 2000 "Search and Reporting" systems.
- 21) Access to the proposed NCIC 2000 on-line manuals and training programs.
- 22) Access to files/information available through Interpol.

The United States government requires remote; secure (authenticated and encrypted) updates of files kept for national criminal information files, such as those contained in the United State's Uniform Crime Information systems.

The United States government requires the ability to access the national law enforcement files, like the FBI's NCIC 2000 image files, directly from **MESA** user devices in the field. This access should be provided on a secure (authenticated and encrypted) high-speed wireless link that is interconnected to the national law enforcement files, like the FBI's NCIC 2000 image files.

The United States government requires secure access to its Automated Fingerprint Information System (AFIS) and the new 10-point fingerprint files. In addition, access to automated files containing palm prints is also required.

Annex B (informative): Known North American Federal, state and country requirements

- The Federal Bureau of Investigation (FBI) National Crime Information Center (NCIC) 2000 System Requirements.
- The FBI's Integrated Automated Fingerprint Identification System (IAFIS) System Requirements Definitions.
- The FBI's IAFIS concepts of operations.
- The FBI's Integrated Digital Wireless Communications System (IDWCS) Performance Specification.
- The FBI's Technology Planning Guide.
- The National Incident-Based Reporting System Requirements for use of the handbooks for Uniform Crime Reporting, Volumes 1 through 4.
- The Federal Data Collection Guidelines, Volume 1.
- The Federal Data Submission Specifications, Volume 2.
- The Federal Manual on Approaches to Implementing an Incident-Based Reporting System, Volume 3.
- Federal Guidelines on Error Message Manual, Volume 4.
- Federal Guideline Hate Crime Data Collection.
- OMB Circular A130 as it applies to interoperability requirements between Federal and state governments for Automated Information System security.
- The Immigration and Naturalization Service's ENFORCE concept of operations.
- The *Final Report* of the Public Safety Wireless Advisory Committee.

Annex C (informative): Law enforcement scenario - Court House Murder

An explosion took place in the Virginia federal court's parking lot in proximity to I-95 interstate highway. A white female having no ID is a victim of a car bomb explosion as she inserted key into vehicle's door lock. The explosion also caused some collateral damage as well as potential structural damage to court house building and significant public distress in the immediate area.

Numerous calls were received by the local 911 Public Safety Answering Point (PSAP) which then initiated first response of municipal police, fire, and EMS. Initial on scene units found a significant explosion scene with several ongoing fires and many "walking wounded" wandering through the incident scene. Police and Fire initiated a command post across from the incident location. Police units established critical perimeter for public safety entry only and also began initiation of a secondary perimeter using current Geographical Information System (GIS) mapping. EMS set up an initial triage contiguous to the police and fire command post. Initial injured were assessed and information forwarded to area transport hospitals via **MESA** devices that were tracking hospital capacities, services available and patient transports.

Concurrently, an initial incident scene search was underway at the explosion site with Police Department (PD), Fire Department (FD), and EMS. EMS determined the victim to be deceased and FD determined the explosion created significant damage thus making the scene unsafe. Also, other vehicles in the immediate scene were damaged and leaking fuel and several small fires were in progress. Encrypted **MESA** real time video feeds were being transmitted from scene to the command post. **MESA** personnel location technology was in use providing 2D/3D location, biotelemetry of FD/PD personnel to their command staffs as well as monitoring of immediate air quality in proximity to the explosion site. Upon completion of the first search, the scene was declared unsafe and messages sent to all on scene personnel to remain outside of the critical perimeter until the scene was cleared by the bomb squad.

Once the second perimeter was established police command manipulated the Department of Transportation's (DOT) traffic signals and traffic electronic signs to minimize or eliminate additional vehicle traffic. Streets and Public works were notified via **MESA** technology to provide barricades at the outer perimeter for police units at specific locations. Notifications for criminal investigators and federal law enforcement were made. Bomb squad units were also notified to respond to clear the scene for any secondary devices. Police helicopter with video feeds was above providing video to incident command post.

The bomb squad then uses **MESA** enabled robotics to ensure that no other explosion devices are present. The clearance information that was broadcast to all on scene personnel via **MESA** ALERT messaging, a crime scene perimeter was established to account for personnel entering/exiting the scene. Posted officers using an accountability system collected this data from the **MESA** devices of each person entering and exiting. Crime scene diagrams were constructed of the scene with exact placement of evidence being provided with **MESA** devices and applications. Criminal investigators began to collect scene evidence and conduct interviews of identified witnesses. Court house security personnel provided a **MESA** interface to the building security video system to enable access to the parking garage cameras. Investigators used **MESA** subscriber devices to collect digital pictures and video evidence from the crime scene as well as the victim fingerprints using a field device.

The fingerprint collection provided the victim's information/data identifying her to be a Federal judge for state of Virginia. Initial analysis of security video provided several license plate numbers and several potential suspects that were in or around the area. The security video also confirmed that no other persons were in the immediate blast zone although collateral damage and injuries did occur from flying debris.

Attempt to locate (ATL) information was compiled at the command post and sent to all on scene **MESA** law enforcement devices and to the local PSAP who in turn forwarded information through various criminal law enforcement networks ³ to other local, county, state and federal law enforcement.

Additional criminal investigation of security camera video indicates a prime suspect vehicle captured in the video of white Volvo leaving the complex at approximate time of incident.

³ Law enforcement database systems such as the National Crime Information Centre (NCIC) and the State of Virginia Crime Information Centre (VCIN) and Criminal Records Office in England.

Cameras show a partial license plate of vehicle from Texas. Additional ATLS are posted to the immediate area and forwarded to law enforcement networks.

Criminal investigators query a **MESA** enabled tollway tolltag/video collection monitor which indicates that a vehicle matching the description with a partial Texas license passed the toll gate subsequent to the incident. Further information from the toll collection point indicates that tolltag usage and those records provided an address.

Maps and GIS information (roadway data) of surrounding area was obtained via **MESA** LAN/WAN connections to local and state networks and was sent to the incident investigative commander. Concurrently, partial plate searches are ongoing through Texas DOT DMV databases. A positive hit is made which provides additional demographic data and subsequent searches through Texas and NCIC indicate criminal history and further suspect information which yields finger prints, photo, and suspect name.

Camera surveillance of incident scene is now being transmitted back to local police headquarters and incident command post since a federal judge was involved. Police helicopter video live coverage of area is also being sent to both locations. Police headquarters PIO is editing video for release to the media.

With known information on victim to be a federal court judge, FBI and federal marshal's conduct concurrent investigations. Federal ATF⁴ is conducting explosive analysis with local municipal police to determine construction of bomb material. **MESA** wireless connections facilitate federal ATF databases queries for information on material possibly used, purchasers, and locations of sale.

Positive identification of suspect is made and law enforcement initiates tactical surveillance activities at suspect's last known address. On scene law enforcement agents query local tax and water database records using **MESA** devices with wireless connections to existing LAN/WAN connections to confirm ownership information. Incident perimeter is established, tactical operations command post and full tactical response is initiated, as suspect vehicle is located at scene by initial surveillance units. Location is then placed under full video surveillance for tactical approach and placement. On scene tactical, surveillance, and counter surveillance officers are deployed by the tactical commander using **MESA** devices and GIS mapping with positional data for each officer being transmitted and received by the tactical team and commander. The tactical commander places specific deployment locations on the map displays to provide directional guidance to deploying officers.

Deployed infrared and normal video indicate movement and location of the suspect in the house. This information is correlated with building floor plans obtained by the tactical commander and the suspect's position is then indicated on the floor plan transmitted to the entry team. The entry team makes entry and takes the suspect into custody and removes him from the residence. Upon entry, tactical officers notice bomb making materials and what appears to be active devices in the residence. The incident commander alerts all on scene personnel with **MESA** messaging capabilities and require all to move back from the residence. Additional infrared scans of the residence are made to ensure no additional human heat signatures.

Arresting officers use a **MESA** handheld device to take a biometric fingerprint sample from the suspect to confirm identity.

Bomb squad arrives on scene and uses a **MESA** robot to clear the residence and remove active devices which were being placed by the suspect to kill or injury law enforcement upon entry. Incident commander generates cancellations for law enforcement networks and transmits them to the various networks through the **MESA** connected devices.

⁴ The U.S. Department of Treasury's Bureau of Alcohol, Tobacco, and Firearms.

Annex D (informative): Law enforcement Scenario - U.S. State and Urban Police Response to Earthquake Damage

This scenario begins after a magnitude 8.2 earthquake has damaged many buildings in a large metropolitan area. Urban Police responds to a cell phone 911 calls and observes that a Federal building is near collapse, while an adjacent ten story office building has also sustained damage but appears to be structurally sound. Fire rescue and EMS are called to the scene. All patients that could self-extricate, or be easily extricated have been removed from the rubble and transported for treatment. The local jurisdiction is overwhelmed with rescue and EMS Units and has requested assistance from several specialized urban search and rescue (US&R⁵) teams. One of these teams from the State Police has arrived and has been assigned to search and rescue and traffic control (side access control included) of victims in a partially collapsed parking garage. A Disaster Medical Assistance Team (DMAT⁶) is setting up a treatment center and a US&R Incident Support Team (IST⁷) is also in the area.

Upon arrival, the State Police Search and rescue team splits up with one half of the team (Team A) began surveying the garage for structural integrity and for likely victim locations. They also set up a base of operations in a park across the street. The other half of the SPD Search & Rescue Team (Team B) went to the Federal building to determine the integrity of the structure, calling in the building engineers to provide blueprints and building drawing. The law enforcement coordinator directs a team for traffic and crowd control. The team's communications specialists set up an Internet satellite link and connect it to a Project **MESA** network node. This node will allow various voice, video, and data to be transmitted to similarly equipped units, including the IST and the DMAT.

Structural specialists begin the structural survey of the garage using handheld computers to sketch the structure perimeter and noting entrances and areas of structural concern. At the same time a group of engineers from the city and federal office of the Dept. of Commerce begin looking over the drawing and blueprints for the federal building. Data collected indicated that the building was on the verge of collapse within twenty-four hours. This information is relayed to all public safety units via the **MESA** terminal to the command post established at the park and given to the communications specialist. This information is then transmitted through integrated **MESA** terminals to the team incident commander who can make entry plans from this data. Using this data the incident commander establishes the hazard zone for tracking entry into the garage and the collapsing building.

The structural specialists find that one outside wall of the parking garage has fallen away and the concrete T-bars of the parking garage have detached from the outside wall, collapsing. The engineering team at the federal building found that gas main on the north side of the building was ruptured and on the threshold of exploding. The Urban Police are directed to cordon off a four block square area and begin necessary evacuations. The structural specialists set up two thodolites⁸ to monitor any movement of the federal building. These units contain video cameras that transmit images via an integrated **MESA** terminal to the base of operations, where the specialists can safely monitor the structure. Once a preliminary structural assessment is complete, the incident commander assigns the search teams to enter the structure to search for victims. The teams are assisted by hazardous materials specialists, which detect any nuclear, biological, or chemical hazards to the rescue personnel. A search of the appropriate data bases allow for an inventory of the building contents to be reviewed, examined and results transmitted to all officials involved.

Two search teams that will enter the garage area and federal building turn on their personal safety systems that include an activity monitor and location tracking system. As the teams enter the hazard zone, they check in with the safety officer who notes their entry using a **MESA**-equipped terminal. This information is used at the base of operation to track all personnel inside the hazard zone.

As the search teams search, they note the presence or absence of victims on their **MESA** terminals and the data is echoed on the floor plan of the structure at the base of operations. As the teams move through the garage, the locations of all team members are logged for use if a member becomes lost or incapacitated.

⁵ A US&R team is a self-contained heavy structural rescue team with search, rescue, medical, and technical support capabilities.

⁶ A DMAT is a mobile field hospital staffed and equipped to treat large numbers of injured.

⁷ The IST supports US&R teams with tasking, materiel, and coordination.

⁸ A thodolite is a surveying instrument that may be used to measure and monitor movement of an object.

The hazardous materials specialists plug their hand-held monitoring equipment into a **MESA** terminal, which relays any detection information to the safety officer's terminal at the incident command center established at the park location. As Search Team 2 proceeds into the parking garage, the hazardous materials specialists detect a potentially dangerous level of gasoline vapour in the air. The safety officer's terminal indicates the danger and he decides that this route into the garage is too hazardous and orders the team out of the garage, and to find another entrance. Before the team exits, they leave a combustible gas indicator with an integrated **MESA** terminal. This terminal will continuously monitor the air and, if an explosive condition is detected, will send an evacuation signal to all personnel in the structure.

Search Team 2 uses their **MESA** wireless intercom system to coordinate their search and the search team leader uses narrowband FM radio to report their progress to the incident commander. Team 2 locates several victims trapped in vehicles under the concrete T-bar sections and notes the locations on their **MESA** terminal. The incident commander calls for a rescue team to go to the garage to assist in the rescue operation. Rescue Team 1 begins work on extrication of the victims. As the rescue team accesses each patient, medical specialists treat the patient as much as possible in the confined space.

The medical team managers use the **MESA** terminal at the base of operations to inform the IST and the DMAT of the number of victims, the severity of their injuries and the estimated time of their extrication. When it is decided that one of the victims requires a leg amputation to extricate the victim, the medical specialists consult with the medical team managers using voice and video exchange using **MESA** equipment.

The incident commander, safety officer and law enforcement coordinator use data on the total time each team has been in the structure to rotate teams for rest and rehabilitation. Eventually, all victims in the garage are extricated, stabilized, and transported to the DMAT. The incident commander then contacts the incident support team for resupply of expended equipment and materiel, and for the team's next assignment.

Annex E (normative): Criminal Justice providers

Reducing crime and its impact on the health and welfare of families continues to be a top priority of public safety and public security agencies throughout the world. In recent years, the most successful anti-crime weapon in the criminal justice arsenal has been the implementation of community-based policing in communities previously served by patrol-based service. The heart of a community-based program is getting officers out of cars and into the community, whether on foot, bicycle or horseback. Community-based policing programs put an extraordinary demand on public safety communications systems because they require portable coverage throughout the community. (See also annex A, clause A.4, Impact of Additional Officers in the Field.) This issue covers courts and judicial law enforcement as well as national and international law enforcement and security functions. (See also annex A, clause A.7, Use of Project **MESA** Specifications, Standards, etc.)

Annex F (normative): Automated criminal history and law enforcement records systems and providers

Specifications and standards that comply with Project **MESA** should provide the technology and applications platforms necessary to access new telecommunications and automation tools and/or expand access to existing law enforcement information systems. (See also annex A, clause A.5, Law Enforcement and Criminal Justice Data Systems.)

To be compliant with the Project **MESA** SoR, the specifications and standards should provide transparent, high-speed access to a myriad of public safety files which include, but are not limited to, files on stolen articles, stolen firearms, stolen automobiles, trucks, tracks and industrial machinery.

Specifications and standards that comply with the Project **MESA** SoR should define and specify high-speed transmission of suspect fingerprints, photos, mug shots, iris scans, stolen property descriptions, and criminal histories files.

Specifications and standards that comply with the Project **MESA** SoR should define and specify the technologies that can be operated on a non-interference basis with all other public safety and emergency service equipment.

Specifications and standards that comply with the Project **MESA** SoR should define and specify the transporting of real-time video between:

- multiple **MESA** user devices;
- multiple **MESA** user devices and **MESA** routers/**MESA** switches.

Annex G (normative): Emergency management or disaster recovery agencies

The communications system requirements for emergency management and disaster services are characterized by a very low usage pattern during routine operations and extremely high-usage patterns during major disasters or events. Thus, radio systems designed and used by emergency management agencies appear to be virtually unused on a day-to-day basis, yet when a major event occurs, these same systems are often inadequate for meeting the needs of all the emergency responders. Although individual communications systems can perform properly, major incident needs will still not be met due to interoperability issues and individual channel loading.

Annex H (normative): Special Operations needs

A special operation includes response functions to an event requiring specialized training for safe and effective operations. This includes hazardous materials leak/spill remediation, mountain rescue and associated technical rescue, collapse search and rescue, swift water rescue, blue water rescue, trench and confined space rescue, and heavy rescue. The situations encountered by users in these fields are varied, and often require work to be completed using protective clothing, which severely restricts mobility, and equipment use in hazardous or harsh environments.

Annex I (normative): Health Services

I.1 Emergency Medical Services (EMS)

The mission of the Emergency Medical Services (EMS) is to provide critical invasive and supportive care of sick and injured citizens and the ability to transfer the people in a safe and controlled environment. Doctors, Paramedics, Medical Technicians, Nurses or Volunteers can supply these services. They usually will also provide mobile units such as Ambulances and other motorized vehicles such as aircraft helicopters and other vehicles. The need for communications services for EMS providers inside and outside of the vehicles is vital in their work due to the fact they are nearly always in mobile resources that work in a wide variety of rural and metropolitan areas.

Information required by EMS providers includes:

- Patient Information.
- Medical Information.
- Resource Information.
- Incident Information.
- Geographical Information.

Emergency systems must be able to inter-operate to provide a broad scope of services to all emergency medical staff to allow them to integrate with other agency systems. The broadening scope of services and advances in the medical field displays significant growth from the historic perspective of just giving first aid. The EMS of today requires sufficient bandwidth to allow for full colour video with simultaneous sound to be sent from the patient directly to the hospital or receiving centers whilst on the move. Bio-medical information needs to be transmitted with guaranteed accuracy. This is vital, for example, in the transmission of 12 lead ElectroCardioGram (ECG) in the case of Myocardial Infarctions. (12 lead ECG is a non invasive medical process involving 12 readings from 10 leads attached to a patient to determine various types of Cardiac related conditions.) Accurate medical information is also required to be transmitted to the medical persons to enable them to give the best possible patient care. The safety and security of EMS staff is also paramount and individual locaters for both the resources and the staff would be vital.

The ability to send and receive relevant information concerning several patients at the same time from the same scene without interference or corruption is also required. The systems must also be capable of working beside sensitive medical equipment without interfering with the operations of that equipment.

I.2 Disaster Medicine

Disaster Medicine is provision of triage, primary aid, transportation and secondary care in major incidents.

The requirements in Disaster Medicine are in principle similar to those outlined in clause I.1 on EMS. The main difference lies in the scaling, and in the fact that whereas experience is continuously gained in EMS, Disaster Medicine is infrequently practiced by each individual service. It is important that the activities and procedures are based on the more regularly performed tasks.

The procedures and protocols for exchanging information related to major incidents should be as similar to those used in the day-to-day services as possible. **MESA** will have to be able to cope with the substantially increased demands on communication seen in major disasters.

Annex J (normative): Fire Services

With variations from region to region and country to country, the primary areas of responsibility of the fire services include:

- structure fire-fighting and fire safety;
- wildland fire fighting;
- life saving through search and rescue;
- rendering humanitarian services;
- management of hazardous materials and protecting the environment;
- salvage and damage control;
- safety management within an inner cordon;
- mass decontamination.

Responsibility may also include incidents at on ships and at sea beyond the local authority or international borders.

Fire-fighters often work in severe environmental conditions with both high humidity and extremely high temperatures that can exceed 538 °C/1 000 °F, it is essential that their communications equipment function in the same environment. In addition, equipment is frequently subjected to high levels of shock and vibration.

Fire-fighters that deal with wild land fires require reliable communication services over very large geographic areas from body-worn **MESA** user devices. These fires can occur on barren flat lands or extremely rough, mountainous terrain, which often leaves the fire-fighters isolated with their only link to safety their communications link. That link has to be supported with long life and easy replaceable battery packs.

The focal points for the next generation of on-site wireless monitoring and control systems for fire-fighting are personnel safety and enhanced operational control, "The IP-Fire-fighter".

To accomplish this objective an IP network like an IPv6 based mobile wireless broadband network is carried to site, typically by the operational control vehicle. The uplink to the dispatching center from the mobile network is situation dependent, either a narrowband wireless link or a narrow or wide band satellite link. This link, which may not be part of Project **MESA** development, would provide wide-area transport.

The mobile network supports conferencing facilities, using ITU H.323 or similar protocols. In addition to conferencing, the mobile network is the transportation media for the on-site operational monitoring and control system.

The reason for the application of IPv6 is to be able to assign fire-fighters, vehicles and individual pieces of equipment a fixed network address. As the communication units enter the network coverage area, the units will automatically register with the network and announce their availability and capability to the network area controller, typically situated in the operational control vehicle.

The area controller uses the network to access a variety of data including:

Structure Data: Building floor plans, hazards, fire hydrant locations, fire control equipment locations, pre-fire plan information, occupant information, etc.

Equipment Data: main and pump water pressures, valve settings, engine temperatures, fuel levels, etc.

Environmental Data: wind speed and direction, external temperature and acidity level (pH) in the direct environment of the fire-fighters, chemical levels, pictures from IR/Visible light switchable video cameras, etc.

Personnel Data: in-building position in 3D with a 1 meter (3 feet) accuracy, breathing air tank levels, accountability monitoring, distress buttons and vital signs. Some of these functions are also known as Personal Alert Safety Systems (PASS - Reference NFPA 1982 Standard on Personal Alert Safety Systems).

Vital signs are obtained from a harness worn by the fire-fighters. The harness will measure and communicate vital signs such as respiratory rate, blood pressure, heart rate, pulse rate, body and body surface temperature, dual axes accelerometers (if the fire-fighter has not moved for a number of seconds, he may be unconscious).

The network conferencing facilities should enable:

- Two-way full duplex intercom-like audio conference among all fire-fighters in each workgroup and on-site operational control.
- Video streaming from selected fire-fighters to local operational control with remote control of video source selection by operational control.

The on-site operational monitoring and control should encompass the following abilities:

- **Ability to act as conference master:**
 - Select camera views (IR/Visible light).
 - Manage group audio communications.
 - Patch through to dispatch center and outside world.
- **Personnel safety monitoring:**
 - Location of personnel.

Alarms on:

- Fire-fighter distress button.
 - Evacuation signal sent from operational control.
 - Low breathing air levels.
 - Abnormal breathing air consumption rate.
 - Minimum breathing air levels to exit hazard area.
 - Lack of movement.
 - Body temperature too high.
 - Other abnormal vital signs.
 - Untenable environment in area of fire-fighter.
- **Equipment monitoring:**
 - Location of equipment.

Alarms on:

- Low fuel levels.
- Lack of water pressure.
- Temperature too high.
- Acidity too high/low.
- Wind shifts.
- Other abnormal equipment and environmental conditions.

- **Equipment control:**
 - Valve settings.
 - Pump pressure settings.
 - Engine start/shutdown.
 - Ladder control.

Intelligent alarms should be used to minimize constant reporting of normal situations. When a situation is detected that is an exception to normal operation, all necessary personnel should be notified, but the system should allow for other activities to continue without interruption or distraction. It should be noted that the accurate in-building personnel location in 3D and fire-fighter monitoring is of outmost importance. It is the intent of Project **MESA** to provide Public Safety personnel in potentially hazardous situations the very best protection technology can offer.

Annex K (normative): Coast Guard Services (and related public safety functions)

Coast Guard Services may include, but not be limited to, search and rescue (at sea and other waterways), protection of coastal waters, criminal interdiction, illegal immigration, disaster and humanitarian assistance in areas of operation. Coast Guard functions may vary with Administrations, but core functions and requirements are generally common globally.

Annex L (normative): Search and Rescue Activities

During a search or a rescue operation access to geographic information, information on resource locations, and locations searched is crucial. Search and rescue operations may require coordinated operations among diverse agencies, and interoperability between agencies is important to the success of this function.

Command and control information is necessary to ensure the safety of the personnel and the success of the activities. Operations may be conducted in adverse weather conditions, and equipment must be resistant to these conditions.

L.1 Search Activities

Search activities involve the use of resources and skills to locate people who are lost or who are believed to be lost on land or sea. These activities may take place over large geographical areas and may cross national boundaries.

During an incident, searchers must have access to geographic information, information on resource locations, and locations searched. In addition, command and control information is necessary for the search management to ensure the safety of the searchers and the success of the search. Searches may be conducted in adverse weather conditions, and equipment must be resistant to these conditions.

L.2 Rescue Activities

Rescue activities are the use of resources and skills to extricate people in distress on land or water. The rescue process includes the retrieval of the people, and may also include triage, first aid, transport and secondary treatment. Medical activities related to rescue are covered within annex I: Health Services.

Annex M (normative): Airport Security (and related public safety functions)

Airport security should include capability to communicate by secure radio with "Airport Management" and "Control Tower" operations. They need to have wireless communications with other public safety organizations, and access to local and international databases for individual profiling of known criminals. Airport security will need to work in clear voice and encrypted communication.

Annex N (normative): Humanitarian Assistance

Humanitarian Assistance is a special case of annex G Emergency management or disaster recovery, annex L Search and Rescue Activities, as well as other related types of public safety discipline. The main characteristics, which directly affect and possibly limit the roles for advanced telecommunications technologies in Humanitarian Assistance, include

- The provision of assistance by institutions and organizations from several countries, resulting in the need to consider special regulatory aspects.
- The provision of assistance outside the normal areas of operation of the participating services, resulting in the need for the deployment of complete, UN owned and/or operated systems that can provide interoperability with other PPDR users.
- The provision of assistance in a usually dangerous and potentially hostile environment, resulting in the need for full interoperability of personal communications, indispensable for the safety and security of relief personnel of a wide variety of providers, including emergency services, military units, national and international as well as non-governmental organizations.
- The deployment of large-scale assistance upon short notice, typically hours or days, but for an extended period, possibly months or years rather than days, resulting in the double requirement of rapid deployment and economical and operational appropriateness over a longer period.
- The provision of assistance taking into consideration the continuum from relief to rehabilitation, resulting in the need for technologies which can be expected to remain sustainable within the socio-economic environment of the country or region where the assistance is being provided.

Annex O (normative): Hazardous Materials (HAZMAT) and related public safety services

Hazardous Materials incidents can be complex, and may involve activities of many different public safety organizations. Specific requirements not detailed in this clause are listed in annex E Criminal Justice providers, annex I Health Services, annex J Fire Services, annex N Humanitarian Assistance and other relevant clauses.

Hazardous materials incident activities can be classified into four areas. These are listed below.

O.1 Coordination and Management

- Command and control.
- Resource information.
- Safety and accountability information and control.

O.2 Analysis and Material Classification

- Geographic and Population Information.
- Metrology (weather).
- Environmental impact.
- Detection and analysis.
- Research / databases.

O.3 Handling

- Containment.
- Fire fighting.
- Evacuation and assistance.
- Decontamination.
- Treatment.
- Evidence collection.

O.4 Cleanup and Rectification

- Cleanup.
- Forensic and Criminal Investigation.

Annex P (normative): Correctional institutions

Specifications and standards that comply with the Project **MESA** SoR should be written to ensure the long-term needs of prisons and other correctional institutions are met. Those needs include the transmission of digital voice, data, video, infrared video, still photos, alarm and control, files, identification characteristics and other capabilities identified elsewhere in the present document.

P.1 Correctional enforcement and probation officers

The specifications and standards that comply with the Project **MESA** SoR should be written to ensure correctional and parole officers have access to the full range of public safety services and applications as may be deemed appropriate by the local controlling agencies.

Those specifications and standards that are created as a result of Project **MESA** should ultimately describe technologies that can be implemented on both a local, institutional or as needed on a wide area basis, up to and including nation-wide networks.

Annex Q (normative): Planning precepts for responding to large public safety events or emergencies

The Project **MESA** SoR does not look at large-scale events as being an anomaly. True, major earthquakes do not occur that often, nor do hurricanes or floods. However, when considered on a worldwide basis, they occur more often than we would like to think. Furthermore, few years pass without numerous major forest or wild land fires occurring in the United States, Australia, South America, and/or parts of Europe.

The reality of responding to large-scale events is that they happen throughout the year at unpredictable locations and at unpredictable times. Public safety agencies should be prepared to respond to these events when they occur with the support of effective and efficient communications tools to aid in their response. The Project **MESA** SoR outlines some of the more urgently needed tools that will help achieve that objective. In addition, while the unpredictability of these events makes it impractical to have adequate wireless communications facilities in all places where these events may occur, we can identify and protect blocks of frequencies worldwide where such facilities can be rapidly implemented.

Annex R (normative): General governmental and/or government administration needs

The needs of the General Government users are diverse in nature since they perform a myriad of public service tasks to carry out their respective missions. The term "General Government" includes any national governmental agency, territory, possession, precinct, district, state, county, city, town, village, or similar governmental entity, including an authority. The need is for them to have the essential communications tools necessary to fulfil their official governmental responsibilities. The technological requirements included in the Project **MESA** SoR will greatly assist General Government services providers in their efforts to offer effective water, sewage, electrical, public parks, schools, pest abatement and control, building code enforcement, planning and zoning and enforcement, and public health services.

The Project **MESA** SoR focuses on the needs of large urban regions since they tend to have wide ranges of representative user, user requirements and technology uses. While less populated rural areas may have some of the same requirements as densely populated areas, they will often occur on a more fragmented basis. However, the needs of suburban and rural areas are not forgotten and are also taken into account in the Project **MESA** SoR to ensure it is a representative reflection of the majority of the public safety users needs.

Annex S (normative): Land and natural resource management

The agencies at local, state and national governmental levels that are charged with the oversight of a nation's environmental, land, forestry and conservation, and agricultural development all fall into this very unique but broad-based public safety category. Their responsibilities include the management of forests, wetlands, national and global environmental monitoring and policing, management and control of parks and public lands, and various other environmental and agricultural resources that have been set aside for the common good of the general public. Frequently, these governmental agencies are also responsible for the protection of large tracts of private land from fire.

Their responsibilities often include Land & Natural Resource Management and their mission is to serve the public through activities directed to conserve, improve, and protect natural resources and their environmental quality. Needs are based on the performance of official duties. This group of public safety professionals requires telecommunications technology that will allow them to communicate over a wide area, using a myriad of technological and application platforms. These technologies and applications would include, but not be limited to, secure information, voice, video and infrared video, high-speed data, still photos, enhanced patient and fire-fighter bio-telemetry information.

To accomplish these objectives, the specifications and standards should define technology that is capable of transmitting and receiving in extremely harsh conditions. While their mission is to protect and manage the finite and fragile public resources associated with forest, wildlife, fish, recreational areas, and other renewable and non-renewable public resources, they also ensure the public lands are protected for generations to come. Their daily activities include, but are not limited to, fire control and/or suppression; maintenance of air and water quality; identification and removal of hazardous toxic waste; the management of mineral leases, mine reclamation, and solid waste removal and storage; also, the management and protection of reclamation projects such as wetland protection, environmental impact analyses of projects scheduled to be built on government lands, government-controlled fish and wildlife management, and the protection and management of natural stream flow.

Many large-scale wildland fire activities require large-scale logistics support at the event. These events can be similar to putting an army into the field because they involve multiple layers of organizations, and they require supplies and personnel support. In one North American county, wildland fires are typically attacked by two, twelve-hour shifts of fire-fighters. Near the close of the present shift, there is a very voluminous list of supplies and personnel that will be needed on the next shift that should be relayed from the field to the support center. This can involve hundreds of items that can take up to an hour of air time using current wireless technologies as the transmission medium. In addition, there are frequently multiple levels of air support providing both intelligence and direct action related to the fire. This intelligence includes weather conditions as well as the status of the perimeter and personality of the fire itself. Land & Natural Resource Management systems require areas of operation covering entire regions and sometimes nations.

Annex T (normative): Transportation's organizational mandates and missions

Organizations at local, wide area, and national government levels, charged with the planning, construction, management and maintenance of many forms of transportation systems, fall in this public safety category. Their mission may include the construction and management of complex transportation systems responding to events such as snowstorms, mudslides, flooding, earthquakes, and hazardous material spills in order to allow other public safety providers and the general public safe passage on the world's transportation infrastructures. The use of a fast, efficient telecommunications infrastructure is critical to their mission.

The mission of public safety transportation providers is to serve the public by establishing, operating, and maintaining a high quality, cost-effective road and highway transportation system that emphasizes safety and vehicular traffic and passenger throughput.

Annex U (normative): Intelligent Transport Systems (ITS)

Many of these public and public safety transportation organizations require what is commonly designated as Intelligent Transport Systems (ITS). These systems range from public dissemination of information to monitoring transportation corridors and transport vehicles regarding weight, height, and fuel permits. Innovative applications planned within these services are critical to public safety providers.

ITS services and applications will represent a broad range of applications that will enhance the performance of public transportation systems and improve the ability of other public safety providers to achieve their mission. The Project **MESA** SoR's operational requirements for an ITS system are derived from a number of transportation-related sources and may or may not represent the transportation communities' complete needs as they know them. More importantly, the services and applications defined in the Project **MESA** SoR are intended to enhance, not replace, the existing wireline, fibre optic or microwave infrastructures used to provide the travelling public with an ITS system.

NOTE: See clause A.7.

Annex V (normative): The use of technologies and the compatibility requirement for the various applications

A second component of land transportation is public mass transit (i.e., trains, ferries, light-rail systems, monorail systems, air transport and buses), which transports hundreds of thousands of passengers each day. These organizations have direct responsibility for the safety and general welfare of their passengers during the time the transportation service is taking place. Emergency mass transportation incidents can arise as a result of human error, equipment failure, terrorism, and environmental factors, such as weather conditions and natural disasters. Operational needs to address these issues are incorporated in the Project **MESA** SoR, which provides the users' perspective of the types of applications, services and technologies they believe will be needed to continue to improve both the performance and safety of these types of transportation.

V.1 Data to be transported

The Project **MESA** specifications and standards should comply with the SoR's basic requirement for immediate, error-free transfer and display of all forms of data, including but not limited to, text, voice, video, infrared video, photos, detailed graphical information, such as maps, engineering plans or drawings, and fingerprints, active files, reports, and all other applications as may otherwise be specified in the present document.

V.2 General

General Specifications and standards that are compliant with the present document will reflect the fact that a need exists for real-time support of wireless mobile and portable computer systems. The interface for this kind of service should be capable of transmitting and receiving routine data queries and responses, electronic mail, location data and other graphics. It shall also be capable of transmitting and receiving incident-specific data, intelligence, and command and control information. The Project **MESA** SoR assumes the rapid market penetration of portable two-way radios into law enforcement and other public safety communities will continue and further perpetuate the need for a very high-speed data transmission and retrieval system.

Project **MESA**'s specifications and standards should provide a flexible platform that allows field computers to remotely access automated information systems and files. Field computers, as defined in the present document, may be used for dispatch or field support to perform real-time changes to host system data files and/or access active host files.

Subscriber radio and computer equipment referenced in the present document may be vehicle-mounted or a hand-held portable unit.

The specifications and standards that are written to comply with the Project **MESA** SoR should include the capabilities to minimize RF network data and message routing, and transport time is targeted to be no more than 400 milliseconds.

NOTE: 400 milliseconds in alignment with ITU Recommendations for Satellite. The SoR recognizes that Network Time Delay may be impacted by other factors, such as final system design and size of network.

V.3 Electronic messaging

Specifications and standards written to be compliant with the Project **MESA** SoR should include **MESA** user devices with status and control features and functions and should also be able to provide essential user-defined status messaging on an optional basis.

The specifications and standards that are written to comply with the Project **MESA** SoR should support technology that will allow the field **MESA** user device to access and transmit information that is magnetically stored on an individual's driver's license or other type of personal identification card. Although these specifications and standards are intended to allow for the transmission and reception of data from these cards, they are not at this time intended to include the specifications and standards for the card readers themselves.

It is expected that the specifications and standards created to comply with the Project **MESA** SoR also include the appropriate technical requirements to ensure system and network users have the ability to transmit real-time telemetry information from field locations (fixed, mobile, or portable) to fixed, or in some cases, mobile or portable control points. This telemetry information may be used to monitor the functions of a system, site, or device. These monitoring functions may also incorporate personal paging devices used to provide administrative and emergency alerts for field personnel. Implicit in these requirements is the requirement to allow messaging to be inputted into the network or system from **MESA** user devices. The input from those devices may be transmitted to a single **MESA** user device, multiple **MESA** user devices, a single **MESA** router, multiple **MESA** routers or any combination of the above.

Public safety specifications and standards that are created to be compliant with the present document should also include the ability to provide end-to-end system or network encrypted messaging.

The specifications and standards that are compliant with Project **MESA** should include the capability to provide field personnel access to a simple service-wide or system-wide "panic button" that will activate a general alarm, which may be received by a predefined table of **MESA** devices. All such alarms will take priority over all other voice or data traffic on a Project **MESA** compliant system or network.

Project **MESA**-compliant specifications and standards should also support a broadband telecommunications technology that provides the capability to change signs and public information systems. Authorized agents should have the ability to dynamically change visible street signs/message boards and/or other electronic media devices that will alert the public to potential hazards, dangers or delays.

The specifications and standards written to comply with the Project **MESA** SoR should allow for the remote transmission of and access to an agency or agencies' standard uniform crime reports.

The specifications and standards written to comply with the Project **MESA** SoR should allow for the ability for authorized personnel to remotely transmit and/or receive information on public safety traffic reports. These reports may include both text, video, and complex diagrams.

The specifications and standards that are written to comply with the present document should support the transparent, secure, wireless access (authenticated and encrypted) to information systems such as driver's license and vehicle registration files that are maintained at the local, regional or national Department of Motor Vehicles (DMV).

The specifications and standards written to comply with the Project **MESA** SoR should allow for the remote transmission of and access to criminal justice command and control information. Access to this information will be based on a prior authorization table established at the host processor. (Scope and content of Command and Control files is not intended to be a component of the Project **MESA** specifications and standards.)

At a minimum the specifications and standards written to comply with the Project **MESA** SoR should be able to provide access to the following types of files, for example:

- a) Individual wanted and missing persons files.
- b) International, national, regional, and local history tracking files.
- c) Case management files.
- d) Resource Inventory Files.
- e) Maps.
- f) Plans.
- g) Charts.
- h) Graphic depictions.
- i) Administrative text reports.
- j) Statistical reports and complex spread sheets.
- k) Complex engineering data.
- l) Complex mathematical calculations.

- The specifications and standards written to comply with the Project **MESA** SoR will support the transmission of secure (authenticated and encrypted) access to the following types of files:
 - a) International, national, regional, and local offender file.
 - b) International, national, regional, and local victim file.
 - c) Non-offender files as may be appropriate.
 - d) Incident/complaint file as may be appropriate.
 - e) International, national, regional, and local witness file.
 - f) International, national, regional, and local apprehension file.
 - g) Agency case files as appropriate.
 - h) Agency and court disposition of charges files.

V.4 Encryption

Specifications and standards that are compliant with the Project **MESA** SoR will include a high level of security that will fulfil public safety future needs and requirements. Those needs and requirements will include the extensive use of wireless data and voice systems. These systems should be capable of being encrypted for the extremely secure transmission of all voice and data traffic.

The specifications and standards written to comply with the Project **MESA** SoR should include the optional capabilities for robust **MESA** user device and network security as outlined elsewhere in the present document.

The specifications and standards that are written to comply with the Project **MESA** SoR should include the option of having fully encrypted systems and networks. Fully encrypted systems and networks would include all associated control channels and the use of password access codes if applicable.

The countries that are participating in the Project **MESA** SoR process believe that future information technology requirements mandate a high level of security for a majority of their governmental and public safety functions. Specifications and standards that are written to comply with the present document should include the capability to provide wireless, multimedia data systems using multiple types of encryption. In order to maximize the effectiveness of agents and officers in the field, a mobile office environment utilizing cryptographically protected wireless voice and data communications should be developed. (The term data includes all forms of data including video and telemetry.)

The specifications and standards written to comply with the Project **MESA** SoR should support transparent, secure (authenticated and encrypted) access to national governmental files.

Both network and application encryption shall be compliant with national legislation covering lawful interception.

V.5 Office of the future

Project **MESA** specifications and standards will be written to maximize the effectiveness of personnel in the field by creating the equivalent of a mobile office. The field environment of the office will be highly dependent on high-speed, wireless technology that allows field personnel full access to both host and on-board applications and transport facilities as stipulated within the present document. As noted previously, this mobile office will provide instantaneous voice, data, video, and infrared video access to an individual public safety officer's agency's data bank and personnel, and other authorized public safety data repositories and personnel. It will allow or provide for access to other agencies in the same public safety discipline or public safety personnel in different disciplines.

The specifications and standards written to comply with the Project **MESA** SoR should allow field **MESA** user devices to access one of many host processors at a very high data rate.

The specifications and standards created from the Project **MESA** SoR should create the foundation for a paperless operational environment through the use of high-speed, wireless, digital data links to and from field units. The paperless environment envisioned by the SoR includes the routing, distribution and deployment of public safety capital resources, including manpower, materials, equipment and inventory.

The specifications and standards written to comply with the Project **MESA** SoR should allow for the remote transmission of and access to all authorized criminal justice incident reports.

V.6 Transparent network and system access

Project **MESA** specifications and standards that are created from the present document will also provide transparent access to other public and private systems and networks.

The specifications and standards written to comply with the Project **MESA** SoR should support the capability to implement direct user point-of-entry systems.

The specifications and standards written to comply with the Project **MESA** SoR should allow for high-speed access to public safety and general government client server networks.

Specifications and standards created to comply with the Project **MESA** SoR should meet the needs of land, air, ground, and water transportation systems as may be outlined in the present document or any of its annexes.

V.7 ITS System Requirements

Specifications and standards that are created to comply with the Project **MESA** SoR should include the necessary technology platforms that allow for the following maritime services:

Transmission of short-range aids to navigation

Receipt and acquisition of vessel position, identification, and sailing intentions

Data dissemination with respect to ice conditions and/or port status.

ITS and other public safety providers share a common interest in the safety of the motoring public. Each of them requires a comprehensive telecommunications system or network to accomplish their individual mission. Specifications and standards that are compliant with the Project **MESA** SoR should include the capabilities to achieve each of these requirements as they are identified in the present document, its annexes and attachments, as well as any other requirements that may be added later.

Specifications and standards that comply with the Project **MESA** SoR will accommodate telecommunications links for point-to-point and point-to-multipoint control of systems and subsystems. Public safety features of the Intelligent Transport Systems network include the following:

- a) Emergency vehicle location tracking.
- b) Emergency vehicle route guidance.
- c) Emergency vehicle signal priority.
- d) Driver and personal security.
- e) Automatic collision notification.
- f) In-route driver information.
- g) In-vehicle signing.
- h) Incident detection and management.
- i) Probe data for traffic control.
- j) Transit management.

- k) Priority treatment for transit.
- l) Public travel security.
- m) Automated roadside inspections.
- n) Weight in motion.
- o) Automated vehicle classification.
- p) International border crossings.
- q) Electronic clearance.
- r) On-board safety monitoring.
- s) Hazardous materials incident response.
- t) Collision avoidance.
- u) Intersection collision avoidance.
- v) Safety readiness.
- w) Crash-restraint deployment.
- x) Automated highway system check-in.
- y) Highway-rail intersection safety.

V.8 Transmission of complex files

Project **MESA** specifications and standards will include the capability to send wireless transmissions of public and private data, such as complex spread sheets, floor plans, building plans, chemical test data, engineering data, environmental data, hazardous material data, fingerprints, iris scans and many other applications too numerous to mention. This information will be transmitted to and from fire-fighters, law enforcement officers, emergency health providers, and hazardous material teams, and other public safety emergency and operational personnel. To comply with the SoR, the specifications and standards should be written to allow for these transmissions from one or more units in the field to one or more base or fixed stations or other subscriber units.

The specifications and standards written to comply with the Project **MESA** SoR should support the capability to transmit electronic images from any **MESA** user device to any other **MESA** user device and/or a fixed base location. These images include suspect mug shots, photographs of missing persons, crime scene photos, DMV license photos, photographs of articles of evidence, aerial photos of disaster scenes for damage assessment, photos of medical patient for remote diagnosis/triage, aerial and infrared photos of fire scenes, and related photos of importance to government officials using the high-speed data network.

The specifications and standards written to comply with the Project **MESA** SoR should support the capability to transmit graphical depictions of fires, accident scenes, natural disasters, chemical spills, structural data and other complex graphical information from any **MESA** user device to any other **MESA** user device and/or a fixed base location.

The technology specifications and standards that are compliant with the Project **MESA** SoR will include the capability for public entities to transmit and receive still, full-motion and slow scan images to manage and maintain the oversight and security of their assets and capital resources. The technology built to comply with the present document should allow for the transmission of complex building and structural plans, telecommunications wiring, electrical schematics, heating and ventilation system plans, water, sewage, and gas pipe routings, plus showing all entrances and exits as well as the location of any hazardous materials. Specifications and standards that comply with the present document will allow the user to accurately identify and locate their capital resource and other inventories using a Global Location System (GLS). Accuracy for all of these requirements depends on the availability of GLS in any given area since GLS is provided by many means, including transmission over dedicated public safety frequencies.

The specifications and standards that are written to comply with the Project **MESA** SoR should include the capability to rapidly transmit multi-point fingerprints from the officer in the field to one or more base units and the capability to rapidly transmit multi-point fingerprints from specified base units to one or more **MESA** user devices in the field.

All specifications and standards that are written to comply with the Project **MESA** SoR should be able to transmit real-time iris scans from the officer or official in the field to one or more control points or **MESA** user devices.

V.9 System integrations and interoperability

Specifications and standards that are written for Major Incident Management should be compliant with the Project **MESA** SoR and include the capability to provide transparent integration and interoperability with a multitude of public safety and public service agencies. To comply with the SoR, specifications and standards should provide disaster management and control capabilities. Those capabilities will be used to greatly enhance the ability of the user to send and display information formatted as text and graphics. Any command and control specifications and standards that do not include the ability to communicate with and assist cooperating agencies during the management of a disaster would be unacceptable. Specifically, a standard for the exchange of information on emergency incidents should be established.

The specifications and standards written to comply with the Project **MESA** SoR should include the inherent ability to install a high level of redundancy throughout the system or network platform to ensure a non-interruptible operational capability during a man-caused or natural disaster.

The specifications and standards written to comply with the Project **MESA** SoR will include adequate network and system security to protect the network or subscriber units from unwanted intruders, while allowing for the authorized and authenticated transparent access of Emergency Management personnel to other public safety network and system services.

The specifications and standards that are written to be compliant with the Project **MESA** SoR should be able to function during a major incident and be capable of interconnecting one or more public safety providers for different services. This point-to-point or point to multiple points interconnection should be able to take place either on a subscriber to subscriber or subscriber to fixed base or fixed base to fixed base or any combination of the above. With major incidents, multiple agencies often need to be able to monitor another agency's video transmissions, but the ability to access public safety video should be based on a "need-to-know" or incident management basis. Specifications and standards written to meet this requirement should include adequate encryption and authentication to ensure the level of security that may be required by the end user(s).

V.10 Transmission of user and patient monitoring telemetry

Project **MESA**'s specifications and standards that comply with the present document need to allow for the capability of remotely transmitting and receiving data for applications relating to patient care and other biomedical activities, including patient monitoring. Those may include, but not be limited to, the real time transfer of patient vitals signs and diagnostic data as well as the output of advanced diagnostic tools such as 12 lead ECG, Magnetic Resonance Imaging (MRI), ultra-sound reading and visual displays and other life-saving technology outputs and applications. Those transmissions should be capable of being sent from any field unit to any other field unit or to any base(s) units within the network or system.

V.11 Other public safety telemetry applications

The Project **MESA** SoR envisions specifications and standards that will accommodate the transmission of telemetry generated by the real-time monitoring of environmental changes, such as seismic movements, water levels in dams, water flow in rivers, tide levels, wind levels, weather station, snow level, rainfall and snow melt runoff, road surface temperature, bridge conditions, ice and salt surface conditions, air quality, water quality, well contamination, structural integrity, chemical integrity, heat levels, cooling levels and many other telemetry application now in use or projected to be in use by the time the Project **MESA** specifications or standards are scheduled for completion.

The specification and standards created to be compliant with the Project **MESA** SoR should also provide an interface to wildlife, sea life, and fish monitoring devices and networks.

Other forms of telemetry that have to be transmitted on a compliant system or network would include weather-related data, such as wind, rain, lightning, dust movement, barometric pressure, humidity, vegetation moisture content, and soil moisture content.

The specifications and standards that are compliant with the Project **MESA** SoR should provide for the transmission of search and rescue incident information from ground, water or airborne platforms to the incident command post and to rescue personnel on the ground.

The specifications and standards that are compliant with Project **MESA** should also be written to accommodate train to train-signalling and telemetry.

The specifications and standards that are written to comply with the Project **MESA** SoR should provide for the capability of transmitting real-time information from remote heat, movement, audio sensors, infrared video, and video scanners.

The specifications and standards that are created to comply with the Project **MESA** SoR will be written to ensure the technology built to those standards is capable of transferring data obtained from the tracking of specific animals or herds of animals back to a centralized location. It should be emphasized that this tracking will be part of an identification process of present and future migratory patterns that may be influenced by changes in environmental habitats. This data may then be analyzed either in the field in mobile laboratories or transmitted to one or more base units. This technology requirement is critical to wildlife management personnel in their efforts to project the survivability of a specific specie or species. The use of technology will help scientist and wildlife professional better understand what environmental and habitat conditions are needed to ensure the survival of a particular specie of wildlife.

V.12 Transmission of geographical location data

The specifications and standards created from the Project **MESA** SoR should also ensure the public safety officer in the field has instant access to Global Location System data and network or system clocking, automatic vehicle locations systems, person or equipment location data and any other transportation and communications technology that will improve resource management. They should also be written to include the ability to conduct various forms of remote monitoring, including, but not limited to, audio, video, infrared video, telemetry, tracking or movement, flow, heat, force, chemical makeup, and other critical public safety-related data monitoring functions. One of those monitoring functions is to detect the location of and forward automatic distress signals from various public safety disciplines.

The specifications and standards written to comply with the Project **MESA** SoR should support the transmission of a combination of GLS information and graphical and topographical maps to identify specific locations of public safety concern.

Specifications and standards that are written to be compliant with the Project **MESA** SoR should ensure public safety users can allocate bandwidth on demand for vehicle tracking systems and other critical applications.

The specifications and standards that are created to comply with the Project **MESA** SoR should embody technology, which enables the system to determine the position of **MESA** user devices inside buildings.

For the purpose of the Project **MESA** SoR, the term vehicles will include, but not be limited to, trucks, cars, trains, boats, motorcycles, airplanes and other modes of transportation as may be appropriate.

V.13 ITS video requirements

Video requirements for transportation management may include real-time situation updates from on-scene units to command centers. Multiple agencies may need to have the capability of monitoring another agency's video transmissions; however, this capability should be controlled through a need-to-know or incident-management process. Service may be encrypted and require authentication.

V.14 Transmission of full-motion video

The specifications and standards written to be compliant with the Project **MESA** SoR should provide for the capability of all public safety services to fully use full-motion video in either a fixed and/or mobile situation. Full-motion video applications will include, but not be limited to, the following:

- Vehicle pursuits.
- On-site undercover surveillance.
- Medical didactic.
- Fire management.
- Hazardous material spill management (HAZMAT).
- Natural disaster site control.
- On-scene criminal investigations.
- On-scene accident investigations.
- On-scene public disturbance control.
- On-scene bomb render safe or disruption procedures.

The specifications and standards written to comply with the Project **MESA** SoR should include the capability of transmitting full-motion or still-image sequences from any **MESA** user device to any other **MESA** user device and/or **MESA** routers/**MESA** switches.

The specifications and standards written to be compliant with the Project **MESA** SoR should provide for the capability of transmitting full-motion video from a **MESA** user device to one or more **MESA** user devices. The same unit should be capable of receiving video from another **MESA** user device.

The specifications and standards written to be compliant with the Project **MESA** SoR should provide for the capability of transmitting full video from a fixed station in the system or network to one or more other fixed stations in the system or network. The same fixed station should be capable of receiving full-motion video from other fixed stations in the system or network.

The specifications and standards written to comply with this Project **MESA** SoR should provide for the use of airborne video platforms. Those airborne video links should be capable of interconnecting with one or more **MESA** user devices, one or more **MESA** routers, or any combination of the above.

V.15 Robotics with full-motion video

- a) The specifications and standards written to be compliant with the Project **MESA** SoR should provide the capability to remotely control all features and functions of wireless robotic devices.
- b) The specifications and standards written to be compliant with the Project **MESA** SoR should provide the capability of wireless remote control of the robotics devices on-board (internal) microphones and speakers.
- c) The specifications and standards written to be compliant with the Project **MESA** SoR should provide the capability of wireless remote control of the robotic devices guidance system.
- d) The specifications and standards written to be compliant with the Project **MESA** SoR should provide the capability of wireless remote control of the robotics devices electro-mechanical arms.
- e) Specifications and standards written to be compliant with the Project **MESA** SoR should provide the capability of wireless remote control of the robotics devices electro-mechanical tilt, height, motor, and speed controls.

- f) The specifications and standard written to be compliant with the Project **MESA** SoR should provide the capability of wireless remote control of the robotics device's electro-mechanical arms and handgrip, strength, and lift control.
- g) The specifications and standards written to be compliant with the Project **MESA** SoR should provide the capability of wireless remote control of the robotics device's chemically sniffed and analyzing computer.
- h) The specifications and standards written to be compliant with the Project **MESA** SoR should provide for the capability to remotely download and upload programming instructions to and from the robot's master control unit.
- i) The specifications and standards written to be compliant with the Project **MESA** SoR should provide for the capability to remotely transmit full-motion video, slow scan video, and infrared video from a robotic device to its control unit.
- j) The specifications and standards should be written to allow for all remote control equipment to be placed at least 1 000 feet from the robotic device.
- k) The specifications and standards written to be compliant with the Project **MESA** SoR should ensure the robotics' device communications link is capable of transmitting and receiving a very high-resolution video signal and/or photographic images. These services will be used to assist public safety officials in performing their assigned tasks.
- l) The specifications and standards that are created from the Project **MESA** SoR should include the capabilities necessary to penetrate difficult communications environments, such as tunnels, mine shafts, fallen buildings, intense heat, extreme cold, adverse weather and environmental conditions, and other potential search and rescue locations that are not conducive to normal commutations.

V.16 Transmission of still-photographs and images

The specifications and standards that are created to comply with the Project **MESA** SoR should include the capability to rapidly transmit sequences of still photographs and other high-resolution images.

The specifications and standards that are written to comply with the Project **MESA** SoR should provide the capability to transmit high-resolution copies of documents, such as drivers' licenses, passports and criminal history photographs.

Annex W (normative): UK Highways Agency - Intelligent Transport Systems (ITS)

W.1 Objectives

The prime objective of the UK Highways Agency is to deliver a high quality service to their customers by:

- Reducing congestion and improving reliability through:
 - a programme of improvements to the strategic road network;
 - improved management of incidents and road works; and
 - influencing travel behaviour through better information to inform journey choices.
- Improving road safety.
- Respecting the environment.

W.2 The English strategic road network

The Highways Agency's road network provides a vital service to commerce and industry and has a huge impact on the lives of individuals and communities. It comprises various types of roads ranging from motorways carrying 200 000 vehicles per day to single carriageway trunk roads carrying fewer than 10 000 vehicles per day.

The strategic road network has been divided into "core" and "non-core" roads³ and comprises approximately 2 % of England's roads - about 8 255 km (5 130 miles) out of a total of 300 000 km (186 000 miles) - but carries nearly a third of all traffic and two thirds of all freight.

The purpose of the core network is to provide reliable and safe long-distance journeys, linking the main centers of population as well as improving accessibility to the peripheral regions, major ports, airports and rail terminals.

W.3 Highways Agency. Transportation's organizational mandates and missions

Organizations at local, wide area, and national government levels, charged with the planning, construction, management and maintenance of many forms of transportation systems, fall into this public safety category. Their mission may include the construction and management of complex transportation systems responding to events such as snowstorms, mudslides, flooding, earthquakes, and hazardous material spills in order to allow other public safety providers and the general public safe passage on the world's transportation infrastructures. The use of a fast, efficient telecommunications infrastructure is critical to their mission.

The mission of public safety transportation providers is to serve the public by establishing, operating, and maintaining a high quality, cost-effective road and highway transportation system that emphasizes safety and vehicular traffic and passenger throughput.

W.4 Intelligent Transport Systems

Many of these public and public safety transportation organizations require what is commonly designated as an Intelligent Transportation System. These systems range from public dissemination of information to monitoring transportation corridors and transport vehicles regarding weight, height, and fuel permits. Innovative applications planned within these services are critical to public safety providers.

ITS services and applications will represent a broad range of applications that will enhance the performance of public transportation systems and improve the ability of other public safety providers to achieve their mission. The Project MESA SoR operational requirements for an ITS system are derived from a number of transportation-related sources and may or may not represent the transportation communities' complete needs as they know them. More importantly, the services and applications defined in the Project MESA SoR are intended to enhance, not replace, the existing wireline, fibre optic or microwave infrastructures used to provide the travelling public with an ITS system.

W.5 ITS System Requirements

ITS and other public safety providers share a common interest in the safety of the motoring public. Each of them requires a comprehensive telecommunications system or network to accomplish their individual mission. Specifications and standards that are compliant with the Project MESA SoR should include the capabilities to achieve each of these requirements as they are identified in the present document, its annexes and attachments, as well as any other requirements that may be added later.

Specifications and standards that comply with the Project MESA SoR will accommodate telecommunications links for point-to-point and point-to-multipoint monitoring of and potentially, control of, systems and subsystems. Public safety features of the Intelligent Transport Systems network include the following:

- a) Emergency vehicle location tracking.
- b) Emergency vehicle route guidance.
- c) Emergency vehicle signal priority.
- d) Driver and personal security.
- e) Automatic collision notification.
- f) In-route driver information.
- g) In-vehicle signing.
- h) Incident detection and management.
- i) Probe data for traffic control.
- j) Transit management.
- k) Priority treatment for transit.
- l) Public travel security.
- m) Automated roadside inspections.
- n) Weight in motion.
- o) Automated vehicle classification.
- p) International border crossings.
- q) Electronic clearance.
- r) On-board safety monitoring.
- s) Hazardous materials incident response.
- t) Collision avoidance.
- u) Intersection collision avoidance.
- v) Safety readiness.
- w) Crash-restraint deployment.

- x) Automated highway system check-in.
- y) Highway-rail intersection safety.
- z) Fixed and mobile CCTV network.

Further requirements for a MESA network to support UK Highways Agency ITS:

- The ability to access and transmit information that is magnetically stored on an individual's driver's license or other type of personal identification card.
- The capability to change signs and public information systems. Authorized agents should have the ability to dynamically change visible street signs/message boards and/or other electronic media devices that will alert the public to potential hazards, dangers or delays.
- The capability for public entities to transmit and receive still, full-motion and slow scan images (from the fixed and mobile CCTV network of cameras) to manage and maintain the oversight and security of the road network.
- Specifications and standards that are created to comply with the Project MESA SoR should include the necessary technology platforms that allow for the following maritime services:
 - a) Transmission of short-range aids to navigation.
 - b) Receipt and acquisition of vessel position, identification, and sailing intentions.
 - c) Data dissemination with respect to ice conditions and/or port status.

NOTE: The above are general ITS system requirements and are beyond the specific needs of the UK Highways Agency.

- The Project MESA SoR envisions specifications and standards that will accommodate the transmission of telemetry generated by the real-time monitoring of environmental changes, such as seismic movements, water levels in dams, water flow in rivers, tide levels, wind levels, weather station, snow level, rainfall and snow melt runoff, road surface temperature, bridge conditions, ice and salt surface conditions, air quality, water quality, well contamination, structural integrity, chemical integrity, heat levels, cooling levels and many other telemetry application now in use or projected to be in use by the time the Project MESA specifications or standards are scheduled for completion.
- Other forms of telemetry that have to be transmitted on a compliant system or network would include weather-related data, such as wind, rain, lightning, dust movement, barometric pressure, humidity, vegetation moisture content, and soil moisture content.

W.6 ITS video requirements

Video requirements for transportation management may include real-time situation updates from on-scene units to command centers. Multiple agencies may need to have the capability of monitoring another agency's video transmissions; however, this capability should be controlled through a need-to-know or incident-management process. Service may be encrypted and require authentication.

W.7 Transmission of full-motion video

- The capability of all public safety services to fully use full-motion video in either a fixed and/or mobile situation. Full-motion video applications will include, but not be limited to, the following:
 - a) Hazardous material spill management (HAZMAT).
 - b) Natural disaster site control.
 - c) On-scene (roadside) accident investigations.

- The capability of transmitting full-motion or still-image sequences from any MESA user device to any other MESA user device and/or MESA routers/MESA switches.
- The capability of transmitting full-motion video from a MESA user device to one or more MESA user devices. The same unit should be capable of receiving video from another MESA user device.

The capability of transmitting full video from a fixed station in the system or network to one or more other fixed stations in the system or network. The same fixed station should be capable of receiving full-motion video from other fixed stations in the system or network.

W.8 Transmission of still-photographs and images

- The capability to rapidly transmit sequences of still photographs and other high-resolution images.

The capability to transmit high-resolution copies of documents, such as drivers' licenses, passports and criminal history photographs.

Annex X (informative): Bibliography

ITU-R Report M.2033: "Radiocommunication objectives and requirements for public protection and disaster relief".

MESA 70.003: "Project MESA; Service Specification Group - Services and Applications; Basic requirements SoR matrix".

History

Document history		
V3.1.1	December 2002	Publication
V3.1.2	January 2005	Publication
V3.2.1	February 2006	Publication
V3.3.1	March 2008	Publication