



**Core Network and Interoperability Testing (INT);
Originating Identification Presentation (OIP) and
Originating Identification Restriction (OIR) using
IP Multimedia (IM) Core Network (CN) subsystem;
Conformance test specification
(3GPP Release 10);
Part 1: Protocol Implementation
Conformance Statement (PICS)**

Reference

RTS/INT-00125-1

Keywords

OIP, OIR, PICS, SIP, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	4
Introduction	4
1 Scope	5
2 References	6
2.1 Normative references	6
2.2 Informative references.....	6
3 Definitions and abbreviations.....	6
3.1 Definitions	6
3.2 Abbreviations	7
4 Conformance to this PICS proforma specification.....	7
4.0 Introduction	7
4.1 Guidance for completing the PICS proforma	7
4.1.1 Purposes and structure	7
4.1.2 Abbreviations and conventions.....	7
4.1.3 Instructions for completing the PICS proforma	8
4.2 Identification of the implementation	8
4.2.0 Introduction.....	8
4.2.1 Date of the statement	8
4.2.2 Implementation Under Test (IUT) identification.....	9
4.2.3 System Under Test (SUT) identification	9
4.2.4 Product supplier	9
4.2.5 Client (if different from product supplier)	10
4.2.6 PICS contact person.....	10
4.3 Identification of the ETSI TS 124 607	10
4.4 Global statement of conformance.....	11
4.5 Roles.....	11
4.6 User role	11
4.6.0 Introduction.....	11
4.6.1 Major capabilities	11
4.7 Network role.....	11
4.7.0 Introduction.....	11
4.7.1 Major capabilities	12
History	13

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Core Network and Interoperability Testing (INT).

The present document is part 1 of a multi-part deliverable covering the Conformance Test Specification of Originating Identification Presentation (OIP) supplementary service and the Originating Identification Restriction (OIR) supplementary services using IP Multimedia (IM) Core Network (CN) subsystem, as identified below:

Part 1: "Protocol Implementation Conformance Statement (PICS)";

Part 2: "Test Suite Structure and Test Purposes (TSS&TP)".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called an Implementation Conformance Statement (PICS).

1 Scope

The present document provides the Implementation Conformance Statement (ICS) proforma for the Originating Identification Presentation (OIP) supplementary service and the Originating Identification Restriction (OIR) supplementary services, based on stage one and two of the ISDN and CLIR supplementary service defined in ETSI TS 124 607 [1] in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [4] and ETSI ETS 300 406 [2].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 124 607: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification (3GPP TS 24.607 Release 10)".
- [2] ETSI ETS 300 406 (10-1995): "Methods for testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [3] ISO/IEC 9646-1: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [4] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

Not applicable.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ETSI TS 124 607 [1], ISO/IEC 9646-1 [3], ISO/IEC 9646-7 [4] and the following apply:

ICS proforma: document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

Implementation Conformance Statement (ICS): A statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented. The ICS can take several forms: protocol ICS, profile ICS, profile specific ICS, information object ICS, etc.

Protocol ICS (PICS): ICS for an implementation or system claimed to conform to a given protocol specification

NOTE: This may contain additional information.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI TS 124 607 [1] and the following apply:

CLIR	Calling Line Identification Restriction
ICS	Implementation Conformance Statement
IUT	Implementation Under Test
OIP	Originating Identification Presentation
OIR	Originating Identification Restriction
PICS	Protocol ICS
SUT	System Under Test

4 Conformance to this PICS proforma specification

4.0 Introduction

If it claims to conform to the present document, the actual PICS proforma to be filled in by a supplier shall be technically equivalent to the text of the PICS proforma given in clause 4, and shall preserve the numbering/naming and ordering of the proforma items.

A PICS which conforms to the present document shall be a conforming PICS proforma completed in accordance with the guidance for completion given in clause 4.1.

4.1 Guidance for completing the PICS proforma

4.1.1 Purposes and structure

The purpose of this PICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in ETSI TS 124 607 [1] may provide information about the implementation in a standardized manner.

The PICS proforma is subdivided into clauses for the following categories of information:

- guidance for completing the PICS proforma;
- identification of the implementation;
- identification of the <reference specification type>;
- global statement of conformance;
- roles;
- user role:
 - major capabilities;
- - network role:
 - major capabilities.

4.1.2 Abbreviations and conventions

The PICS proforma contained in this clause is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [4].

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Status column

The following notations, defined in ISO/IEC 9646-7 [4], are used for the status column:

m	mandatory - the capability is required to be supported.
o	optional - the capability may be supported or not.
n/a	not applicable - in the given context, it is impossible to use the capability.

Reference column

The reference column makes reference to ETSI TS 124 607 [1], except where explicitly stated otherwise.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [4], are used for the support column:

Y or y	supported by the implementation.
N or n	not supported by the implementation.
N/A, n/a or -	no answer required (allowed only if the status is n/a, directly or after evaluation of a conditional status).

Prerequisite line

A prerequisite line takes the form: Prerequisite: <predicate>.

A prerequisite line after a clause or table title indicates that the whole clause or the whole table is not required to be completed if the predicate is FALSE.

4.1.3 Instructions for completing the PICS proforma

The supplier of the implementation shall complete the PICS proforma in each of the spaces provided. In particular, an explicit answer shall be entered, in each of the support column boxes provided, using the notation described in clause 4.1.2.

However, the tables containing in "user role" clause shall only be completed for user implementations, and the tables containing in "network role" clause shall only be completed for network implementations.

If necessary, the supplier may provide additional comments in space at the bottom of the tables or separately.

More detailed instructions are given at the beginning of the different clauses of the PICS proforma.

4.2 Identification of the implementation

4.2.0 Introduction

Identification of the Implementation Under Test (IUT) and the system in which it resides (the System Under Test (SUT)) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

4.2.1 Date of the statement

4.2.2 Implementation Under Test (IUT) identification

IUT name:

.....
.....

IUT version:

.....

4.2.3 System Under Test (SUT) identification

SUT name:

.....
.....

Hardware configuration:

.....
.....
.....

Operating system:

.....

4.2.4 Product supplier

Name:

.....

Address:

.....
.....
.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....
.....
.....

4.2.5 Client (if different from product supplier)

Name:

.....

Address:

.....

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

4.2.6 PICS contact person

(A person to contact if there are any queries concerning the content of the ICS)

Name:

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

4.3 Identification of the ETSI TS 124 607

This PICS proforma applies to ETSI TS 124 607 [1].

4.4 Global statement of conformance

Are all mandatory capabilities implemented? (Yes/No)

NOTE: Answering "No" to this question indicates non-conformance to the <reference specification type> specification. Non-supported mandatory capabilities are to be identified in the PICS, with an explanation of why the implementation is non-conforming, on pages attached to the PICS proforma.

4.5 Roles

Table 4.1: Roles

Item	Item description	Reference	Status	Support
1	User	4.5.2.1, 4.5.2.12/[1]	o.1	
2	Network	4.5.2.4, 4.5.2.9/[1]	o.1	

o.1: It is mandatory to support exactly one of these items.

Comments:

.....

4.6 User role

4.6.0 Introduction

This clause contains the PICS proforma tables related to the user role. They need to be completed only for user implementations:

Prerequisite: 4.1/1 -- user role

4.6.1 Major capabilities

Table 4.2: User related requirements and options

Item	Item description	Reference	Status	Support
1	Is the implementation an originating user equipment?	4.5.2.1/[1]	o	
2	Does the originating user equipment inserts P-Preferred-Identity header field?	4.5.2.1/[1]	o	
3	Is the terminating user a terminating user equipment?	4.5.2.12/[1]	o	

Comments:

.....

4.7 Network role

4.7.0 Introduction

This clause contains the PICS proforma tables related to the Network role. They need to be completed only for network implementations:

Prerequisite: 4.1/2 -- network role

4.7.1 Major capabilities

Table 4.3: Network related requirements and options

Item	Item description	Reference	Status	Support
1	Does the Application Server serving the originating user modify the From header field to remove the identification information or set the Privacy header value to "user" if the originating user identity is restricted?	4.5.2.4/[1]	o	
2	Does the Application Server serving the originating user set the From header field to the default public user identities if the received From header field does not match with one of the registered public user identities?	4.5.2.4/[1]	o	
3	Does the originating user subscribe the "no screening" special arrangement?	4.5.2.4/[1]	o	
4	Does the SUT supports the OIR service in permanent mode?	4.5.2.4/[1]	o	
5	Does the SUT supports the OIR service in temporary mode?	4.5.2.4/[1]	o	
6	Does the Application Server serving the terminating user anonymize the contents of the From header by setting it to a default non significant value if the terminating user does not subscribe the OIR service?	4.5.2.9/[1]	o	
7	Does the network serving the terminating user support the override category?	4.5.2.9/[1]	o	
8	Does the Application Server serving the terminating user removes the Privacy header value 'id' if it removes the P-Asserted-Identity or the terminating user has an override category?	4.5.2.9/[1]	o	

Comments:

.....

History

Document history		
V1.1.1	October 2006	Publication
V2.1.1	October 2015	Publication