

Draft **EN 301 271** V1.1.1 (1998-06)

European Standard (Telecommunications series)

**Telecommunications Management Network (TMN);
Management interfaces associated
with the VB5.1 reference point**



Reference

DEN/TMN-00004 (bro00ico.PDF)

Keywords

TMN, Q3 interface, ATM, configuration, management, performance, V5 interface, OAM

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr
<http://www.etsi.fr>
<http://www.etsi.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.
All rights reserved.

Contents

Intellectual Property Rights.....	6
Foreword	6
1 Scope.....	7
2 References.....	7
3 Definitions, abbreviations, and conventions.....	8
3.1 Definitions	8
3.2 Abbreviations.....	8
3.3 Conventions	9
4 General Overview	9
4.1 Entity-Relationship Models	10
4.1.1 Entity relationship diagram for the service node	11
4.1.2 Entity relationship diagram for the access network.....	12
4.1.3 Entity relationship diagram for circuit emulation.....	13
4.2 Inheritance Hierarchy.....	14
5 Formal Definitions	15
5.1 Object classes.....	15
5.1.1 ATM Generic Fragment.....	16
5.1.1.1 ATM fabric (atmFabric).....	16
5.1.1.2 TC adaptor TTP bi-directional (tcAdaptorTTPBidirectional).....	16
5.1.2 VB5 specific fragment.....	16
5.1.2.1 Communications path for broadband (commPathBb).....	16
5.1.2.2 Logical service port (logicalServicePort).....	17
5.1.2.3 Logical service port for VB5.1 (lspVb51).....	17
5.1.2.4 Logical service port for VB5.1 in the access network (lspVb51An).....	17
5.1.2.5 Logical service port for VB5.1 in the service node (lspVb51Sn).....	18
5.1.2.6 Logical User Port (logicalUserPort).....	18
5.1.2.7 RTMC communications path for broadband (rtmcCommPathBb).....	18
5.1.2.8 TC adaptor TTP extension (tcAdaptorTtpExtension).....	18
5.1.2.9 UNI access VB5 (uniAccessVb5).....	19
5.1.2.10 VPC at Logical User Port (vpcLup).....	19
5.1.2.11 VP CTP bi-directional VB5 (vpCtpBidirectionalVb5).....	19
5.1.2.12 VP TTP bi-directional VB5 (vpTtpBidirectionalVb5).....	20
5.2 Name bindings	20
5.2.1 commPathBb-logicalServicePort	20
5.2.2 logicalServicePort-managedElementR1	20
5.2.3 logicalUserPort-managedElementR1	20
5.2.4 tcAdaptorTtpExtension-tcAdaptorTTPBidirectional	20
5.2.5 vpcLup-uniAccessVb5	21
5.2.6 vcCTPBidirectional-managedElementR1.....	21
5.3 Definition of packages	21
5.3.1 Automatic VPCI consistency check package (automaticVpciConsistencyCheckPkg).....	21
5.3.2 Check logical service port identification package (checkLspIdentificationPkg).....	21
5.3.3 Check VPCI consistency package (checkVpciConsistencyPkg).....	21
5.3.4 Partial administrative state package (partialAdministrativeStatePkg).....	21
5.3.5 Remote blocking VB5 package (remoteBlockingVb5Pkg).....	22
5.3.6 Reset package (resetPkg)	22
5.3.7 Start-up logical service port package (startupLspPkg).....	22
5.3.8 VP CTP and VPCI pointer list package (vpCtpAndVpciPtrListPkg).....	22
5.4 Definition of attributes	22
5.4.1 Communications path for broadband identifier (commPathBbId)	22
5.4.2 Logical service port activation state (lspActivationState)	22
5.4.3 Logical service port identifier (logicalServicePortId).....	22
5.4.4 Logical service port number (logicalServicePortNumber).....	23

5.4.5	Logical service port pointer (logicalServicePortPtr).....	23
5.4.6	Logical user port identifier (logicalUserPortId).....	23
5.4.7	Logical user port number (logicalUserPortNumber).....	23
5.4.8	Partial administrative state (partialAdministrativeState).....	23
5.4.9	Remote blocking reason VB5 (remoteBlockingReasonVb5).....	24
5.4.10	Remote blocking VB5 (remoteBlockingVb5).....	24
5.4.11	TC adaptor extension identifier (tcAdaptorExtensionId).....	24
5.4.12	VPC at logical user port identifier (vpcLupId).....	24
5.4.13	VPC at logical user port number (vpcLupNumber).....	24
5.4.14	VP CTP and VPCI pointer list (vpCtpAndVpciPtrList).....	25
5.4.15	VP TTP and VPCI pointer list (vpTtpAndVpciPtrList).....	25
5.5	Definition of actions.....	25
5.5.1	Reset (reset).....	25
5.5.2	Start-up logical service port (startupLsp).....	25
5.5.3	Check VPCI consistency (checkVpciConsistency).....	25
5.5.4	Check logical service port identification (checkLspIdentification).....	26
5.6	Definition of notifications.....	26
5.6.1	Automatic VPCI consistency check initiated (automaticVpciConsistencyCheckInitiated).....	26
5.6.2	Automatic VPCI consistency check result (automaticVpciConsistencyCheckResult).....	26
5.6.3	Reset result (resetResult).....	26
5.7	Definition of parameters.....	26
5.7.1	Cause value (causeValue).....	26
6	Type Definitions.....	27
7	Protocol stacks.....	28
Annex A (normative): Management Requirements.....		29
A.1	General management requirements.....	29
A.1.1	General configuration management requirements.....	29
A.1.2	ATM transport layer configuration requirements.....	29
A.1.2.1	Configuration of OAM cells.....	29
A.2	Real time management co-ordination requirements.....	29
A.2.1	Configuration management requirements.....	29
A.2.1.1	General configuration management requirement.....	29
A.2.1.2	Common configuration management requirement for AN and SN.....	29
A.2.1.2.1	Shutting-down of VPs.....	29
A.2.1.2.2	VB5 interface ID checking.....	29
A.2.1.2.3	Handling of VB5 primitives.....	29
A.2.1.2.4	Co-ordination of VP and VC resources.....	30
A.2.1.2.5	Non B-ISDN accesses.....	30
A.2.1.3	Configuration management requirement for AN.....	30
A.2.1.4	Configuration management requirement for SN.....	30
A.2.1.4.1	Assignment of indirect accesses.....	30
A.2.1.4.2	Co-ordination of indirect accesses with logical user ports.....	30
A.2.1.4.3	Consistency of configuration.....	30
A.2.2	Fault management requirements.....	30
A.2.2.1	Alarm surveillance requirements.....	30
A.2.2.1.1	General alarm surveillance requirements.....	30
A.2.2.1.1.1	Co-ordination of operational states.....	30
A.2.2.2	Test and fault localization requirements.....	30
A.2.2.2.1	General test and fault localization requirements.....	30
A.2.2.2.1.1	Test traffic.....	30
A.3	Non real time management requirements.....	30
A.3.1	General configuration requirements.....	31
A.3.1.1	Co-ordinated VP and VC configuration.....	31
A.3.1.1.1	VPC checking.....	31
A.3.1.1.2	Co-ordination of port configuration data.....	31
A.3.1.1.3	Co-ordination of VPCI values.....	31

A.3.1.1.4	Consistency of configuration	31
A.3.1.2	Common configuration management requirement for AN and SN.....	31
A.3.1.3	Configuration management requirement for AN	31
A.3.1.4	Configuration management requirement for SN.....	31
A.3.1.4.1	Co-ordinated VC Switch-over	31
Annex B (normative):	Functional architecture.....	32
B.1	Functional architecture associated with VB5 reference point	32
Annex C (normative):	Relationship between VB5.1 interfaces and the management model.....	34
C.1	Introduction.....	34
C.2	LSP, LUP and VPCI labels	35
C.3	Shutting down	35
C.4	Blocking and unblocking	35
C.5	VPCI consistency checking.....	36
C.6	Start-up.....	36
C.6.1	Activation by OS.....	36
C.6.2	Automatic start-up	38
C.7	LSP identity checking	39
C.8	Reset.....	39
Annex D (informative):	Instantiation Examples	41
D.1	Conventions	41
D.2	VP cross connection.....	41
D.2.1	VP cross connection in the service node.....	42
D.2.2	VP cross connection in the access network.....	43
D.3	VC cross connection	44
D.3.1	VC cross connection in the service node	45
D.3.2	VC cross connection in the access network	46
	Bibliography	47
	History	49

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETR 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.fr/ipr> or <http://www.etsi.org/ipr>).

Pursuant to the ETSI Interim IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETR 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Telecommunications Management Network (TMN), and is now submitted for the ETSI standards One-step Approval Procedure.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

1 Scope

The present document specifies the management interfaces (Q3 interfaces and X interfaces) associated with the VB5.1 reference point [1], [2] and DE/SPS-03047-1 (see Bibliography) for the support of configuration, fault & performance management functions, including a management interface for co-ordinated management between the access networks and the service node (the X interface). Fault and performance management together include both passive monitoring of reports and active fault isolation.

The Q3 interface [5] is the TMN interface between network elements or Q-adapters which interface to OSs without mediation and between OSs and mediation devices. The X-interface [5] is the TMN interface between OSs.

Existing protocols are used where possible, and the focus of the work is on defining the object model. The definition of the functionality of TMN Operations Systems is outside the scope of the present document.

Q.2931 is supported at the UNI, and the ATM Forum UNI is supported for compatibility with the established base of ATM equipment.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, subsequent revisions do apply.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] ETR 257: "V interfaces at the digital Service Node (SN); Identification of the applicability of existing protocol specifications for a VB5 reference point in an access arrangement with Access Networks (ANs)".
- [2] EN 301 005-1: "V interfaces at the digital Service Node (SN); Interfaces at VB5.1 reference point for the support of broadband or combined narrowband and broadband Access Networks (ANs); Part 1: Interface specification".
- [3] ITU-T Recommendation G.851.01 (1996) "Management of the transport network – Application of the RM-ODP framework".
- [4] ITU-T Recommendation G.902 "Framework Recommendation on functional access networks - Architecture and functions, access types, management and service node aspects."
- [5] ITU-T Recommendation M.3010: "Principles for a Telecommunications Management Network".
- [6] ITU-T Recommendation M.3100(7/95): "Generic Network Information Model".
- [7] ITU-T Recommendation Q.82bcm (Draft new) "Broadband configuration management."
- [8] ITU-T Recommendation X.721 | ISO/IEC 10165-2 (1992): "Information technology - Open systems interconnection - Structure of management information: Definition of management information".
- [9] ITU-T Recommendation X.731 | ISO/IEC 10164-2 (1992): "Information technology - Open systems interconnection - Systems management: State management function".
- [10] ITU-T Recommendation I.751: "Asynchronous Transfer Mode (ATM) Management of the Network Element View".

- [11] ITU-T Recommendation X.721 | ISO/IEC 10165-2 (1992): "Information technology - Open systems interconnection - Structure of management information: Definition of management information".
- [12] ITU-T Recommendation Q.2931: "Digital Subscriber Signalling System No. 2 – User-Network Interface (UNI) layer 3 specification for basic call/connection control".
- [13] EN 301 064-1: "Telecommunications Management Network (TMN); Information models and protocols for the management and control of the Asynchronous Transfer Mode (ATM) switching network element; Part 1: Q3 interface specification".
- [14] ITU-T Recommendation Q.811: "Lower layer protocol profiles for the Q3 and X interfaces".
- [15] ITU-T Recommendation Q.812: "Upper layer protocol profiles for the Q3 and X interfaces".
- [16] ITU-T Recommendation G.773: "Protocol suites for Q-interfaces for management of transmission systems".
- [17] ITU-T Recommendation G.784: "Synchronous digital hierarchy (SDH) management".

3 Definitions, abbreviations, and conventions

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ITU-T Recommendation G.902 [4], EN 301 005-1 [2], ITU-T Recommendation I.751 [10] and the following apply.

resources: The management of user port functions and service port functions providing UNI and SNI functionality, respectively, are considered in the present document based on the framework defined in ITU-T Recommendation G.902 [4]. Transmission specific resources lie outside its scope.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply.

AAL	ATM Adaptation Layer
AIS	Alarm Indication Signal
AN	Access Network
ASN.1	Abstract Syntax Notation one
ATM	Asynchronous Transfer Mode
B-BCC	Broadband Bearer Connection Control
CTP	Connection Termination Point
ERD	Entity Relationship Diagram
GDMO	Guidelines for the Definition of Managed Objects
LSP	Logical Service Port
LUP	Logical User Port
MCF	Message Communication Function
MIB	Management Information Base
MOC	Managed Object Class
NNI	Network Network Interface
OAM	Operations, Administration, and Maintenance
OLT	Optical Line Terminal
ONU	Optical Network Unit
OS	Operation System
PON	Passive Optical Network
PSP	Physical Service Port
PUP	Physical User Port

RDI	Remote Defect Indication
RDN	Relative Distinguished Name
RTMC	Real Time Management Co-ordination
SDH	Synchronous Digital Hierarchy
SN	Service Node
SNI	Service Node Interface
TMN	Telecommunications Management Network
TTP	Trail Termination Point
UNI	User-Network Interface
VC	Virtual Channel
VDSL	Very high speed Digital Subscriber Line
VP	Virtual Path
VPC	Virtual Path Connection
VPCI	Virtual Path Connection Identifier

3.3 Conventions

Objects and their characteristics and associated ASN.1 defined here are given names with capitals used to indicate the start of the next word and acronyms are treated as if they were words.

Throughout the present document, all new attributes are named according to the following guidelines:

- The name of an attribute ends in the string "Ptr" if and only the attribute value is intended to identify a single object.
- The name of an attribute ends in the string "PtrList" if and only the attribute value is intended to identify one or more objects.
- The name of an attribute is composed of the name of an object class followed by the string "Ptr" if and only the attribute value is intended to identify a specific object class.
- If an attribute is intended to identify different object classes, a descriptive name is given to that attribute and a description is provided in the attribute behaviour.
- The name of an attribute ends in the string "Id" if and only the attribute value is intended to identify the name of an object, in which case this attribute should be the first one listed, should use ASN.1 NameType and should not be used to convey other information.
- The name of an attribute is composed of the name of an object class followed by the string "Id" if and only the attribute value is intended to identify the name of the object class holding that attribute.

4 General Overview

The following information model diagrams have been drawn for the purpose of clarifying the relations between the different object classes of the model:

- 1) Entity Relationship Models showing the relations of the different managed objects.
- 2) Inheritance Hierarchy showing how managed objects are derived from each other (i.e. the different paths of inherited characteristics of the different managed objects).

These different types of diagrams are only for clarification. The formal specification in terms of GDMO templates and ASN.1 type definitions are the relevant information for the implementation of the present document.

4.1 Entity-Relationship Models

The following conventions are used in the diagrams:





Figure 1: Conventions used in diagrams for Entity Relationship Models

Where the directionality of containment is not clear it can be identified by implications since the root class is unique.

ATM switching network elements are represented by instances of the class atmSwitch and this contains, either directly or indirectly, all other managed objects which represent parts of the ATM switch.

Names which end in "***" indicate sets of classes.


4.1.1 Entity relationship diagram for the service node



NOTE: Not all object classes of the SN are shown in the ERD. E.g. object classes uni, interNNI, intraNNI are reused unchanged from ITU-T Recommendation I.751.

Figure 2: Entity relationship diagram: service node

4.1.2 Entity relationship diagram for the access network



NOTE: Not all object classes of the AN are shown in the ERD. E.g. object classes uni, interNNI, intraNNI are reused unchanged from ITU-T Recommendation I.751.

Figure 3: Entity relationship diagram: access network

4.1.3 Entity relationship diagram for circuit emulation




Figure 4: Entity relationship diagram: circuit emulation

4.2 Inheritance Hierarchy

Figure 5 traces the inheritance relationships from the highest level object (ITU-T Recommendation X.721 [11], "top") to the managed objects which are defined in the present document.




Figure 5: Inheritance Hierarchy

5 Formal Definitions

This clause gives the formal definitions of the managed object classes, name bindings, general packages, behaviours, attributes, actions and notifications.

5.1 Object classes

This subclause specifies the object classes for all of the managed objects used in the management information model. These object classes are either defined here or by reference to other specifications. Classes of managed objects which are defined elsewhere and which are only used for containment are not included, but are identified by the name bindings for the classes specified here.

Unidirectional trails are modelled by bi-directional objects with the traffic descriptor in the unused direction set to a null value.

The following class which is defined in ITU-T Recommendation M.3100 [6] may be instantiated:

- managedElementR1.

The following classes which are defined in ITU-T Recommendation Q.82bcm (see bibliography) may be instantiated:

- aalProfile;
- aalProtocolCurrentData;
- aalProtocolHistoryData;
- cesServiceProfile;
- interworkingVCTTPBidirectional;
- saalUniProtocolProfile.

The following class which is defined in ITU-T Recommendation X.721 [11] may be instantiated:

- log.

The following classes which are defined in ITU-T Recommendation I.751 [10] may be instantiated:

- "I.751":atmAccessProfile;
- "I.751":atmCrossConnection;
- "I.751":atmCurrentData;
- "I.751":atmFabric;
- "I.751":atmTrafficLoadCurrentData;
- "I.751":atmTrafficLoadHistoryData;
- "I.751":bidirectionalContinuityMonitor;
- "I.751":bidirectionalPerformanceMonitor;
- "I.751":cellHeaderAbnormalityLogRecord;
- "I.751":cellLevelProtocolCurrentData;
- "I.751":cellLevelProtocolHistoryData;
- "I.751":interNNI;
- "I.751":intraNNI;

- "I.751":tcAdaptorCurrentData;
- "I.751":tcAdaptorHistoryData;
- "I.751":tcAdaptorTTPBidirectional;
- "I.751":uni;
- "I.751":upcNpcCurrentData;
- "I.751":upcNpcHistoryData;
- "I.751":vcCTPBidirectional;
- "I.751":vcTTPBidirectional;
- "I.751":vpCTPBidirectional;
- "I.751":vpTTPBidirectional;
- "I.751":vpVcPMCurrentData;
- "I.751":vpVcPMHistoryData.

5.1.1 ATM Generic Fragment

5.1.1.1 ATM fabric (atmFabric)

VCs from a logical user port shall only be cross-connected with VCs on the VB5 interface associated with that logical user port.

5.1.1.2 TC adapter TTP bi-directional (tcAdaptorTTPBidirectional)

In this management model, an instance of tcAdaptorTTPBidirectional together with an instance of the associated transmission TTP represents a Physical User Port or a Physical Service Port.

5.1.2 VB5 specific fragment

5.1.2.1 Communications path for broadband (commPathBb)

```
commPathBb MANAGED OBJECT CLASS
  DERIVED FROM "Rec. X.721 | ISO/IEC 10165-2":top;
  CHARACTERIZED BY
    commPathBbPkg PACKAGE
    BEHAVIOUR commPathBbBeh;
  ATTRIBUTES
    commPathBbId
      GET,
    "Rec. Q.82bcm":aalPtr
      GET-REPLACE,
    "EN 301 064-1":signallingChannelPtr
      GET,
    "ITU-T M.3100":supportedByObjectList
      GET-REPLACE;
  NOTIFICATIONS
    "Rec. X.721 | ISO/IEC 10165-2":objectCreation,
    "Rec. X.721 | ISO/IEC 10165-2":objectDeletion;;
REGISTERED AS {managedObjectClass 1};
```

```
commPathBbBeh BEHAVIOUR
  DEFINED AS
```

"The communication path object class represents a VB5 communication path. While the communication path object class is not instantiated, it is a superclass from which specialized subclasses are derived and instantiated.";

5.1.2.2 Logical service port (logicalServicePort)

```
logicalServicePort MANAGED OBJECT CLASS
  DERIVED FROM "Rec. X.721|ISO/IEC 10165-2":top;
  CHARACTERIZED BY
    logicalServicePortPkg PACKAGE
      BEHAVIOUR logicalServicePortBeh;
      ATTRIBUTES
        logicalServicePortId
          GET,
        vpTtpAndVpciPtrList
          GET-REPLACE;
    CONDITIONAL PACKAGES
      "ITU-T M.3100":operationalStatePackage,
        PRESENT IF "supplied by the managing system",
      "ITU-T M.3100":userLabelPackage,
        PRESENT IF "supplied by the managing system",
      "ITU-T M.3100":tmnCommunicationsAlarmInformationPackage,
        PRESENT IF "supplied by the managing system",
      "ITU-T M.3100":alarmSeverityAssignmentPointerPackage,
        PRESENT IF "supplied by the managing system",
      "ITU-T M.3100":objectManagementNotificationsPackage,
        PRESENT IF "supplied by the managing system",
      "ITU-T M.3100":stateChangeNotificationPackage,
        PRESENT IF "supplied by the managing system";
  REGISTERED AS {managedObjectClass 2};

logicalServicePortBeh BEHAVIOUR
  DEFINED AS
    "This managed object represents a group of labelled VPs in a Service Node or in an Access
  Network which all go between the same Service Node and the same Access Network.";
```

5.1.2.3 Logical service port for VB5.1 (lspVb51)

```
lspVb51 MANAGED OBJECT CLASS
  DERIVED FROM logicalServicePort;
  CHARACTERIZED BY
    lspVb51Pkg PACKAGE
      BEHAVIOUR lspVb51Beh;
      ATTRIBUTES
        logicalServicePortNumber
          GET-REPLACE,
        lspActivationState
          INITIAL VALUE ASN1DefinedTypesModule.lspActivationInitial
          GET;
      NOTIFICATIONS
        resetResult,
        " Rec. X.721 | ISO/IEC 10165-2": attributeValueChange;;;
    CONDITIONAL PACKAGES
      resetPkg
        PRESENT IF "supplied by the managing system",
      startupLspPkg
        PRESENT IF "supplied by the managing system",
      checkLspIdentificationPkg
        PRESENT IF "supported by the managed system and supplied by the
        managing system",
      partialAdministrativeStatePkg
        PRESENT IF "supplied by the managing system";
  REGISTERED AS {managedObjectClass 3};

lspVb51Beh BEHAVIOUR
  DEFINED AS
    "This managed object represents a group of labelled VPs in a Service Node or in an Access
  Network which all go between the same Service Node and the same Access Network. and are controlled
  by the same VB5.1 protocol. The stateChange notification defined in Recommendation X.721 shall be
  emitted if the value of the partial administrative state attribute changes and the state change
  notification package is present. The partial administrative state attribute only supports the
  partialLocked and partialUnlocked values; the partialShuttingDown value is not allowed on instances
  of this managed object class.
  Changes of the lspActivationState attribute are indicated by attributeValueChange
  notifications.";
```

5.1.2.4 Logical service port for VB5.1 in the access network (lspVb51An)

```
lspVb51An MANAGED OBJECT CLASS
  DERIVED FROM lspVb5.1;
  CHARACTERIZED BY
```

```

    lspVb51AnPkg PACKAGE
        BEHAVIOUR lspVb51AnBeh;;;
REGISTERED AS {managedObjectClass 4};

lspVb51AnBeh BEHAVIOUR
    DEFINED AS
        "This managed object represents a group of VPs coming from the same Service Node and
controlled by the same VB5.1 protocol.";

```

5.1.2.5 Logical service port for VB5.1 in the service node (lspVb51Sn)

```

lspVb51Sn MANAGED OBJECT CLASS
    DERIVED FROM lspVb5.1;
    CHARACTERIZED BY
        lspVb51SnPkg PACKAGE
            BEHAVIOUR lspVb51SnBeh;;;
        CONDITIONAL PACKAGES
            automaticVpciConsistencyCheckPkg
                PRESENT IF "supplied by the managing system",
            checkVpciConsistencyPkg
                PRESENT IF "supplied by the managing system";
REGISTERED AS {managedObjectClass 5};

lspVb51SnBeh BEHAVIOUR
    DEFINED AS
        "This managed object represents a group of VPs coming from the same Access Network and controlled by
the same VB5.1 protocol.";

```

5.1.2.6 Logical User Port (logicalUserPort)

```

logicalUserPort MANAGED OBJECT CLASS
    DERIVED FROM "Rec. X.721|ISO/IEC 10165-2":top;
    CHARACTERIZED BY
        logicalUserPortPkg PACKAGE
            BEHAVIOUR logicalUserPortBeh;
            ATTRIBUTES
                logicalUserPortId
                    GET,
                logicalUserPortNumber
                    GET-REPLACE,
                logicalServicePortPtr
                    GET-REPLACE,
                vpCtpAndVpciPtrList
                    GET-REPLACE,
                vpTtpAndVpciPtrList
                    GET-REPLACE;;;
REGISTERED AS {managedObjectClass 6};

logicalUserPortBeh BEHAVIOUR
    DEFINED AS
        "The logical user port object class represents the group of VPs at a UNI on an AN associated
with the same logical service port.";

```

5.1.2.7 RTMC communications path for broadband (rtmcCommPathBb)

```

rtmcCommPathBb MANAGED OBJECT CLASS
    DERIVED FROM commPathBb;
    CHARACTERIZED BY
        rtmcCommPathBbPkg PACKAGE
            BEHAVIOUR rtmclCommPathBbBeh;;;
REGISTERED AS {managedObjectClass 7};

rtmclCommPathBbBeh BEHAVIOUR
    DEFINED AS
        "The RTMC communication path object class carries the RTMC protocol information. Only one
object of this class shall be contained within the superior managed object.";

```

5.1.2.8 TC adaptor TTP extension (tcAdaptorTtpExtension)

```

tcAdaptorTtpExtension MANAGED OBJECT CLASS
    DERIVED FROM "Rec. X.721|ISO/IEC 10165-2":top;
    CHARACTERIZED BY

```

```

tcAdaptorTtpExtensionPkg PACKAGE
  BEHAVIOUR tcAdaptorTtpExtensionBeh;
  ATTRIBUTES
    tcAdaptorExtensionId          GET,
    partialAdministrativeState    GET-REPLACE;;;
  CONDITIONAL PACKAGES
    "ITU-T M.3100": stateChangeNotificationPackage,
      PRESENT IF "supplied by the managing system";
    "ITU-T M.3100": createDeleteNotificationPackage,
      PRESENT IF "supplied by the managing system";
REGISTERED AS {managedObjectClass 8};

tcAdaptorTtpExtensionBeh BEHAVIOUR
  DEFINED AS
    "An instance of this managed object class models the partial administrative state of a PUP
in the AN. The stateChange notification defined in Recommendation X.721 shall be emitted if the
value of the partial administrative state attribute changes and the stateChangeNotificationPackage
is present.";

```

5.1.2.9 UNI access VB5 (uniAccessVb5)

```

uniAccessVb5 MANAGED OBJECT CLASS
  DERIVED FROM "Rec. Q.82bcm":uniAccess;
  CHARACTERIZED BY
    uniAccessVb5Pkg PACKAGE
      BEHAVIOUR uniAccessVb5Beh;
      ATTRIBUTES
        logicalUserPortNumber
          GET-REPLACE,
        logicalServicePortPtr
          GET-REPLACE;;;
    CONDITIONAL PACKAGES
      vpCtpAndVpciPtrListPkg,
        PRESENT IF "supported by the managed system and supplied by the managing system";
REGISTERED AS {managedObjectClass 9};

uniAccessVb5Beh BEHAVIOUR
  DEFINED AS
    "The UNI access VB5 object class represents a group of VPs in the SN which come from the
same UNI in the AN over the same VB5 interface and which use the same type of signalling protocol.
If the 'signallingChannelPointerPkg' is not present and the attribute 'assocTpAndVpciPtrList' is
empty then the value of the attribute 'signallingStandard' is ignored.
If the 'vpCtpAndVpciPtrListPkg' is present then the attribute 'vpCtpAndVpciPtrlist' identifies
instances of the 'vpCtpBidirectionalVb5' managed object class or its subclasses.";

```

5.1.2.10 VPC at Logical User Port (vpCLup)

```

vpCLup MANAGED OBJECT CLASS
  DERIVED FROM "Rec. X.721 | ISO/IEC 10165-2":top;
  CHARACTERIZED BY
    remoteBlockingVb5Pkg,
    vpCLupPkg PACKAGE
      BEHAVIOUR vpCLupBeh;
      ATTRIBUTES
        vpCLupId
          GET,
        vpCLupNumber
          GET-REPLACE;
    NOTIFICATIONS
      " Rec. X.721 | ISO/IEC 10165-2": attributeValueChange,
      " Rec. X.721 | ISO/IEC 10165-2": objectCreation,
      " Rec. X.721 | ISO/IEC 10165-2": objectDeletion;;;
REGISTERED AS {managedObjectClass 10};

vpCLupBeh BEHAVIOUR
  DEFINED AS
    "This managed object represents a VPC at a logical user port which is terminated within the AN."

```

5.1.2.11 VP CTP bi-directional VB5 (vpCtpBidirectionalVb5)

```

vpCtpBidirectionalVb5 MANAGED OBJECT CLASS
  DERIVED FROM "Rec. I.751":vpCTPBidirectional;
  CHARACTERIZED BY
    remoteBlockingVb5Pkg,
    vpCtpBidirectionalVb5Pkg PACKAGE

```

```

        BEHAVIOUR vpCtpBidirectionalVb5Beh;;;
REGISTERED AS {managedObjectClass 11};

vpCtpBidirectionalVb5Beh BEHAVIOUR
    DEFINED AS
        "Objects of this class represent VPCs at the VB5 interface which are cross connected in the
SN.";

```

5.1.2.12 VP TTP bi-directional VB5 (vpTtpBidirectionalVb5)

```

vpTtpBidirectionalVb5 MANAGED OBJECT CLASS
    DERIVED FROM "Rec. Q.82bcm":sVpTtp;
    CHARACTERIZED BY
        remoteBlockingVb5Pkg,
        vpTtpBidirectionalVb5Pkg PACKAGE
        BEHAVIOUR vpTtpBidirectionalVb5Beh;;;
REGISTERED AS {managedObjectClass 12};

vpTtpBidirectionalVb5Beh BEHAVIOUR
    DEFINED AS
        "Objects of this class represent VPCs at the VB5 interface.
The 'blockedForMaintenancePkg' and the 'remoteBlockingPkg' derived from the sVpTTP object
class are not supported.";

```

5.2 Name bindings

5.2.1 commPathBb-logicalServicePort

```

commPathBb-logicalServicePort NAME BINDING
    SUBORDINATE OBJECT CLASS commPathBb AND SUBCLASSES;
    NAMED BY SUPERIOR OBJECT CLASS logicalServicePort AND SUBCLASSES;
    WITH ATTRIBUTE commPathBbId;
    CREATE
        WITH-AUTOMATIC-INSTANCE-NAMING;
    DELETE;
REGISTERED AS {nameBinding 1};

```

5.2.2 logicalServicePort-managedElementR1

```

logicalServicePort-managedElementR1 NAME BINDING
    SUBORDINATE OBJECT CLASS logicalServicePort AND SUBCLASSES;
    NAMED BY SUPERIOR OBJECT CLASS managedElementR1
    AND SUBCLASSES;
    WITH ATTRIBUTE logicalServicePortId;
    CREATE
        WITH-AUTOMATIC-INSTANCE-NAMING;
    DELETE
        ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {nameBinding 2};

```

5.2.3 logicalUserPort-managedElementR1

```

logicalUserPort-managedElementR1 NAME BINDING
    SUBORDINATE OBJECT CLASS logicalUserPort AND SUBCLASSES;
    NAMED BY SUPERIOR OBJECT CLASS managedElementR1
    AND SUBCLASSES;
    WITH ATTRIBUTE logicalUserPortId;
    CREATE
        WITH-AUTOMATIC-INSTANCE-NAMING;
    DELETE;
REGISTERED AS {nameBinding 3};

```

5.2.4 tcAdaptorTtpExtension-tcAdaptorTTPBidirectional

```

tcAdaptorTtpExtension-tcAdaptorTTPBidirectional NAME BINDING
    SUBORDINATE OBJECT CLASS tcAdaptorTtpExtension
    AND SUBCLASSES;
    NAMED BY SUPERIOR OBJECT CLASS tcAdaptorTTPBidirectional
    AND SUBCLASSES;
    WITH ATTRIBUTE tcAdaptorExtensionId;
    CREATE WITH-AUTOMATIC-INSTANCE-NAMING;

```

```
DELETE;
REGISTERED AS {nameBinding 4};
```

5.2.5 vpcLup-uniAccessVb5

```
vpcLup-uniAccessVb5 NAME BINDING
SUBORDINATE OBJECT CLASS vpcLup AND SUBCLASSES;
NAMED BY SUPERIOR OBJECT CLASS uniAccessVb5
AND SUBCLASSES;
WITH ATTRIBUTE vpcLupId;
CREATE
WITH-AUTOMATIC-INSTANCE-NAMING;
DELETE;
REGISTERED AS {nameBinding 5};
```

5.2.6 vcCTPBidirectional-managedElementR1

```
vcCTPBidirectional-managedElementR1 NAME BINDING
SUBORDINATE OBJECT CLASS vcCTPBidirectional AND SUBCLASSES ;
NAMED BY SUPERIOR OBJECT CLASS "ITU-T M.3100":managedElementR1 AND SUBCLASSES ;
WITH ATTRIBUTE "ITU-T M.3100":cTPIid ;
BEHAVIOUR
vcCTPBidirectional-managedElementR1Behaviour BEHAVIOUR
DEFINED AS
"The value of vcCTPIid attribute (VCI value) in the vcCTPBidirectional object is used
internal to the ATM Network Element and the value it is given is a local matter."
CREATE
WITH-AUTOMATIC-INSTANCE-NAMING;
DELETE
ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {nameBinding 6};
```

5.3 Definition of packages

5.3.1 Automatic VPCI consistency check package (automaticVpciConsistencyCheckPkg)

```
automaticVpciConsistencyCheckPkg PACKAGE
NOTIFICATIONS
autotomaticVpciConsistencyCheckInitiated,
autotomaticVpciConsistencyCheckResult;
REGISTERED AS {package 1};
```

5.3.2 Check logical service port identification package (checkLspIdentificationPkg)

```
checkLspIdentificationPkg PACKAGE
ACTIONS
checkLspIdentification;
REGISTERED AS {package 2};
```

5.3.3 Check VPCI consistency package (checkVpciConsistencyPkg)

```
checkVpciConsistencyPkg PACKAGE
ACTIONS
checkVpciConsistency;
REGISTERED AS {package 3};
```

5.3.4 Partial administrative state package (partialAdministrativeStatePkg)

```
partialAdministrativeStatePkg PACKAGE
ATTRIBUTES
partialAdministrativeState
GET-REPLACE;
REGISTERED AS {package 4};
```

5.3.5 Remote blocking VB5 package (remoteBlockingVb5Pkg)

```
remoteBlockingVb5Pkg PACKAGE
  ATTRIBUTES
    remoteBlockingVb5
      INITIAL VALUE DERIVATION RULE "value is set by the managed system"
      GET,
    remoteBlockingReasonVb5
      INITIAL VALUE DERIVATION RULE "value is set by the managed system"
      GET,
REGISTERED AS {package 5};
```

5.3.6 Reset package (resetPkg)

```
resetPkg PACKAGE
  ACTIONS
    reset;
REGISTERED AS {package 6};
```

5.3.7 Start-up logical service port package (startupLspPkg)

```
startupLspPkg PACKAGE
  ACTIONS
    startupLsp;
REGISTERED AS {package 7};
```

5.3.8 VP CTP and VPCI pointer list package (vpCtpAndVpciPtrListPkg)

```
vpCtpAndVpciPtrListPkg PACKAGE
  ATTRIBUTES
    vpCtpAndVpciPtrList
      GET-REPLACE
      ADD-REMOVE;
REGISTERED AS {package 8};
```

5.4 Definition of attributes

5.4.1 Communications path for broadband identifier (commPathBbId)

```
commPathBbId ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.NameType;
  MATCHES FOR EQUALITY;
  BEHAVIOUR commPathBbIdBeh;
REGISTERED AS {attribute 1};

commPathBbIdBeh BEHAVIOUR
  DEFINED AS
    "This attribute is used for naming instances of the managed object class commPathBb and subclasses.";
```

5.4.2 Logical service port activation state (lspActivationState)

```
lspActivationState ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.LspActivationState;
  MATCHES FOR EQUALITY;
  BEHAVIOUR lspActivationStateBeh;
REGISTERED AS {attribute 2};

lspActivationStateBeh BEHAVIOUR
  DEFINED AS
    "This attribute indicates the activation state of the LSP. The value 'restarting' indicates that the LSP is restarted after the occurrence of a persistent SAAL failure.";
```

5.4.3 Logical service port identifier (logicalServicePortId)

```
logicalServicePortId ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.NameType;
```

```

    MATCHES FOR EQUALITY;
    BEHAVIOUR logicalServicePortIdBeh;
REGISTERED AS {attribute 3};

logicalServicePortIdBeh BEHAVIOUR
    DEFINED AS
        "This attribute is used for naming instances of the class logicalServicePort and
subclasses.";

```

5.4.4 Logical service port number (logicalServicePortNumber)

```

logicalServicePortNumber ATTRIBUTE
    WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.Integer;
    MATCHES FOR EQUALITY;
    BEHAVIOUR logicalServicePortNumberBeh;
REGISTERED AS {attribute 4};

logicalServicePortNumberBeh BEHAVIOUR
    DEFINED AS
        "This attribute is used to label a logical service port. It has the same format as that used
on the VB5 protocol.";

```

5.4.5 Logical service port pointer (logicalServicePortPtr)

```

logicalServicePortPtr ATTRIBUTE
    WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.PointerOrNull;
    MATCHES FOR EQUALITY;
    BEHAVIOUR logicalServicePortPtrBeh;
REGISTERED AS {attribute 5};

logicalServicePortPtrBeh BEHAVIOUR
    DEFINED AS
        "This attribute is used to reference logical service port objects.";

```

5.4.6 Logical user port identifier (logicalUserPortId)

```

logicalUserPortId ATTRIBUTE
    WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.NameType;
    MATCHES FOR EQUALITY;
    BEHAVIOUR logicalUserPortIdBeh;
REGISTERED AS {attribute 6};

logicalUserPortIdBeh BEHAVIOUR
    DEFINED AS
        "This attribute is used for naming instances of the class logicalUserPort and subclasses.";

```

5.4.7 Logical user port number (logicalUserPortNumber)

```

logicalUserPortNumber ATTRIBUTE
    WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.Integer;
    MATCHES FOR EQUALITY;
    BEHAVIOUR logicalUserPortNumberBeh;
REGISTERED AS {attribute 7};

logicalUserPortNumberBeh BEHAVIOUR
    DEFINED AS
        "This attribute labels a logical user port. It has the same format as that used on the VB5
interface. Logical user port numbers are unique within an AN, but need not be unique within an SN
which is connected to more than one AN.";

```

5.4.8 Partial administrative state (partialAdministrativeState)

```

partialAdministrativeState ATTRIBUTE
    WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.PartialAdministrativeState;
    MATCHES FOR EQUALITY;
    BEHAVIOUR partialAdministrativeStateBeh;
REGISTERED AS {attribute 8};

```

```
partialAdministrativeStateBeh BEHAVIOUR
  DEFINED AS
    "This attribute is used to administratively block/unblock all the user information flow on
the resource. The semantics of this attribute is specified in the VB5 specification.";
```

5.4.9 Remote blocking reason VB5 (remoteBlockingReasonVb5)

```
remoteBlockingReasonVb5 ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.RemoteBlockingReasonVb5;
  MATCHES FOR EQUALITY;
  BEHAVIOUR remoteBlockingReasonVb5Beh;
REGISTERED AS {attribute 9};

remoteBlockingReasonVb5Beh BEHAVIOUR
  DEFINED AS
    "This attribute indicates the reason of the blocking of this VPC in the AN.";
```

5.4.10 Remote blocking VB5 (remoteBlockingVb5)

```
remoteBlockingVb5 ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.RemoteBlockingVb5;
  MATCHES FOR EQUALITY;
  BEHAVIOUR remoteBlockingVb5Beh;
REGISTERED AS {attribute 10};

remoteBlockingVb5Beh BEHAVIOUR
  DEFINED AS
    "This attribute indicates the remote blocking state of the VPC in the AN.";
```

5.4.11 TC adaptor extension identifier (tcAdaptorExtensionId)

```
tcAdaptorExtensionId ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.NameType
  MATCHES FOR EQUALITY;
  BEHAVIOUR tcAdaptorExtensionIdBeh;
REGISTERED AS {attribute 11};

tcAdaptorExtensionIdBeh BEHAVIOUR
  DEFINED AS
    "This attribute is used for naming instances of the managed object class
tcAdaptorTtpExtension and subclasses.";
```

5.4.12 VPC at logical user port identifier (vpcLupId)

```
vpcLupId ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.NameType;
  MATCHES FOR EQUALITY;
  BEHAVIOUR vpcLupIdBeh;
REGISTERED AS {attribute 12};

vpcLupIdBeh BEHAVIOUR
  DEFINED AS
    "This attribute is used for naming instances of the vpcLup managed object class.";
```

5.4.13 VPC at logical user port number (vpcLupNumber)

```
vpcLupNumber ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.VpciValue;
  MATCHES FOR EQUALITY;
  BEHAVIOUR vpcLupNumberBeh;
REGISTERED AS {attribute 13};

vpcLupNumberBeh BEHAVIOUR
  DEFINED AS
    "This attribute is the VPCI value of the Virtual Path Connection terminating in the Access
Network without reaching the Service Node.";
```


5.4.14 VP CTP and VPCI pointer list (vpCtpAndVpciPtrList)

```
vpCtpAndVpciPtrList ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.PtrAndVPCIList;
  MATCHES FOR EQUALITY;
  BEHAVIOUR vpCtpAndVpciPtrListBeh;
REGISTERED AS {attribute 14};

vpCtpAndVpciPtrListBeh BEHAVIOUR
  DEFINED AS
    "This attribute is used to reference vpCTPs and to assign VPCI values to these vpCTPs.";
```

5.4.15 VP TTP and VPCI pointer list (vpTtpAndVpciPtrList)

```
vpTtpAndVpciPtrList ATTRIBUTE
  WITH ATTRIBUTE SYNTAX ASN1DefinedTypesModule.PtrAndVPCIList;
  MATCHES FOR EQUALITY;
  BEHAVIOUR vpTtpAndVpciPtrListBeh;
REGISTERED AS {attribute 15};

vpTtpAndVpciPtrListBeh BEHAVIOUR
  DEFINED AS
    "This attribute is used to reference vpTTPs and to assign VPCI values to these vpTTPs.";
```

5.5 Definition of actions

5.5.1 Reset (reset)

```
reset ACTION
  BEHAVIOUR resetBeh;
  MODE CONFIRMED;
  WITH REPLY SYNTAX ASN1DefinedTypesModule.ResetResult;
REGISTERED AS {action 1};

resetBeh BEHAVIOUR
  DEFINED AS
    "This action is used to start the reset procedure.";
```

5.5.2 Start-up logical service port (startupLsp)

```
startupLsp ACTION
  BEHAVIOUR startupLspBeh;
  MODE CONFIRMED;
  WITH REPLY SYNTAX ASN1DefinedTypesModule.StartupLspResult;
REGISTERED AS {action 2};

startupLspBeh BEHAVIOUR
  DEFINED AS
    "This action is used by the AN and the SN to start up a LSP.";
```

5.5.3 Check VPCI consistency (checkVpciConsistency)

```
checkVpciConsistency ACTION
  BEHAVIOUR checkVpciConsistencyBeh;
  MODE CONFIRMED;
  WITH INFORMATION SYNTAX ASN1DefinedTypesModule.CheckVpciConsistencyInformation;
  WITH REPLY SYNTAX ASN1DefinedTypesModule.CheckVpciConsistencyResult;
REGISTERED AS {action 3};

checkVpciConsistencyBeh BEHAVIOUR
  DEFINED AS
    "This action is used to check the consistency of the VPCI values. The value localReason of the result syntax indicates that the check was not performed due to local reasons.";
```

5.5.4 Check logical service port identification (checkLspIdentification)

```

checkLspIdentification ACTION
  BEHAVIOUR checkLspIdentificationBeh;
  MODE CONFIRMED;
  WITH REPLY SYNTAX ASN1DefinedTypesModule.CheckLspIdentificationResult;
REGISTERED AS {action 4};

checkLspIdentificationBeh BEHAVIOUR
  DEFINED AS
    "This action is used to check the consistent use of the LSP Identification label in the AN
and in the SN. The value TRUE of the result syntax indicates the successful result of the action.";

```

5.6 Definition of notifications

5.6.1 Automatic VPCI consistency check initiated (automaticVpciConsistencyCheckInitiated)

```

automaticVpciConsistencyCheckInitiated NOTIFICATION
  BEHAVIOUR automaticVpciConsistencyCheckInitiatedBeh;
  WITH INFORMATION SYNTAX ASN1DefinedTypesModule.CheckVpciConsistencyInformation;
REGISTERED AS {notification 1};

automaticVpciConsistencyCheckInitiatedBeh BEHAVIOUR
  DEFINED AS
    "This notification indicates to the operator that a VPCI Consistency Check has been
initiated automatically and gives the associated VPCI value.";

```

5.6.2 Automatic VPCI consistency check result (automaticVpciConsistencyCheckResult)

```

automaticVpciConsistencyCheckResult NOTIFICATION
  BEHAVIOUR automaticVpciConsistencyCheckResultBeh;
  WITH INFORMATION SYNTAX ASN1DefinedTypesModule.CheckVpciConsistencyResult;
REGISTERED AS {notification 2};

automaticVpciConsistencyCheckResultBeh BEHAVIOUR
  DEFINED AS
    "This notification indicates to the operator the result of a VPCI Consistency Check which
was initiated automatically. The value localReason of the result syntax indicates that the check was
not performed due to local reasons.";

```

5.6.3 Reset result (resetResult)

```

resetResult NOTIFICATION
  BEHAVIOUR resetResultBeh;
  WITH INFORMATION SYNTAX ASN1DefinedTypesModule.ResetResult;
REGISTERED AS {notification 3};

resetResultBeh BEHAVIOUR
  DEFINED AS
    "This notification is sent to the operator when a reset procedure which has not been
initiated by a local Q3 command is finished. It contains the result of the procedure, which may be
successfull or not.";

```

5.7 Definition of parameters

5.7.1 Cause value (causeValue)

```

causeValue PARAMETER
  CONTEXT EVENT-INFO;
  WITH SYNTAX ASN1DefinedTypesModule.CauseValue;
  BEHAVIOUR causeValueBeh;
REGISTERED AS {parameter 1};

```

```

causeValueBeh BEHAVIOUR
  DEFINED AS
    "The causeValue shall be carried in the additionalInformation field of the
communicationsAlarm notification for the specified cases where this is necessary ";

```

6 Type Definitions

```

ASN1DefinedTypesModule {registration to be completed after Public Enquiry}

DEFINITIONS IMPLICIT TAGS ::=

BEGIN
-- EXPORTS everything

IMPORTS
  Attribute,
  ObjectClass,
  ObjectInstance
  FROM CMIP-1 {joint-iso-ccitt ms(9) cmip(1) version1(1) protocol(3)}

  Failed
  NameType
  PointerOrNull
  FROM ASN1DefinedTypesModule {ccitt recommendation m 3100
                                informationModel(0) asnlModules(2) asnlDefinedTypesModule(0)}

  InitialPointers
  FROM ASN1DefinedTypesModule {ccitt(0) identified-organization(4) etsi(0)
v5ConfigurationManagement(377)
                                informationModel(0) asnlModules(2) ASN1DefinedTypesModule(0)};

informationModel
376
    OBJECT IDENTIFIER ::= {ccitt(0) identified-organization(4) etsi(0)
                                informationModel(0)}

standardSpecificationExtension OBJECT IDENTIFIER ::= {informationModel
standardSpecificationExtension(0)}
managedObjectClass           OBJECT IDENTIFIER ::= {informationModel managedObjectClass(3)}
package                       OBJECT IDENTIFIER ::= {informationModel package(4)}
nameBinding                   OBJECT IDENTIFIER ::= {informationModel nameBinding(6)}
attribute                     OBJECT IDENTIFIER ::= {informationModel attribute (7)}
action                        OBJECT IDENTIFIER ::= {informationModel action(9)}
notification                  OBJECT IDENTIFIER ::= {informationModel notification(10)}

vb51SpecificProblems         OBJECT IDENTIFIER ::= {standardSpecificExtension a}
vb51ProbableCause            OBJECT IDENTIFIER ::= {standardSpecificExtension b}
vb51CauseValue               OBJECT IDENTIFIER ::= {standardSpecificExtension c}

-- The value assignments for the SpecificProblems parameter of the VB5.1 specific communications
-- alarm notification are specified below
rtmcProtocolError            SpecificProblems ::= {{vb51SpecificProblems a}}
rtmcProtocolSyntaxError      SpecificProblems ::= {{vb51SpecificProblems b}}
rtmcProtocolTimeoutError     SpecificProblems ::= {{vb51SpecificProblems c}}
nonRecoverableSSCOPEError    SpecificProblems ::= {{vb51SpecificProblems d}}

-- The value assignments for the causeValue are specified below
protocolDiscriminatorError    CauseValue ::= {vb51CauseValue 0}
unrecognizedMessageType       CauseValue ::= {vb51CauseValue 1}
  -- UnkMsgType RTMCPProtErrCause 1
repeatedInformationElement    CauseValue ::= {vb51CauseValue 2}
  -- RepIE RTMCPProtErrCause 2
mandatoryInformationElementMissing CauseValue ::= {vb51CauseValue 3}
  -- MandIEMiss RTMCPProtErrCause 3
unrecognizedInformationElement CauseValue ::= {vb51CauseValue 4}
  -- UnrecogIE RTMCPProtErrCause 4
informationElementContentError CauseValue ::= {vb51CauseValue 5}
  -- IEContErr RTMCPProtErrCause 5
informationElementNotAllowed CauseValue ::= {vb51CauseValue 6}
  -- IENotAllowed RTMCPProtErrCause 6
messageNotCompatibleProtocolState CauseValue ::= {vb51CauseValue 7}
  -- MsgNotCompatWithProtState RTMCPProtErrCause 7

AdministrativeReason ::= INTEGER {

```

```

    none          (0),
    adminPartial  (1),
    adminFull     (2) }

CheckLspIdentificationResult ::= BOOLEAN

CheckVpciConsistencyInformation ::= INTEGER (0..65535)

CheckVpciConsistencyResult ::= CHOICE {
    localReason NULL,
    remoteReason RemoteReason }

ErrorReason ::= INTEGER {
    none      (0),
    error     (1) }

lspActivationInitial LspActivationState ::=notActivated

LspActivationState ::= INTEGER {
    notActivated  (0),
    activated     (1),
    restarting    (2) }

PartialAdministrativeState ::= ENUMERATED{
    partialLocked      (0),
    partialUnlocked    (1),
    partialShuttingDown(2) }

PtrList ::= SET OF ObjectInstance

PtrAndVPCIList ::= SET OF SEQUENCE {
    tp ObjectInstance,
    vpci INTEGER }

RemoteBlockingReasonVb5 ::= SEQUENCE {
    errorReason ErrorReason,
    administrativeReason AdministrativeReason }

RemoteBlockingVb5 ::= INTEGER {
    remoteBlocked      (0),
    remoteUnblocked    (1),
    remoteAwaitClear   (2) }

RemoteReason ::= INTEGER {
    notSuccessful      (0),
    successful          (1),
    notPerformed       (2) }

ResetResult ::= INTEGER {
    notSuccessfull     (0),
    successfull        (1) }

StartupLspResult ::= INTEGER {
    notSuccessful      (0),
    successful          (1),
    activating          (2),
    restarting          (3) }

VpciValue ::= INTEGER (0..65535)

END -- of ASN1DefinedTypesModule

```

7 Protocol stacks

The protocol stacks specified in ITU-T Recommendations Q.811, Q.812, G.773 and the SDH digital cross-connect part of Recommendation G.784 can be used as part of the protocol stack for the present document. The following ITU-T Recommendations should be used to extent these stacks to include ATM:

- Q.2811 Broadband Q3 and X interfaces - Lower Layer Protocols;
- Q.2812 Broadband Q3 and X interfaces - Upper Layer Protocols.

Annex A (normative): Management Requirements

A.1 General management requirements

A.1.1 General configuration management requirements

- a) There is a requirement to assign a VB5 interface identifier, also known as a logical service port identifier, to a VB5 interface.
- b) There is a requirement to assign VPCIs to VPCs on a VB5 interface when these VPCs are terminated in the access network.

A.1.2 ATM transport layer configuration requirements

A.1.2.1 Configuration of OAM cells

There is a configuration management requirement arising as a result of the need to provision the "Defect Location" field in the VP-AIS/RDI OAM cells, and to co-ordinate this provisioning between the access network and the service node. This cannot be handled purely by predefinition because changeable labels such as E.164 numbers may be used. If this is not already covered by ITU-T Recommendation I.751, then any necessary additional modelling should be included in the VB5 management standard.

A.2 Real time management co-ordination requirements

A.2.1 Configuration management requirements

A.2.1.1 General configuration management requirement

The general configuration requirements include the general real time management co-ordination functions between the access network and the service node.

A.2.1.2 Common configuration management requirement for AN and SN

A.2.1.2.1 Shutting-down of VPs

The model should support the MEE primitives associated with the shutting down of VPs.

A.2.1.2.2 VB5 interface ID checking

The management interfaces shall support the verification of logical VB5 interface IDs so that the connection of VB5 interfaces can be checked by the operations systems.

A.2.1.2.3 Handling of VB5 primitives

The OS shall be able to handle the MEE primitives in AN and the SN.

A.2.1.2.4 Co-ordination of VP and VC resources

There is a requirement for the service node to have knowledge of the state of VP and VC resources used to provide service to the customer.

A.2.1.2.5 Non B-ISDN accesses

There is a requirement to take account of VCs terminated in the access network for non-B-ISDN accesses represented by virtual user ports (whose nature is not explicit) and to allow cross-connections for these.

A.2.1.3 Configuration management requirement for AN

A.2.1.4 Configuration management requirement for SN

A.2.1.4.1 Assignment of indirect accesses

There is a requirement to assign indirect uni accesses in the service node to VB5 interfaces at the service node.

A.2.1.4.2 Co-ordination of indirect accesses with logical user ports

There is are requirement to relate indirect uni accesses in the service node to logical user ports in the access network.

A.2.1.4.3 Consistency of configuration

There is a requirement to check the consistency of the configuration VPCIs between the access network and the service node.

A.2.2 Fault management requirements

A.2.2.1 Alarm surveillance requirements

A.2.2.1.1 General alarm surveillance requirements

A.2.2.1.1.1 Co-ordination of operational states

Where changes of the operational state of ATM entities are communicated between the access network and the service node using ATM OAM cells, it shall be possible to inform the operations systems about these communicated changes since higher management functions may be affected. This is dealt with in ITU-T Recommendation I.751.

A.2.2.2 Test and fault localization requirements

A.2.2.2.1 General test and fault localization requirements

A.2.2.2.1.1 Test traffic

There is a requirement to be able to permit only test traffic across a VB5 interface.

A.3 Non real time management requirements

Beside the real time management co-ordination requirements, specified in the subclause above, the following management requirements are defined. These requirements are subject to co-ordination across X/Q3 interfaces between the network elements AN and SN.

A.3.1 General configuration requirements

The general configuration requirements include the general management co-ordination functions between the access network and the service node across Q3/X interfaces.

A.3.1.1 Co-ordinated VP and VC configuration

The configuration management function shall support the co-ordinated addition and removal of VPs and VCs at both the UNIs and at the VB5 interfaces so that VP and VCs can be added and removed without disruption.

A.3.1.1.1 VPC checking

A mechanism is required to check the identity of VPCs which are set up between a user port and a service node so that mistakes in the cross-connection within an access network can be identified.

A.3.1.1.2 Co-ordination of port configuration data

The co-ordination of configuration information relating to user ports and service ports and their VPs and VCs is required to ensure consistently between the access network and the service node.

A.3.1.1.3 Co-ordination of VPCI values

There is a requirement for management co-ordination between the SN and the AN so that the SN is aware of how the VPCI mappings differ from those of directly connected accesses.

A.3.1.1.4 Consistency of configuration

There is a requirement to check the consistency of the configuration of logical user ports, logical service ports, and VPCIs between the access network and the service node.

A.3.1.2 Common configuration management requirement for AN and SN

A.3.1.3 Configuration management requirement for AN

A.3.1.4 Configuration management requirement for SN

A.3.1.4.1 Co-ordinated VC Switch-over

There is a requirement to be able to move active signalling VCs so that maintenance can be performed without creating a disruption.

Annex B (normative): Functional architecture

B.1 Functional architecture associated with VB5 reference point

The functional architecture associated with the VB5 reference point is given in figure B.1 for the access network and in figure B.2 for the service node (VB5 fragment). Each trail of the physical layer can serve a number of trails of the transmission convergence layer, corresponding to the support of a number of logical ports by a single physical port.




Figure B.1: VB5 functional architecture: access network




Figure B.2: VB5 functional architecture: service node (VB5 fragment)

Within the ATM service node or broadband access network, each trail of the transmission convergence layer supports a number of trails of the VP layer and these trails correspond to virtual path connections. If only VPs are switched then these trails of the VP layer are re-routed, but not terminated. If VCs are switched then it terminates the trails of the VP layers and there is adaptation to the VC layer. If a trail at the VC layer carries signalling which is processed by the ATM service node or access network then the VC trail is terminated at the ATM service node or access network and the information flow passes up to the ATM adaptation layer and to the higher protocol layers. Only VCs carrying VB5 protocols are terminated in the access network.

The adaptation functions between the layers are represented by instances of connection termination point classes and the termination of trails are represented by instances of trail termination point classes.

Annex C (normative): Relationship between VB5.1 interfaces and the management model

C.1 Introduction

This annex describes the relationships between VB5.1 interfaces and the management model. In particular it describes when MEE primitives (see "VB5.1 system architecture, structure and procedures"[2]) are created due to messages from the OS and when messages are sent to the OS as a result of primitives generated by the managed system.

The figure below shows the position of the VB5 system in the management plane of an ATM network element [9]. The MCF (Message Communication Function) functional block receives the management commands sent by the OS via Q3 or F interface and forwards them to the AEMF (ATM Equipment Management Functions) functional block in an internal format. The MIB of the equipment and the VB5 system are contained in the AEMF; the message sent by the MCF is received by a managed object of the MIB that will generate an MEE primitive to the VB5 system.




Figure C.1: General functional blocks for the AN

In cases where attributes are changed as a result of primitives generated by the managed system, the OS may be informed by change notifications.

The following clauses within this annex describe the use of the various VB5 labels, the relationship of shutting-down and blocking to the state attributes, VPCI consistency checking, LSP identity checking, reset and start-up. The clauses, one for each of the RTMC procedures, relate the information model of the AN and the SN to the primitives of the VB5 system, whether the procedures are activated by the OS via Q3 interface or by the peer system via RTMC protocol.

C.2 LSP, LUP and VPCI labels

The LSP identifier which is used in VB5 messages corresponds to the `logicalServicePortNumber` attribute of the logical service port objects. The LUP identifiers which are used in VB5 messages correspond to the `logicalUserPort` attribute of the VB5 UNI access objects in the SN or of the logical user port objects in the AN.

The VPCI values for VPCs associated with LUPs in AN used in VB5 messages correspond to the values associated with the `vpCtpAndVpciPtrList` attribute of logical user port objects if the VPCs at the LUPs do not terminate in the AN, or to the values associated with the `vpTtpAndVpciPtrList` attribute of logical user port objects if the VPCs at the LUPs do terminate in the AN.

The VPCI values for VPCs associated with LUPs in the SN used in VB5 messages correspond to the values associated with the `assocTpAndVpciPtrList` attribute of the VB5 UNI access objects for VPCs which terminate in the SN, or to the values associated with the `vpCtpAndVpciPtrList` for VPCs which do not terminate in the SN. For VPCs which are associated with VB5 UNI accesses and which terminate in the AN, the VPCI values used in VB5 messages correspond to the values of the `vpCupNumber` attribute of the `vpCup` objects in the SN.

The VPCI values for VPCs associated with LSPs used in VB5 messages correspond to the values associated with the `vpTtpAndVpciPtrList` attribute of the logical service port objects.

C.3 Shutting down

Shutting down is initiated by the OS of the AN changing the `administrativeState` attribute of an object which affects a VP or group of VPs related to the VB5 interface to its shutting-down value, or the `partialAdministrativeState` attribute of those objects which possess it (LSP objects and TC adaptor extension objects) to the partial shutting down value. This results in the creation of an `MEE_await_clear_req` primitive or primitives in the AN.

Following the exchange of VB5 messages, the SN generates an `MEE_await_clear_ind` primitive or primitives which results in the changing of the `remoteBlockingVb5` attribute from `remoteUnblocked` to `remoteAwaitingClear` in the relevant VB5 VP CTP or TTP objects or in the relevant `vpCup` objects.

The SN responds to the `MEE_await_clear` primitive or primitives by waiting for calls to clear. When this is complete, the SN generates an `MEE_await_clear_res` primitive or primitives and sends the appropriate message to the AN, which responds and generates an `MEE_await_clear_conf` primitive or primitives. This allows the `administrativeState` or `partialAdministrativeState` attribute which initiated the process in the AN to change to `locked` or `partially locked` respectively.

C.4 Blocking and unblocking

When the relevant `administrativeState` or `partialAdministrativeState` attributes in the AN change to `locked` or `partially locked`, either as a result of shutting down or due to direct intervention by the OS, an `MEE_block_request` primitive with an administrative cause is generated and a message is sent to the SN. On receipt of this message, an `MEE_block_ind` primitive is generated in the SN. In addition, in the VP CTP, TTP or `vpCup` objects the `remoteBlockingVb5` attribute changes to `remoteBlocked` and the administrative field of the `remoteBlockingReasonVb5` attribute changes to administrative cause partial or full, depending on the nature of the blocking.

If there is a fault which affects a VP or group of VPs in the AN, then an `MEE_block_request` primitive with a fault cause is generated, a message is sent to the SN, and often there will be an `operationalState` attribute in an object in the AN which changes to `disabled`. On receipt of the message, an `MEE_block_ind` primitive is generated in the SN and in the VP CTP, TTP or `vpCup` objects the `remoteBlockingVb5` attribute changes to `remoteBlocked` and the fault field of the `remoteBlockingReasonVb5` attribute changes to `error`.

When the `administrativeState` or `partialAdministrativeState` attribute in the AN is changed to `unlocked` by the OS or the fault condition is cleared, an `MEE_unblock_req` primitive is generated in the AN and a message is sent to the SN. On receipt of this message, an `MEE_unblock_ind` primitive is generated in the SN and in the VP CTP, TTP or `vpCup` objects the `remoteBlockingVb5` attribute changes to `remoteUnblocked` and the fault or administrative field of the `remoteBlockingReasonVb5` attribute changes to `none`.

The administrative and fault fields in the remoteBlockingVb5 attribute are independent.

C.5 VPCI consistency checking

The CheckVpciConsistency action is initiated by the OS of the SN via Q3 and is only applicable to VPCs on a VB5 interface which terminate in the AN and are associated with an LSP. The SN environment is responsible for ensuring that there is no second CheckVpciConsistency initiated as long the first one is running. The VPC on which the CheckVpciConsistency action is performed has to be in the operational state enabled. When starting the action the operator has to provide the CheckVpciConsistencyInformation. The environment of the SN creates a MEE_cons_check_req primitive and a VB5 message is sent across the interface to the AN.

On receipt of this VB5 message, the AN generates a MEE_cons_check_ind primitive to activate the loopback monitoring function on the requested VPCI in AN environment. A MEE_cons_check_res primitive generated in the AN environment directed to the system management contains the information whether the activation of the loopback monitoring function was successful or the CheckVpciConsistency was rejected (e.g. if another CheckVpciConsistency started by a different SN is already running).

The appropriate VB5 message carries the result information back to the SN side. A MEE_cons_check_conf primitive is generated which triggers the SN environment to start sending end-to-end loopback cells (successful case) or leads to an action reply which is sent to the operator and terminates the CheckVpciConsistency action with the RemoteReason "notPerformed" (rejected or unknown resource case).

If the CheckVpciConsistency is successful up to this point the detection by the SN of cells which have been looped back or the termination of the test results in the generation of a MEE_cons_check_end_req primitive followed by a VB5 message across the VB5.1 interface towards the AN.

On receipt of this VB5 message, the AN generates a MEE_cons_check_end_ind primitive which results in the deactivation of the loopback monitoring function. The AN environment generates a MEE_cons_check_end_res primitive and a VB5 message crosses the VB5.1 interface to the SN.

This message confirms the stopping of the VPCI consistency check procedure and carries the information whether the AN monitored the loopback cells or not (successful or failed). In the SN a MEE_cons_check_end_conf primitive is generated which transfers the result (successful, failed at AN) to the SN environment. The action reply CheckVpciConsistencyResult transfers this information via Q3 to the OS which started the action.

C.6 Start-up

The start-up procedure deals with the individual VB5 interface and therefore involves the LSP managed object that models the specific interface. The procedure may be activated by either the AN or the SN, in the following two cases:

- by the OS, which requests the start-up action to activate the interface;
- by the system, due to a failure of the SAAL, without start-up action requested.

These two cases are described in the sections below; as the same primitives and managed objects are involved in the AN and the SN a generic description has been used; in particular, the managed object modelling the interface is called LSP and the VB5 System Management functional blocks in the AN and SN are called VB5 System Management.

C.6.1 Activation by OS

The start-up procedure is activated by the OS of the AN or the SN, that sends a start-up action request to activate the VB5 interface. The request is addressed to the specific LSP managed object that models the VB5 interface; the LSP identifier is contained in the start-up action request.

The activation state of the interface is modelled by the lspActivationState attribute that is contained in the LSP managed object; this attribute indicates whether the VB5 interface is active, not active or restarting after a failure.

As soon as the LSP receives the message it activates the start-up action that examines the value of the `lspActivationState`.

If the interface is already active (`lspActivationState=activated`) or restarting (`lspActivationState=restarting`), the start-up action ends, the OS is informed on the interface state by the start-up action reply and no messages are sent to the VB5 System Management block.

If the interface is not active (`lspActivationState=notActivated`), the LSP activates the start-up process by generating a `MEE_startup_req` which is sent to the associated VB5 SYSMGT functional block. The `notActivated` value indicates that there is a fault condition or some other condition preventing automatic start-up.

The start-up process is activated in the remote system by the primitives concerning the SAAL establishment, after that VB5 messages are sent to perform the reset and check procedures. If the procedure succeeds the remote LSP managed object receives an `MEE_startup_ind`; then the `lspActivationState` is changed to `activated`, and the attribute value change notification is sent to inform the OS on the interface activation.

At the end of the procedure the initiator LSP receives from the VB5 System Management block an `MEE_startup_conf` primitive, which contains the result of the procedure; the result is sent to the OS by the start-up action reply.

If the procedure succeeds the `lspActivationState` attribute changes to `activated` and an attribute value change notification is sent to the OS; besides the LSP of the AN blocks all VPCs not available for service due to administrative reasons or faults.

The figure below points out the entities of the information model and the VB5 system involved in the start-up procedure and the messages they exchange.




Figure C.2: Successful start-up procedure triggered by the AN OS

The start-up procedure fails if any of the SAAL establishment, LSP verification or reset procedures fail.

If the start-up procedure fails the `lspActivationState` attribute does not change its value set to `notActivated` and the remote VB5 System Management block does not send the remote LSP the `MEE_startup_ind` message. The failure is reported to the OS by the action reply: if the interface is already in `activated` state the start-up result will be `activated`, if the interface is in `restarting` state the start-up result will be `restarting`.

The following figure represents the entities and the relationships identified in case of failure.




Figure C.3: Not successful start-up procedure triggered by the AN OS

C.6.2 Automatic start-up

The start-up procedure is activated by the system when an SAAL failure occurs or when the fault or other condition preventing automatic start-up no longer exists; this event is notified both to the AN and SN LSP managed objects by an `MEE_LSP_failure_ind`, which changes the `lspActivationState` attributes to restarting. This change is notified to the OS by an attribute value change notification; actually, this notification informs the OS of the interface failure. After that, both the LSP managed objects in the AN and SN side will try to restart the interface as in the previous case, sending an `MEE_startup_req` primitive periodically to the system management block, without notifying the OS of any start-up failures. In the figure the dashed lines mean repeated failed attempts.

If an attempt succeeds the initiating LSP receives a successful `MEE_startup_conf`, the remote LSP an `MEE_startup_ind`, the `lspActivationState` attributes change to activated and an attribute value change notification is sent to each OS (AN side and SN side); besides the LSP of the AN blocks all VPCs not available for service due to administrative reasons or faults.

The figure below represents the case of successful procedure after a number of repeated failed attempts (the dashed lines).




Figure C.4: Successful start-up procedure automatically triggered

If the procedure stops, due to a fault or other condition preventing automatic start-up, the attributes `lspActivationState` on the AN side and the SN side are set to `notActivated` and the OSs are informed with the relevant attribute value change notifications.

C.7 LSP identity checking

The check logical service port identification can be invoked from either side SN or AN. Due to a `checkLspIdentification` action initiated by an OS via the Q3 interface the related environment creates a primitive `MEE_verify_LSP_ID_req` which results in the appropriate message across the VB5.1 interface.

On the other side no MEE primitive is created to inform the environment about the procedure. A VB5 message is sent back to the SN containing the requested information about the logical service port identifier. After comparison of the two LSP Id values a `MEE_verify_LSP_ID_conf` primitive is created which provides the result (positive result indication for consistency and negative result indication for mismatch) to the environment. The action reply `checkLspIdentificationResult` transfers the information via Q3 to the OS which started the action.

C.8 Reset

The Reset procedure is carried out by the Logical Service Port managed object by means of the reset action. A reset action results in the release of all on-demand connections related to the LSP. Furthermore, the states of all VPCs and the state of the LSP are set to unblocked; VPCs not available for service due to administrative reasons shall be blocked again by the Logical Service Port managed object. Shutdown requests and VPCI consistency checks are aborted as a consequence of a reset request.

According to the interface specification, this procedure may be initiated both by the AN OS and by the SN OS and involves the peer system as well, where the procedure is activated by RTMC commands.

The case is described below; as the same primitives and managed objects are involved in the AN and the SN a generic description has been used; in particular, the managed object modelling the interface is called LSP and the VB5 System Management functional blocks in the AN and SN are called VB5 System Management.

The command sent by the OS will be carried on the Q3 interface by the reset action; the parameter specifies the managed object identifier that will carry it out.

The action command is received by MCF that will generate an internal message to the LSP managed object identified by the appropriate parameter; this message activates the reset action of the LSP that in turn will generate an MEE_reset_req to the VB5 System Management functional block.

The reset action is activated on the peer system by the RTMC VB5 messages across the VB5 interface; on receipt of the VB5 messages the VB5 System Management block of the remote system carries out the reset procedure and reports the result to the remote LSP managed object by means of an MEE_reset_ind primitive.

Only if the reset is triggered by the AN OS then the peer LSP in the SN, as soon as it receives the reset indication, informs the OS by the resetResult notification.

At the end of the VB5 messages phase the VB5 System Management block of the initiating system sends the LSP an MEE_reset_conf primitive with the result of the action, which may be successful or unsuccessful. Finally, the LSP managed object reports the result to the OS by the action reply.

The relationships described above are summarized in the following figure; in this example the AN is the initiating system.




Figure C.5: Reset procedure triggered by the AN OS

Annex D (informative): Instantiation Examples

The examples which are given in this annex are consistent with the entity-relationship diagrams, but are only a subset of all the possibilities.

D.1 Conventions

The following conventions are used in the diagrams:




Figure D.1: Conventions for instantiation examples

D.2 VP cross connection




Figure D.2: Architecture for VP cross connection

D.2.1 VP cross connection in the service node




Figure D.3: Instantiation example of VP cross connection in the service node

D.2.2 VP cross connection in the access network




Figure D.4: Instantiation example of VP cross connection in the access network

D.3 VC cross connection




Figure D.5: Architecture for VC cross connection

D.3.1 VC cross connection in the service node




Figure D.6: Instantiation example of VC cross connection in the service node

D.3.2 VC cross connection in the access network




Figure D.7: Instantiation example of VC cross connection in the access network

Bibliography

The following material, though not specifically referenced in the body of the present document, gives supporting information.

ETS 300 292: "Telecommunications Management Network (TMN); Functional specification of call routing information management on the Operations System / Network Element (OS/NE) interface".

ETS 300 298-1: "Broadband Integrated Services Digital Network (B-ISDN); Basic Characteristics and Functional Specification of Asynchronous Transfer Mode (ATM) Part 1: B-ISDN Functional Specification".

ETS 300 298-2: "Broadband Integrated Services Digital Network (B-ISDN); Basic Characteristics and Functional Specification of Asynchronous Transfer Mode (ATM) Part 2: B-ISDN ATM Layer Specification".

ETS 300 300: "Broadband Integrated Services Digital Network (B-ISDN); Synchronous Digital Hierarchy (SDH) based user network access; Physical layer interfaces for B-ISDN applications".

ETS 300 301: "Broadband Integrated Services Digital Network (B-ISDN); Traffic control and congestion control in B-ISDN".

ETR 072: "Broadband Integrated Services Digital Network (B-ISDN); Connection Types and Their Reference Configurations".

ETR 123: "Broadband Integrated Services Digital Network (B-ISDN); Parameters and Mechanisms Provided by the Network Relevant for Charging in B-ISDN".

I-ETS 300 291: "Network Aspects (NA); Functional specification of Customer Administration (CA) on the Operations System/Network Element (OS/NE) interface".

ETS 300469: "Broadband Integrated Services Digital Network (B-ISDN); Asynchronous Transfer Mode (ATM); Management of the network element view [ITU-T Recommendation I.751 (1996)]".

RTR/SPS-3025: "B-ISDN Switching, Exchange and Cross-connect Functions and Performance Requirements".

ETS 300 304: "Transmission and Multiplexing (TM); Synchronous Digital Hierarchy (SDH) information model for the Network Element (NE) view".

I-ETS 300 810: "Transmission and Multiplexing (TM); Synchronous Digital Hierarchy (SDH) network information model; Basic trail and Sub-Network Connection (SNC) configuration management ensemble".

ITU-T Recommendation G.773: "Protocol suites for Q-interfaces for management of transmission systems".

ITU-T Recommendation G.774: "SDH Management Information Model".

ITU-T Recommendation G.803: "Architecture of Transport Networks based on the Synchronous Digital Hierarchy (SDH)".

ITU-T Recommendation I.211: "B-ISDN service aspects"

ITU-T Recommendation I.311: "B-ISDN General Network Aspects".

ITU-T Recommendation I.327: "B-ISDN functional architecture"

ITU-T Recommendation I.356: "B-ISDN ATM Layer Cell Transfer Performance".

ITU-T Recommendation I.371: "Traffic control and congestion control in B-ISDN".

ITU-T Recommendation I. 413: "B-ISDN user-network interface"

ITU-T Recommendation I. 432: "B-ISDN user-network interface - Physical layer specification"

ITU-T Recommendation I. 580: "General arrangements for interworking between B-ISDN and 64 kbit/s based ISDN"

ITU-T Recommendation I.610: "B-ISDN Operation and Maintenance principles and functions".

ITU-T Recommendation M.3100: "Generic Network Information Model".

ITU-T Recommendation M.3200: "TMN Management Services".

ITU-T Recommendation M.3400: "TMN Management Functions".

ITU-T Recommendation Q.821(1992): "Stage 2 and stage 3 description for the Q3 interface - Alarm Surveillance".

ITU-T Recommendation Q.822: "Stage 1, Stage 2 and Stage 3 Description for the Q3 interface performance management".

Draft ITU-T Recommendation Q.2811.

Draft ITU-T Recommendation Q.2812.

ITU-T Recommendation X.208 (1988): "Specification of Abstract Syntax Notification One (ASN.1)".

ITU-T Recommendation X.701: "System Management Overview".

ITU-T Recommendation X.722: "Guidelines for Definition of Managed Objects".

ITU-T Recommendation X.733 | ISO/IEC 10164-4 (1992): "Information technology - Open systems interconnection - Systems management: Alarm Reporting Function".

ITU-T Recommendation X.734 | ISO/IEC 10164-5 (1992): "Information technology - Open systems interconnection - Systems management: Event report management function".

ITU-T Recommendation X.735 | ISO/IEC 10164-6 (1992): "Information technology - Open systems interconnection - Systems management: Log Control Functions".

ITU-T Recommendation X.737 | ISO/IEC 10164-14 (1993): "Information technology - Open systems interconnection - Systems management: Confidence and Diagnostic Test Function".

ITU-T Recommendation X.738 | ISO/IEC 10164-13 (1993): "Information technology - Open systems interconnection - Systems management: Summarization function".

ITU-T Recommendation X.739 | ISO/IEC 10164-11 (1993): "Information technology - Open systems interconnection - Systems management: Metric Objects and Attributes".

ITU-T Recommendation X.745 | ISO/IEC 10164-12 (1993): "Information technology - Open systems interconnection - Systems management: Test management function".

ITU-T Recommendation X.746 | ISO/IEC 10164-15 (1993): "Information technology - Open systems interconnection - Systems management: Scheduling function".

ATM Forum Specification: "M4 Interface Requirements and Logical MIB: ATM Network Element View, Version 1.0".

ATM Forum Specification: "CMIP Specification for the M4 Interface, Version 1.0".

ATM Forum Specification: "ATM User-Network Interface Specification, Version 3.0".

ATM Forum Specification: "ATM User-Network Interface Specification, Version 3.1".

ATM Forum Specification: "ATM User-Network Interface Specification, Version 4.0".

DE/SPS-03047-1: "V interfaces at the digital Service Node (SN); Interfaces at the VB5.2 reference point for the support of broadband or combined narrowband and broadband Access Networks; Part 1: Interface specification".

ITU-T Recommendation X.720 | ISO/IEC 10165-1 (1992): "Information technology - Open systems interconnection - Structure of management information: Management information model".

ITU-T Recommendation X.732 | ISO/IEC 10164-3 (1992): "Information technology - Open systems interconnection - Systems management: Attributes for representing relationships".

History

Document history		
V1.1.1	June 1998	One-step Approval Procedure OAP 9843: 1998-06-03 to 1998-10-30