ETSI GR NFV 007 V5.1.1 (2024-11)



Network Functions Virtualisation (NFV); Release Description; Release 5

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.

It does not necessarily represent the views of the entire ETSI membership.

Reference RGR/NFV-007ed511 Keywords NFV, release

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under <u>Committee Support Staff</u>.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024. All rights reserved.

Contents

Intelle	ectual Property Rights	6
Forew	vord	6
Moda	l verbs terminology	6
1	Scope	7
2	References	7
2.1	Normative references	
2.2	Informative references	
3	Definition of terms, symbols and abbreviations	
3.1	Terms	
3.2	Symbols	
3.3	Abbreviations	
4	Release overview	8
4.1	Introduction	
4.2	Overview	
4.3	Summary of past Releases	
4.4	Specification work state	
5	Release 5 features	10
5.1	Overview	
5.2	Functional features	
5.2.1	FEAT19a: Network connectivity integration and operationalization for NFV - container networking	1 1
3.2.1	(NFV-Connect-container)	11
5.2.1.1		
5.2.1.2	1	
5.2.1.3	•	
5.2.1.4	Parts carried over to Release 5	12
5.2.1.5	5 Documentation results in Release 5	12
5.2.2	FEAT19b: NFV-Connect - connectivity integration and operationalization (NFV-Connect-container)	
5.2.2.1	1	
5.2.2.2	1	
5.2.2.3		
5.2.3	FEAT20: NFV-MANO automation and autonomous networks (Auto)	
5.2.3.1	±	
5.2.3.2	1	
5.2.3.3		
5.2.3.4 5.2.3.5		
5.2.3. 5.2.4	FEAT21: NFV enhancements for 5G (5GNFV)	
5.2.4.1		
5.2.4.2		
5.2.4.3	1	
5.2.4.4		
5.2.4.5		
5.2.5	FEAT24: VNF generic management functions (VNF-OAM)	
5.2.5.1	Description	17
5.2.5.2		
5.2.5.3		
5.2.5.4		
5.2.5.5		
5.2.6	FEAT26: Policy management models (Policy-model)	
5.2.6.1	±	
5.2.6.2	<u>.</u>	
5.2.6.3		
5.2.6.4		
5.2.6.5	Documentation results in Release 5	19

5.2.7	FEAT27: NFV for vRAN	
5.2.7.1	1	
5.2.7.2	I	
5.2.7.3		
5.2.8	FEAT29: Green NFV	
5.2.8.1	I · · ·	
5.2.8.2		
5.2.8.3		
5.2.9	FEAT30: VNF configuration	
5.2.9.1	1	
5.2.9.2		
5.2.9.3		
5.2.10	1 ,	
5.2.10	1	
5.2.10		
5.2.10		
5.2.10		
5.2.10		
5.2.11	,	
5.2.11	1	
5.2.11	1	
5.2.11 5.2.12		
5.2.12 5.2.12		
5.2.12		
5.2.12		
5.2.12 5.3	Enhancement features	
5.4	Security features	
5.4.1	ENH01.01: Certificate Management	
5.4.1.1		
5.4.1.2	•	
5.4.1.3		
5.4.1.4		
5.4.1.5		
5.5	Testing	
5.5.1	API Conformance Testing	
6	NFV Release 5 published deliverables	2.7
6.1	Introduction	
6.2	Group Reports of Release 5	
6.2.1	New Group Reports	
6.2.2	Evolved/propagated Group Reports	
6.3	Stage 1 and stage 2 Group Specifications of Release 5	
6.3.1	New Group Specifications	
6.3.2	Evolved/propagated published deliverables from a previous Release	29
6.3.3	Stage 2 publication packages	30
6.4	Stage 3 Group Specifications	31
6.4.1	New Group Specifications	31
6.4.2	Evolved/propagated published deliverables from a previous Release	
6.4.3	Stage 3 publication packages	32
6.5	Security Specifications	33
6.5.1	Newly published Security Specifications	
6.5.2	Evolved/propagated published Security Specifications	
6.5.3	Release independent Security Documents	
6.6	Testing specifications	
6.7	Other documentation	
6.8	Map of ETSI NFV specifications and the NFV Architectural Framework	35
Anne	ex A: Versioning of published deliverables	38
A.1	Introduction	38
A.2	Types of specifications/reports produced by the ETSLISG NFV	38

A.3 Deliverables naming and version semantics	38
A.3.1 Deliverables naming and numbering	
A.3.2 Deliverables versioning	39
A.3.3 Version alignments and relations	
Annex B: Release specification states	41
B.1 Overview	41
Annex C: Release 5 planning and definition	42
C.1 Introduction	42
C.2 Schedule	43
C.3 Feature overview	44
C.4 Feature details	
C.4.1 FEAT22: Multi-tenancy enhancements for NFV-MANO (M-Tenant)	
C.4.1.1 Description	
C.4.1.2 Architecture scope	
C.4.1.3 Documentation results in Release 5	
C.4.2 FEAT23: SBA for NFV-MANO (MANO-SBA)	
C.4.2.1 Description	
C.4.2.2 Architecture scope	
C.4.2.3 Documentation results	
C.4.3 FEAT25: Continuous VNF integration (VNF-CI)	
C.4.4.1 Description	
C.4.4.2 Architecture scope	
C.4.4.3 Documentation Results	
C.4.5 FEAT32: Reliability for cloud-native VNF	
C.4.5.1 Description	
C.4.5.2 Architecture scope	
C.4.5.3 Documentation results	
Annex D: Change history	48
History	49

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**TM, **LTE**TM and **5G**TM logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**TM logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**[®] and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Report (GR) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document describes the NFV Release 5 and in particular its version 5.1.1. It lists and defines the features forming this release and their relation to work items. It also documents the versions of the related published specifications and reports. The present document provides an overview of version 5.1.1 and is intended to help the user as an entry point to ETSI NFV documentation.

2 References

2.1 Normative references

Normative references are not applicable in the present document.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE 1: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

NOTE 2: The release description includes tables, figure and lists of documents to define the versions of the documents comprising the release. In these cases the documents are not listed as references in this clause.

docui	ments comprising the release. In these cases the documents are not listed as references in this clause.
[i.1]	ETSI GS NFV 002: "Network Functions Virtualisation (NFV); Architectural Framework".
[i.2]	ETSI GR NFV 003: "Network Functions Virtualisation (NFV); Terminology for Main Concepts in NFV".
[i.3]	ETSI GR NFV 007 (V4.5.1): "Network Functions Virtualisation (NFV) Release 4; Release Description; Release 4 Edition 4.5.1".
[i.4]	ETSI GR NFV-TST 006: "Network Functions Virtualisation (NFV); Testing; Report on CICD and DevOps".
[i.5]	ETSI GR NFV-SEC 005: "Network Functions Virtualisation (NFV); Trust; Report on Certificate Management".
[i.6]	ETSI GS NFV 006: "Network Functions Virtualisation (NFV) Release 4; Management and Orchestration; Architectural Framework Specification".
[i.7]	ETSI NFV wiki: "Feature tracking".
[i.8]	ETSI GR NFV-IFA 038 (V4.1.1): "Network Functions Virtualisation (NFV) Release 4; Architectural Framework; Report on network connectivity for container-based VNF".
[i.9]	ETSI GS NFV-IFA 053: "Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Requirements and interface specification for Physical Infrastructure Management".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms and definitions in ETSI GR NFV 003 [i.2] and the following apply:

capability: ability of an item to perform an action under given internal conditions in order to meet some demand

feature: functionality which represents added value to the system for a defined set of users

NOTE: A user could be a network operator, service provider, VNF provider, or some other defined actor.

function: abstract concept of a particular piece of functionality in a device, entity or service

functionality: sum of actions or any aspect an item can do

NOTE: Functionality can be associated to diverse items, including devices, entities, services and/or features.

release: set of deliverables that specify a well-defined, stable and internally consistent set of functions

NOTE: A Release differs from the previous Release by having added and/or improved functionality introduced as

a result of standardization work.

release definition: ensemble of features of a particular Release

release description: description of specification outputs delivered by the Release

3.2 Symbols

None.

3.3 Abbreviations

For the purposes of the present document, the abbreviations in ETSI GR NFV 003 [i.2] and the following apply:

GR Group Report
GS Group Specification

ISG Industry Specification Group

4 Release overview

4.1 Introduction

ETSI ISG NFV Release 5 (hereinafter referred also as Release 5 or the present release) builds on top and leverages the results of ETS ISG NFV documents published as part of the Release 4. The Release 5 introduces new features on top of the specified capabilities and features in previous releases and continues features not completed in Release 4.

Clause 4.2 provides a statistical summary of the Release 5 in terms of number of specifications and reports published to date. Clause 4.3 summarizes the capabilities and features that have been specified in past Releases and clause 4.4 summarizes the specification work state at each of the specification stages. A high-level description of the main outcomes of the Release 5 are provided in clause 5. Clause 6 lists the published GR and GS comprising Release 5. A high-level definition for each of the features which are considered during the development of current Release 5 work is provided in Annex C.

4.2 Overview

At the time the present Description document version is delivered, the Release 5 is comprised of the following number of published deliverables:

- 30 Group Specifications, among which:
 - 1 new stage 2 specification.
 - 16 stage 2 specifications evolved from earlier Releases.
 - 11 stage 3 specifications evolved from earlier Releases.
 - 2 security specifications evolved from earlier Releases.
- 13 Group Reports, among which:
 - 12 new reports.
 - 1 report evolved from earlier Releases.

4.3 Summary of past Releases

Each NFV release is building upon the capabilities and features specified as part of the previous release. All NFV releases enable interoperable implementations of the NFV Architectural Framework (see ETSI GS NFV 002 [i.1]).

The Release 3 added the following major architectural changes:

- Addition of the Or-Or reference point in between two NFVO.
- Exposure by the NFV-MANO functional blocks of new interfaces for policy management.
- Exposure by the NFV-MANO functional blocks of new interfaces for the management of NFV-MANO functional blocks.
- Definition of the Wide Area Infrastructure Management (WIM) and exposure of interfaces for multi-site network connectivity management.

The Release 4 added the following major capabilities and architectural changes:

- Support of cloud-native VNFs by introducing new functions CISM, CIR and CCM.
- Introducing service interfaces for CISM, CIR and CCM and related artifacts.
- Introducing new functions to support automation and autonomous networks: MDAF and intent management with related service interfaces.
- Enhancements for the support of 5G, including support of PaaS framework, introducing new functions of PSM and PSR.
- Introducing VNF generic management functions.
- Definition of policy management and fault management models.
- Enhancements for flexible VNF deployments.
- Introducing security management and monitoring.
- Introducing certificate management.

The NFV-MANO architecture is further described in ETSI GS NFV 006 [i.6].

ETSI GR NFV 007 (V4.5.1) [i.3] provides details about the capabilities that had been specified in the Release 4.

4.4 Specification work state

Table 4.4-1 summarizes the status of the specification work at different stages. Annex B describes the meaning of the "state" of the specification work.

Table 4.4-1: Specification work state within the present Release

Stage	Meaning	State	Additional notes
Informative (stage 0)	Informative work within a Release used to	Closed	None
	study new use cases and technical features.		
Stage 1/2	Normative work:	Open	None
	Service and business requirements		
	Architecture, interfaces and information		
	models.		
Stage 3	Normative work on protocols and data	Open	None
	models.		
	Informative work on studying potential		
	profiling of existing solutions.		
Stage 4	Normative work on testing specifications for	Open	None
	protocols and data models.		

5 Release 5 features

5.1 Overview

The features introduced as part of the Release 5 are listed in Table 5.1-1.

Table 5.1-1: Release 5 features

FEAT Id	Feature title	History	Studies, etc.	Stage 2 status	Stage 3 status
FEAT19a	Enhanced container networking	Started in Release 4	IFA043	Open	Not started
FEAT19b	NFV-Connect - connectivity integration and operationalization	Started in Release 4	IFA035	Open, Updates in edition 5.1.1	Not started
FEAT20	Auto	Started in Release 4	IFA041	Completed in Release 4	Open
FEAT21	5G	Started in Release 4	IFA037	Open, Updates in edition 5.1.1	Open, Updates in edition 5.1.1
FEAT24	VNF generic management functions	Started in Release 4	EVE019	Open, Updates in edition 5.1.1	Not started
FEAT26	Policy Management Models	Started in Release 4	IFA042	Completed in Release 4	Open
FEAT27	NFV for vRAN	New	IFA046	Open	Not started
FEAT29	Green NFV	New	EVE021	Open, Updates in edition 5.1.1	Not started
FEAT30	VNF configuration	New	EVE022	Open, Updates in edition 5.1.1	Updates in edition 5.1.1
FEAT31	Flexible VNF deployment	New, see note	IFA044	Completed in edition 5.1.1	Completed in edition 5.1.1
FEAT33	Physical Infrastructure Management	New	-	Open	Not started
FEAT35	VNF management gaps with Open Source	New	IFA051	Open, Updates in edition 5.1.1	Open, Updates in edition 5.1.1
NOTE: The feature was planned newly in Release 5, some parts were already published in Release 4.					

Currently there are no enhancement features (specific technical enhancements) in Release 5.

Table 5.1-2 lists the Release 5 security features.

Table 5.1-2: Release 5 security features

FEAT Id	Title	History	Studies, etc.	Stage 2 status	Stage 3 status
ENH01.01	Certificate management		SEC005	Open,	Open
		Release 4		Updates in edition 5.1.1	

Several features are delivered in multiple packages (also known as drops or editions). The following clauses describe the features and content provided in various drops. The present document describes up to edition 5.1.1; planning for later drops is also provided.

5.2 Functional features

5.2.1 FEAT19a: Network connectivity integration and operationalization for NFV - container networking (NFV-Connect-container)

5.2.1.1 Description

The feature enhances the NFV architectural framework to provide support for multiple networks connectivity for OS container-based VNF.

More precisely, the feature enhances the NFV descriptors and NFV-MANO functional blocks/functions and exposed interfaces to enable the management of secondary container cluster networks, and connectivity of OS container-based VNF to such networks.

The feature is a continuation and evolution of FEAT19 on "Network connectivity integration and operationalization for NFV".

NOTE: This work has been started as ETSI GR NFV-IFA 038 [i.8].

5.2.1.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions: NFVO, VNFM, CISM, CCM.
- Reference points and interfaces: Os-Ma-nfvo, Or-Vnfm, CISM service interfaces, CCM service interfaces.
- Artefacts: VNFD.

5.2.1.3 Documentation results in Release 4

The feature has been specified in the specifications and reports listed in Table 5.2.1.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.1.3-1: Documentation results Release 4 of feature "Network connectivity integration and operationalization for NFV - container networking"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 038	Info	Report on network connectivity for container based VNF.
ETSI GS NFV-IFA 010	Stages 1	Functional requirements for the NFVO to support requesting the
	and 2	creation of secondary container cluster network management and
		providing information about such networks in VNF LCM procedures to
		the VNFM.
		Functional requirements for the VNFM to support processing resource
		requirements related to network resources for secondary container
		cluster networks. Functional requirements for the VNFM to support
		requesting attachment of groups of one or more OS containers of
		container-based VNF to secondary container cluster networks.
		Functional requirements for the CISM to support the capabilities to
		management the attachment to secondary container cluster networks.
ETSI GS NFV-IFA 007	Stage 2	Additional attributes in VNF Lifecycle Management interface to signal
		information about network attachment definition resources used to
		signal the attachment to secondary container cluster networks, and
ETOLOG NEV/JEA 000	04	exposure of relevant runtime information.
ETSI GS NFV-IFA 008	Stage 2	Additional attributes in VNF Lifecycle Management interface to signal
		information about network attachment definition resources used to
		signal the attachment to secondary container cluster networks, and exposure of relevant runtime information.
ETCL CS NEV/ JEA 040	Ctoro 2	
ETSI GS NFV-IFA 040	Stage 2	Add secondary networks.
ETSI GS NFV-SOL 002	Stage 3	Additional data type attributes in VNF Lifecycle Management API to
		signal information about network attachment definition resources used
		to signal the attachment to secondary container cluster networks, and exposure of relevant runtime information.
ETSI GS NFV-SOL 003	Stage 3	Additional data type attributes in VNF Lifecycle Management API to
L 131 G3 NF V-30L 003	Stage 3	signal information about network attachment definition resources used
		to signal the attachment to secondary container cluster networks, and
		exposure of relevant runtime information.
ETSI GS NFV-SOL 018	Stage 3	Add secondary networks.
L 101 00 141 V-30L 018	Jolaye 3	rad secondary networks.

5.2.1.4 Parts carried over to Release 5

The feature was not completed in Release 4. The following parts of the feature are carried over to Release 5:

- Analyse complex telecom specific use cases and solution for container networking, and profile open source container solutions.
- Enhance multiple network support and add more automation into container network management.
- Specify enhancements to support network policies for container networking.

5.2.1.5 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.1.5-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.1.5-1: Documentation results Release 5 of feature "Network connectivity integration and operationalization for NFV - container networking"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 043	Info	Report on enhanced container networking.
	V5.1.1	

5.2.2 FEAT19b: NFV-Connect - connectivity integration and operationalization (NFV-Connect-container)

5.2.2.1 Description

The feature covers the following areas:

- A "flatter" networking to remove complex L1 and L2 network layering dependencies for the network functions.
- Exposure of high-performance overlay network capabilities to network functions.
- Support of dynamic routing capabilities in the network.
- Enable more dynamic network provisioning and reconfiguration "end-to-end", within and across sites.
- Minimize manual intervention for network provisioning, while increasing automation.

5.2.2.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions: VIM, WIM, PIM (not yet a function).
- Reference points and interfaces: Or-Wi, Or-Vi, Vi-Vnfm.
- Artefacts: VNFD.

5.2.2.3 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.2.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.2.3-1: Documentation results of feature "Network connectivity integration and operationalization for NFV - container networking"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 035	Info	Report on network connectivity integration and operationalization for NFV.
	V5.1.1	
ETSI GS NFV-IFA 010	Stage 2	Add functional requirements for the NFV architectural framework to support the capabilities regarding network connectivity and integration according to
	V5.1.1	recommendations derived in ETSI GR NFV-IFA 035 (V5.1.1).
ETSI GS NFV-IFA 006	Stage 2	Add enhancements in the relevant interfaces and information elements based on the gaps identified in ETSI GR NFV-IFA 035 (V5.1.1).
	V5.1.1	
ETSI GS NFV-IFA 005	Stage 2	Add enhancements in the relevant interfaces and information elements based on the gaps identified in ETSI GR NFV-IFA 035 (V5.1.1).
	V5.1.1	
ETSI GS NFV-IFA 011	Stage 2	Enhance NFV descriptors to carry information related to networking management based on the gaps identified in ETSI GR NFV-IFA 035 (V5.1.1).
	V5.1.1	
ETSI GS NFV-SOL 014	Stage 3	
	V5.1.1	
	(planned)	

5.2.3 FEAT20: NFV-MANO automation and autonomous networks (Auto)

5.2.3.1 Description

The scope of the feature covers the following areas:

- NFV-MANO support for managing autonomous networks.
- Enabling higher level of automation for NFV-MANO.
- Intent-based principles for external exposure network services management.

5.2.3.2 Architecture scope

The feature concerns the following main functional blocks (or functions) and service interfaces:

- Functional blocks and functions: NFVO, MDAF (new), Intent Management (new).
- Service interfaces: MDAF service interfaces, Intent Management service interfaces.

5.2.3.3 Documentation results in Release 4

The feature has been specified in the specifications and reports listed in Table 5.2.3.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.3.3-1: Documentation results Release 4 of feature "NFV-MANO automation and autonomous networks"

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 010	Stages 1 and 2	Add functional requirements for the MDAF and the Intent Management. Add functional requirements for the NFVO, related to MDAF and Intent Management.
ETSI GS NFV-IFA 047	Stage 2	Specify the service requirements for the Management Data Analytics (MDA) Function (MDAF), corresponding service interfaces produced by the MDAF, and related information elements.
ETSI GS NFV-IFA 050	Stage 2	Specify the intent management service interface, including interface requirements, service requirements, operations and their associated information model. Specify the information model of intents which is specific to NFV-MANO domain.
ETSI GS NFV-SOL 009	Stage 3	Add MDAF into NFV-MANO mgmt interfaces.

5.2.3.4 Parts carried over to Release 5

The feature was not completed in Release 4. Stage 2 was completed; main part of stage 3 is provided in Release 5.

5.2.3.5 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.3.5-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.3.5-1: Documentation results Release 5 of feature "NFV-MANO automation and autonomous networks"

Document Id.	Stage	Description of the feature result
		A RESTful protocol and data model specification fulfilling the requirements specified in the ETSI GS NFV-IFA 050 for the intent management service interface integrated with NFV-MANO framework.

5.2.4 FEAT21: NFV enhancements for 5G (5GNFV)

5.2.4.1 Description

The feature enhances the NFV architectural framework to further support 5G network deployments.

The feature comprises several types of enhancements including:

- Enhancements to the NSD processing and flexible handling of NS constituents (e.g. version dependencies) to support the deployment and continuous update of 5G services delivered by constituent VNFs.
- PaaS Services management.
- Various enhancements on interfaces and descriptors related to networking aspects.

5.2.4.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions: NFVO, VNFM, and VNF generic OAM/PaaS framework, new in Release 5: PSM and PSR.
- Reference points and interfaces: Os-Ma-nfvo, Or-Vnfm, and NB-M, NB-F, SB-V, SB-F of the VNF generic OAM/PaaS framework.
- Artefacts: NSD, VNFD, new in Release 5: PSD.

5.2.4.3 Documentation results in Release 4

The feature has been specified in the specifications and reports listed in Table 5.2.4.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.4.3-1: Documentation results Release 4 of feature "NFV enhancements for 5G"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 037	Info	Informative and study analysis of NFV enhancements for 5G.
ETSI GS NFV 006	Stage 2	Specification of the PaaS Services management framework: addition of the Pass Services Management (PSM) and PaaS Services Repository (PSR) functions to the NFV-MANO architectural framework.
ETSI GS NFV-IFA 010	Stages 1 and 2	Functional requirements for the NFVO to process and maintain information about version dependencies in NSD constituents. Functional requirements for the PaaS Service Management, the PaaS Services Repository and related Functional requirements for the NFVO and VNFM.
ETSI GS NFV-IFA 007	Stage 2	Extensions to the granting interface to support PaaS Service assignments. Enhancement of the related interface and information model specification, including runtime information. Extensions for the modelling to support domain naming.
ETSI GS NFV-IFA 008	Stage 2	Extensions to the runtime information of PaaS Services used by the VNF. Extensions for the modelling to support domain naming.
ETSI GS NFV-IFA 011	Stage 2	Extensions to the VNFD for the modelling of the PaaS Service requests. Extensions for the modelling to support domain naming.
ETSI GS NFV-IFA 013	Stage 2	Extensions to the NS Lifecycle Management interface to support the provisioning and handling of versions dependencies between NSD constituents. Enhancement of the related interface and information model specification, including runtime information. Extensions to the runtime information elements to model PaaS Services used by the NS and VNF instances. Extensions to the modelling to support domain naming, information about external L2 networks, and further qualifying location constraints.

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 014	Stage 2	Extensions to the NSD information modelling to support the indication of version dependencies between NSD constituents and information to determine the constraints of onboarding of packaging associated to the constituents. Extensions to the NSD information modelling to support PaaS Services. Extensions to the NSD information modelling to support additional VL capabilities.
ETSI GS NFV-SOL 001	Stage 3	Extensions with new properties in datatypes and node types of the NSD data model to support the indication of version dependencies between NSD constituents and information to determine the constraints of onboarding of packaging associated to the constituents. VNFD PaaS Service modelling refinements. NSD modelling to use PaaS Services.
ETSI GS NFV-SOL 002	Stage 3	New attributes on NS Lifecycle Management API
ETSI GS NFV-SOL 003	Stage 3	New attributes on NS Lifecycle Management API and granting, modified semantics and permitted attribute values.
ETSI GS NFV-SOL 005	Stage 3	Extensions to the NS Lifecycle Management API to support the provisioning and handling of versions dependencies between NSD constituents. Enhancement of the related interface and information model specification, including runtime information. New attributes on NS Lifecycle Management API.
ETSI GS NFV-SOL 016	Stage 3	Addition of PaaS.

5.2.4.4 Parts carried over to Release 5

The feature was not completed in Release 4. The following parts of the feature are carried over to Release 5:

- PaaS Services management service interface requirement and interface specification.
- PaaS Services descriptors.
- Some enhancements on interfaces and descriptors related to networking aspects, e.g. connection points lifecycle management, and aspects related to resources sharing.

5.2.4.5 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.4.5-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.4.5-1: Documentation results Release 5 of feature "NFV enhancements for 5G"

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 007	Stage 2	Extension to support the granting of shared virtualised resources.
	V5.1.1	
ETSI GS NFV-IFA 011	Stage 2	Enhancements to VNFD to relate scaling aspects with VNF services.
	V5.1.1	
ETSI GS NFV-IFA 049	Stages 1 and 2	PaaS Services framework and specification of the relationship of VNF generic OAM functions with PaaS Services.
	V5.1.1	Specification of interface requirements, service interfaces and relevant information modelling for the management of PaaS Services by the PaaS Services Management (PSM) and PaaS Services Repository (PSR) functions. Specification of PaaS Services Descriptors (PSD).
ETSI GS NFV-SOL 001	Stage 3	Enhancements to NSD modelling for PaaS services and additional VL capabilities.
	V5.1.1	
ETSI GS NFV-SOL 024	Stage 3	
	V5.2.1	
	work ongoing	

5.2.5 FEAT24: VNF generic management functions (VNF-OAM)

5.2.5.1 Description

The feature analyses and defines the type of OAM functions for VNFs that can be generalized and be provided as a "generic function" supporting the provisioning, connectivity, configuration, testing and monitoring of VNFs on a virtualised platform.

The feature also enhances the NFV architectural framework to further support VNF Generic OAM functions. Interactions with other NFV-MANO entities like MDAF are also delineated.

The feature also determines possible solutions to realize such generic OAM functions, e.g. by leveraging PaaS capabilities, the interfaces exposed by the VNF generic OAM functions and the relevant information elements.

Release 5 extends the functionality and the feature analyses further the types of OAM functions for VNFs defined in Release 4 and Release 5 (stage 0/1) supporting the provisioning, connectivity, configuration and monitoring of VNFs on a virtualised platform. The feature also formalizes the way generic OAM functions can be realized by leveraging PaaS capabilities.

The necessary functional requirements, interface requirements, like also the necessary interfaces and necessary information models are specified for functions defined in Release 5 stage 0/1, while interfaces and IE defined functions will be extended, if necessary. The result will also report possible NFV-MANO architectural enhancements.

5.2.5.2 Architecture scope

The feature concerns interactions between VNF generic OAM functions and other Paas Services with the main functional blocks and references points:

- Functional blocks and functions: NFV-MANO, OSS/BSS and NFVI.
- Artefacts: PSD, VNFD and NSD (via PaaS Services enhancements of FEAT21).

5.2.5.3 Documentation results in Release 4

The feature has been specified in the specifications and reports listed in Table 5.2.5.3-1.

Table 5.2.5.3-1: Documentation results Release 4 of feature "VNF Generic OAM functions"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 019	Info and stage 1	Report on VNF generic OAM functions.
ETSI GS NFV-IFA 049	Stage 2	Definition of interfaces and information elements, description of the VNF generic OAM functions architectural model.

5.2.5.4 Parts carried over to Release 5

The feature was not completed in Release 4. The following parts of the feature are carried over to Release 5:

- Relationship between VNF generic OAM functions and MDAF.
- Notifications management for VNF generic OAM functions.

Additional technical aspects investigated in Release 5 are about Policy management for VNF generic OAM functions and other PaaS services, closed loop control for NFV, VNF testing management and interaction with Intent management function.

The stage 3 specification is to be developed as part of the Release 5.

5.2.5.5 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.5.5-1.

Table 5.2.5.5-1: Documentation results Release 5 of feature "VNF Generic OAM functions"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 019	Info and stage 1	Report on VNF generic OAM functions.
	V5.1.1	
ETSI GS NFV-IFA 049	Stage 2	Specifies functional requirements and interfaces of new VNF generic OAM functions like "Testing manager", "Policy agent", "Notifications
	V5.1.1	manager", and enhancements to support service mesh connectivity.
ETSI GS NFV-SOL 024	Stage 3	New specification of protocol and data model solutions for VNF Generic
	V5.2.1	OAM functions and PaaS Services.
	work ongoing	

5.2.6 FEAT26: Policy management models (Policy-model)

5.2.6.1 Description

The feature defines the models necessary for policy management, while the architectural enhancements for the introduction of the policy framework and the specification of a policy engine, with its procedures, interfaces and handling of the input events, goals and output/actions is not in scope of this feature.

The scope of the feature covers the following areas:

- Analyse existing policy information and data models and identify solutions that potentially could be applied to NFV-MANO.
- Clarify the main alternative for policy management (between NFV-MANO and OSS/BSS).
- Determine the objectives and management alternatives for policy management applicable to NFV-MANO.
- Identify policy expression information model applicable to NFV-MANO.
- Identify policy expression data model applicable to NFV-MANO.

5.2.6.2 Architecture scope

The feature does not introduce architectural changes. The main functional block affected by the feature is the NFVO.

5.2.6.3 Documentation results in Release 4

The feature has been specified in the specifications and reports listed in Table 5.2.6.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.6.3-1: Documentation results Release 4 of feature "Policy management models"

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 048	Stage 2	Specifies the structure and content of the NFV-MANO policy information model
ETSI GS NFV-IFA 005	Stage 2	Specifies enhancements according to the policy information model
ETSI GS NFV-IFA 006	Stage 2	Specifies enhancements according to the policy information model
ETSI GS NFV-IFA 007	Stage 2	Specifies enhancements according to the policy information model
ETSI GS NFV-IFA 008	Stage 2	Specifies enhancements according to the policy information model
ETSI GS NFV-IFA 013	Stage 2	Specifies enhancements according to the policy information model
ETSI GS NFV-SOL 012	Stage 3	Specifies the structure and content of the NFV-MANO policy information model

5.2.6.4 Parts carried over to Release 5

The feature was not completed in Release 4. Stage 2 was completed; main part of stage 3 is provided in Release 5. Specification of additional alarms can take place in future releases too.

5.2.6.5 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.6.5-1.

Table 5.2.6.5-1: Documentation results Release 5 of feature "Policy management models"

Document Id.	Stage	Description of the feature result
ETSI GS NFV-SOL 022	Stage 3	
	V5.2.1 work ongoing	
ETSI GS NFV-SOL 024	Stage 3	New specification of protocol and data model solutions for VNF Generic OAM functions and PaaS Services.
	V5.2.1	
	work ongoing	

5.2.7 FEAT27: NFV for vRAN

5.2.7.1 Description

The scope of this feature covers the following areas:

- Study the advances concerning the virtualisation of the RAN and profile the NFV framework to determine how it can support virtualised RAN (vRAN) use cases.
- Identify key technical challenges relevant to architectural, operational and management aspects, in case the NFV architectural framework is leveraged to support virtualisation of the RAN.
- Provide recommendations for enhancements to the NFV architectural framework and its functionality, aiming to provide further support for vRAN use cases.
- Based on the recommendations, enhance when needed the overall NFV-MANO framework, existing NFV-MANO interfaces and descriptors.

5.2.7.2 Architecture scope

The feature investigates profiling of NFV-MANO to the architecture defined by the O-RAN Alliance. It also considers physical infrastructure management aspects for NFV-MANO.

5.2.7.3 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.7.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.7.3-1: Documentation results of feature "NFV for vRAN"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 046	Stage 1	Report on NFV support for virtualisation of RAN.
	V5.1.1	

5.2.8 FEAT29: Green NFV

5.2.8.1 Description

The scope of the feature covers the following areas:

- Analyse aspects of NFV (VNF design, NFV-MANO and VNF operation, deployment configuration of NFV-MANO, NFVI, etc.) that have impact on energy consumption and those that can enable smart energy NFV and power saving features.
- Identify design guidelines needed for optimizing energy consumption.
- Specify enhancements to specifications on interfaces and information model, augment exposed KPIs and metrics to enable resources orchestration and VNF/NS LCM to operate following power saving policies.

5.2.8.2 Architecture scope

No new architectural elements are specified, but extensions and enhancements are developed concerning the following main functional blocks, functions and references points:

- Functional blocks and functions: CCM, VIM, CISM, PIM.
- Reference points and interfaces: Vi-Vnfm, Or-Vi, interfaces produced by CCM, CISM and PIM.
- Artefacts: none in V5.1.1.

5.2.8.3 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.8.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.8.3-1: Documentation results of feature "Green NFV"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 021	Info	Report on energy efficiency aspects for NFV.
	V5.1.1	
ETSI GS NFV-IFA 010	Stages 1 and 2	Functional requirements for the PIM, VIM and CISM to support
		providing power consumption and energy metrics associated to its
	V5.1.1	managed objects.
		Functional requirements for the VIM to support scheduling and
		instantiation of virtualised resources considering power state
		requirements, and managing the power states of managed virtualised compute resources.
		Functional requirements for the CISM to support scheduling and
		instantiation of containerized workloads considering power state
		requirements.
		Functional requirements for the CCM to support managing the power
		states of CIS cluster nodes.
ETSI GS NFV-IFA 005	Stage 2	Enhancements on the relevant virtualised resource management
		interfaces produced by the VIM to support providing power state
	V5.1.1	requirements for the virtualised resources to be allocated and managing
		the power states of managed virtualised compute resources.
ETSI GS NFV-IFA 006	Stage 2	Enhancements on the relevant virtualised resource management
		interfaces produced by the VIM to support providing power state
	V5.1.1	requirements for the virtualised resources to be allocated.
ETSI GS NFV-IFA 036	Stage 2	Requirements for the CCM to support additional tagging scopes for CIS
		cluster nodes related to CPU power profiles, and enhance relevant
	V5.1.1	models and interfaces produced by the CCM and CISM.
		Enhancements on relevant CIS cluster management interfaces
		produced by the CCM to support managing the power states of CIS
		cluster nodes.

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 040	Stage 2	Enhancements on relevant interfaces produced by the CISM to support scheduling and instantiation of containerized workloads considering
	V5.1.1	power state requirements.
ETSI GS NFV-IFA 027	Stage 2	Definition of energy consumption metrics associated to virtualised compute resources and containerized workloads, and update of
	V5.1.1	VNF/VNFC related metrics considering containerized workloads.
ETSI GS NFV-IFA 053	Stage 2	Requirements for the PIM to support managing the power states of physical resources in the NFVI, and enhance relevant management
	V5.1.1	interfaces produced by the PIM.
		Support for discovery, collection and use of information about power consumption characteristics, information about power state aware zoning and pooling of physical resource in the NFVI. Inventory of
		physical resources in NFVI.

5.2.9 FEAT30: VNF configuration

5.2.9.1 Description

The scope of this feature covers the following areas:

- Provide guidelines on the use of the configuration options available in the NFV framework and the types of configuration data applicable to each of these options.
- Specify related enhancements to the set of ETSI NFV specifications needed to improve interoperability between VNFs and independently-developed VNF configuration management functions and further facilitate automation of VNF configuration.

5.2.9.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions: NFVO, VNFM, VNF generic OAM/PaaS framework, new in Release 5: Configuration Server PaaS Service.
- Reference points and interfaces: NB-M, NB-F, SB-V, SB-F of the VNF generic OAM/PaaS framework.
- Artefacts: VNFD.

5.2.9.3 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.9.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.9.3-1: Documentation results of feature "VNF configuration"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 022	Info	Report on VNF configuration.
	V5.1.1	
ETSI GS NFV-IFA 010	Stages 1 and 2	Support in the NFV architectural framework for the distribution and storage of configuration data by means of a "Configuration Server".
	V5.1.1	
ETSI GS NFV-IFA 011	Stage 2	Specification of VNF configurable properties to identify and configure CPs to be connected to management systems.
	V5.1.1	Support in LCM scripts to invoke agent-less configuration solutions.
ETSI GS NFV-IFA 013	Stage 2	Enhancements to NS LCM: notifications and information exposing relevant attributes to be used in VNF configuration procedures.
	V5.1.1	

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 049		Specification of the "Configuration Server" as new PaaS Service:
		functional requirements, interface requirements, interface and information modelling.
		Enhancements in the VNF generic OAM framework to support
		interactions and use of "Configuration Server".
ETSI GS NFV-SOL 001	Stage 3	Enhancements on VNFD for configuration.
	V5.1.1	
ETSI GS NFV-SOL 005	Stage 3	New attribute VnfInstance.vnfmld.
	V5.1.1	

5.2.10 FEAT31: Flexible VNF deployment

5.2.10.1 Description

The feature has two parts: deployable modules and dynamic capacity.

The feature was planned for Release 5, but the deployable modules part was added late to Release 4.

The dynamic capacity part of the FEAT 31 Flexible VNF deployment introduces support for parameterizing the VDU attributes related to capacity in the interfaces.

Dynamic capacity allows the VNF vendor to define which VDU attributes related to capacity can be configured in run time as well as providing a range of valid values, and the service provider to decide at deployment time the values for those attributes, as well as modifying the values during the life time of the VNF instance, i.e. to perform a vertical scaling operation.

5.2.10.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions: NFVO, VNFM.
- Reference points and interfaces: Os-Ma-nfvo, Or-Vnfm, Ve-Vnfm.
- Artefacts: NSD, VNFD.

NOTE: All changes related to Os-Ma-nfvo reference point were completed in Release 4.

5.2.10.3 Documentation Results in Release 4

The feature has been specified in the specifications and reports listed in Table 5.2.10.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.10.3-1: Documentation results Release 4 of feature "Flexible VNF deployment"

Document Id.	Stage	Description of the feature result		
ETSI GR NFV-IFA 044	Info	Network Functions Virtualisation (NFV) Release 5.		
		Management and Orchestration.		
	V5.1.1	Report on Flexible VNF Deployment.		
ETSI GS NFV-IFA 010	Stage 1 and	Functional requirements for the modification of selected deployable		
	2	modules added to the NFVO and VNFM during VNF lifecycle		
		management.		
ETSI GS NFV-IFA 007	Stage 2	Extensions of the instantiate VNF, change VNF deployment flavour and change current VNF package operations and grant request to support deployable modules. Definition of a new VNF LCM operation to select deployable modules.		
ETSI GS NFV-IFA 008	Stage 2	Extensions of the instantiate VNF, change VNF deployment flavour and change current VNF package operations to support deployable modules. Definition of a new VNF LCM operation to select deployable modules.		

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 011	Stage 2	Extensions of the VNF deployment flavour and VDU profile to support
		deployable modules.
ETSI GS NFV-IFA 013	Stage 2	Extensions of modelling and LCM operations to support deployable modules.
ETSI GS NFV-IFA 014	Stage 2	Extensions of the NS profile, VNF profile and NSD to support deployable modules.
ETSI GS NFV-SOL 001	Stage 3	Introduction of deployable modules in the VNFD, VNF and NS profiles. Deployable modules relation to scaling aspects, SAP and MCIOPs. Supported operations for change of deployable modules. Example of a VNF with deployable modules.
ETSI GS NFV-SOL 002	Stage 3	Modified attribute semantics, new attributes resources and data types on LCM interface.
ETSI GS NFV-SOL 003	Stage 3	Modified attribute semantics, new attributes resources and data types on LCM interface and granting.
ETSI GS NFV-SOL 005	Stage 3	Modified attribute semantics and new attributes on LCM interface.

5.2.10.4 Parts carried over to Release 5

The deployable modules part of the feature was completed in Release 4. The dynamic capacity part, independent of the deployable modules part, is kept in Release 5, as originally planned.

5.2.10.5 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.10.5-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.10.5-1: Documentation results Release 5 of feature "Flexible VNF deployment"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 044	Info	Network Functions Virtualisation (NFV) Release 5.
		Management and Orchestration.
	V5.1.1	Report on Flexible VNF Deployment
ETSI GS NFV-IFA 010	Stage 1 and 2	Functional requirements for the support of vertical scaling added to the
		VNFM during VNF lifecycle management.
	V5.1.1	
ETSI GS NFV-IFA 007	Stage 2	Extensions of the instantiate VNF, change VNF DF, change current VNF
		package, scale VNF operations and grant request to support indication of
	V5.1.1	values for capacity related VDU attributes.
ETSI GS NFV-IFA 008	Stage 2	Extensions of the instantiate VNF, change VNF DF, change current VNF
		package and scale VNF operations to support indication of values for
	V5.1.1	capacity related VDU attributes.
ETSI GS NFV-IFA 011	Stage 2	Extensions of the VDU descriptors to support the marking of attributes
		related to capacity that can be configured in run time and the specification
	V5.1.1	of valid values.
ETSI GS NFV-IFA 014	Stage 2	Extensions of the VNF profile to support further control for the service
		provider on which attributes can be modified.
	V5.1.1	
ETSI GS NFV-SOL 001	Stage 3	Extensions of the VDU descriptors to support the marking of attributes
		related to capacity that can be configured in run time and the specification
	V5.1.1	of valid values.
ETSI GS NFV-SOL 002	Stage 3	New attributes and data types on LCM interface.
	V5.1.1	
ETSI GS NFV-SOL 003	Stage 3	New attributes and data types on LCM interface.
	V5.1.1	

5.2.11 FEAT33: Physical Infrastructure Management

5.2.11.1 Description

The scope of FEAT33 covers the following areas:

- Profile existing solutions related to hardware management specify requirements for physical infrastructure management in the NFV-MANO framework.
- Specify interface specifications for managing physical infrastructure with respect to life cycle and FM/PM of
 physical compute, storage and networking resources.
- Specify the information model for describing attributes and statuses of NFVI physical resources to support relevant interface specifications.
- Architectural analysis of physical infrastructure management within the NFV-MANO framework.
- Analysis of existing solutions for management of physical resources.
- Potentially profile existing solutions related to physical infrastructure management.

5.2.11.2 Architecture scope

Architectural analysis and framework for physical infrastructure management is on-going in ETSI GS NFV-IFA 053 [i.9].

5.2.11.3 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.11-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.11-1: Documentation results of feature "Physical Infrastructure Management"

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 053 V5.1.1		Requirements and information modelling for Physical Infrastructure
		Management.

5.2.12 FEAT35: VNF management gaps with Open Source

5.2.12.1 Description

The feature has two parts: support simplified VNFD design based on gap analysis with ONAP ASD project and enhancements VNF LCM/FM/PM based on gap analysis with Openstack Tracker.

5.2.12.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions: VNFM, CISM.
- Reference points and interfaces: Os-Ma-nfvo, Or-Vnfm, CISM service interfaces, Ve-Vnfm.
- Artefacts: VNFD.

5.2.12.3 Documentation Results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.2.12.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.12.3-1: Documentation results of feature "VNF management gaps with Open Source"

Document Id.	Stage	Description of the feature result		
ETSI GR NFV-IFA 051	Info	Network Functions Virtualisation (NFV) Release 5.		
		Architectural framework.		
	V5.1.1	Report on VNF management gap analysis with open source projects.		
ETSI GS NFV-IFA 010	Stage 2	Add functional requirements for the NFV architectural framework to		
	VE 4.4	support the capabilities regarding simplified VNFD design according to		
ETOLOG NEV JEA 044	V5.1.1	recommendations derived in ETSI GR NFV-IFA 051 (V5.1.1).		
ETSI GS NFV-IFA 011	Stage 2	Enhance NFV descriptors to support simplified VNFD design based on		
	V5.1.1	the gaps identified in ETSI GR NFV-IFA 051 (V5.1.1).		
ETSI GS NFV-IFA 007	Stage 2	Add enhancements in the relevant interfaces and information elements		
E 131 G3 NF V-1FA 007	Stage 2	based on the gaps identified in ETSI GR NFV-IFA 051 (V5.1.1).		
	V5.1.1	based of the gaps identified in ETOI OIC NI V-II A 001 (V0.1.1).		
ETSI GS NFV-IFA 008	Stage 2	Add enhancements in the relevant interfaces and information elements		
		based on the gaps identified in ETSI GR NFV-IFA 051 (V5.1.1).		
	V5.1.1			
ETSI GS NFV-IFA 013	Stage 2	Add enhancements in the relevant interfaces and information elements		
		based on the gaps identified in ETSI GR NFV-IFA 051 (V5.1.1).		
	V5.1.1			
ETSI GS NFV-SOL 001	Stage 3	Add clarification on osContainer and Mciop usage.		
	V5.1.1	Add clarification on monitoring type. Add example_of_VNFD_with_simple_design.		
	V 3. 1. 1	Add example_or_vivr_b_wirr_simple_design. Add new property to VnfPackageChange policy.		
ETSI GS NFV-SOL 002	Stage 3	Add enhancements in the relevant interfaces and information elements.		
2101 00 W V-00E 002	Stage 5	Add enhancements in the relevant interfaces and information elements.		
	V5.1.1			
ETSI GS NFV-SOL 003	Stage 3	Add enhancements in the relevant interfaces and information elements.		
	V5.1.1			
ETSI GS NFV-SOL 005	Stage 3	Added new resource data type and new attributes.		
	\/F 1 1			
ETSI GS NFV-SOL 009	V5.1.1 Stage 3	Add external access for PM and FM.		
L 131 33 INF V-30L 009	Stage 3	Aud External access IVI FIVI and FIVI.		
	V5.1.1			
ETSI GS NFV-SOL 016	Stage 3	Add osContainerDesc.		
	V5.1.1			

5.3 Enhancement features

There are currently no enhancement features for Release 5.

5.4 Security features

5.4.1 ENH01.01: Certificate Management

5.4.1.1 Description

The security enhancement provides a capability to support certificate management by introducing Certificate Management Function (CMF) within the NFV MANO architecture and is enhancing the NFV-MANO reference points and functional blocks. CMF enhances "Operator Certificate Enrolment Server" as defined in ETSI GR NFV-SEC 005 [i.5].

5.4.1.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks: Certificate Management Function (CMF), NFVO, VNFM, VIM, CISM.
- Reference points: all:
 - Security reference point Cm-Vnfm for certificate management.

5.4.1.3 Documentation results in Release 4

The feature has been specified in the specifications and reports listed in Table 5.4.1.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.4.1.3-1: Documentation results Release 4 of enhancement feature "Certificate Management"

Document Id.	Stage	Description of the feature result		
ETSI GS NFV-IFA 006	Stage 2	Add modelling for certificate data.		
ETSI GS NFV-IFA 007	Stage 2	Add requirements, parameters and attributes for certificates.		
ETSI GS NFV-IFA 008	Stage 2	Add requirements, parameters and attributes for certificates.		
ETSI GS NFV-IFA 010	Stage 2	Add general requirements for certificate management.		
ETSI GS NFV-IFA 011	Stage 2	Add modelling for certificate data.		
ETSI GS NFV-IFA 013	Stage 2	Add requirements and modelling for certificate management.		
ETSI GS NFV-IFA 026	Stage 2	Add use case and requirements for certificate management. Specify the		
		Certificate Management Architecture, functions and reference points.		
ETSI GS NFV-IFA 031	Stage 2	Add management for the Certificate Management Function.		
ETSI GS NFV-IFA 033	Stage 2	Specify the Certificate Management Function, its requirements,		
		reference points, interfaces and information model.		
ETSI GS NFV-IFA 040	Stage 2	Add note on certificate data in MCIO configurations.		
ETSI GS NFV-SOL 001	Stage 3	Add CertificateDesc.		
		Update mapping table and add CertSubjectData.		
ETSI GS NFV-SOL 002	Stage 3	Modified description semantics, new attributes on VNF LCM interface.		
ETSI GS NFV-SOL 003	Stage 3	Modified description semantics, new attributes on VNF LCM interface.		
ETSI GS NFV-SOL 005	Stage 3	New attributes on VNF and NS Lifecycle Management APIs and NVF		
		config API, modified attribute and description semantics on NS Lifecycle		
		Management APIs.		
ETSI GS NFV-SOL 009	Stage 3	Add certificate mgmgt mode.		
ETSI GS NFV-SOL 014	Stage 3	Add certificateData.		
ETSI GS NFV-SOL 016	Stage 3	Add of certificate management.		

5.4.1.4 Parts carried over to Release 5

The feature was not completed in Release 4. The following parts of the feature are carried over to Release 5:

- Use case of renewal and revoke for certificate management of direct mode/delegation mode.
- MANO certificates further specified.

5.4.1.5 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table 5.4.1.5-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.4.1.5-1: Documentation results Release 5 of enhancement feature "Certificate Management"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 026	Stage 2	Add clarifications and additional information on the functions and
		services involved in certificate management.
	V5.1.1	Introduce multiple PKI domains including use cases and security
		considerations.
ETSI GS NFV-IFA 033	Stage 2	
	V5.2.1	
	work ongoing	
ETSI GS NFV-SOL 018	Stage 3	Add mapping for certificate data.
	V5.1.1	
ETSI GS NFV-SOL 023	Stage 3	
	V5.2.1	
	work ongoing	

5.5 Testing

5.5.1 API Conformance Testing

5.5.1.1 Description

At this time, no Release 5 specific tests are provided.

6 NFV Release 5 published deliverables

6.1 Introduction

The present clause 6 lists the published deliverables (Group Specifications and Group Reports) associated to the Release 5. The NFV Release 5 is comprised of multiple specification and reports, which can be categorized according to different specification stages (stage 1, stage 2, etc.) and compliance (normative or informative).

NOTE: The versions among the different deliverables may differ, e.g. a deliverable may have been updated and published with a newer version due to maintenance, whereas some other deliverable not. The latest available published version of each deliverable is indicated in the following tables.

6.2 Group Reports of Release 5

6.2.1 New Group Reports

The new reports associated to the Release 5 are listed in Table 6.2.1-1.

Table 6.2.1-1: New Group Reports Release 5

Document Id.	Version(s)	Title	Related feature(s)
ETSI GR NFV-EVE 018	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	No normative
		Evolution and Ecosystem;	provisions in
		Report on Multi-tenancy in NFV	Release 5
ETSI GR NFV-EVE 020	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	No normative
		Evolution and Ecosystem;	provisions in
		Report on NFV support for Network Function	Release 5
		Connectivity eXtensions	

Document Id.	Version(s)	Title	Related feature(s)
ETSI GR NFV-EVE 021	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT29
		Evolution and Ecosystem;	
		Report on energy efficiency aspects for NFV	
ETSI GR NFV-EVE 022	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT30
		Architectural Framework;	
		Report on VNF configuration	
ETSI GR NFV-IFA 035	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT19b
		Architectural Framework;	
		Report on network connectivity integration and	
		operationalization for NFV	
ETSI GR NFV-IFA 039	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	No normative
		Architectural Framework;	provisions in
		Report on Service Based Architecture (SBA) design	Release 5
ETSI GR NFV-IFA 043	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT19a
		Architectural Framework;	
		Report on enhanced container networking	
ETSI GR NFV-IFA 044	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT31
		Management and Orchestration;	
		Report on Flexible VNF Deployment	
ETSI GR NFV-IFA 046	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT27
		Architectural Framework;	
		Report on NFV support for virtualisation of RAN	
ETSI GR NFV-IFA 051	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT35
		Architectural framework;	
		Report on VNF management gap analysis with open	
		source projects	
ETSI GR NFV-REL 013	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	No normative
		Reliability;	provisions in
		Report on cognitive use of operations data for	Release 5
		reliability	
ETSI GR NFV-REL 014	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	No normative
		Reliability;	provisions in
		Report on evaluating reliability for cloud-native VNFs	Release 5

6.2.2 Evolved/propagated Group Reports

The group reports associated to the Release 5 that have been evolved/propagated from a previous Release are listed in Table 6.2.2-1.

Table 6.2.2-1: Updated/propagated Group Reports

Document Id.	Version(s)	Title	Related feature(s)
ETSI GR NFV-EVE 019	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT24
		Architectural Framework;	
	Old: V4.1.1	Report on VNF generic OAM functions	

6.3 Stage 1 and stage 2 Group Specifications of Release 5

6.3.1 New Group Specifications

The published new specifications associated to the Release 5 are listed in Table 6.3.1-1.

Table 6.3.1-1: Newly published stage 1 and stage 2 Group Specifications

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-IFA 053		,	FEAT27, FEAT29,
		Management and Orchestration;	FEAT33
		Requirements and interface specification for Physical	
		Infrastructure Management	
ETSI GS NFV-IFA 055	V5.3.1	Network Functions Virtualisation (NFV) Release 5;	FEAT20
	work ongoing	Management and Orchestration;	
		Specification of non-functional requirements of reliability	

6.3.2 Evolved/propagated published deliverables from a previous Release

The published deliverables associated to the Release 5 that have been evolved/propagated from a previous Release are listed in Table 6.3.2-1.

Table 6.3.2-1: Published stage 1 and stage 2 deliverables evolved/propagated from a previous Release

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV 006	V5.2.1 work ongoing	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Architectural Framework Specification	See note 2
ETSI GS NFV-IFA 005	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Or-Vi reference point - Interface and Information Model Specification	FEAT19b, FEAT27, FEAT29
ETSI GS NFV-IFA 006	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Vi-Vnfm reference point - Interface and Information Model Specification	FEAT19b, FEAT27, FEAT29, ENH01.01
ETSI GS NFV-IFA 007	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Or-Vnfm reference point - Interface and Information Model Specification	FEAT29
ETSI GS NFV-IFA 008	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Ve-Vnfm reference point - Interface and Information Model Specification	FEAT29, ENH01.01
ETSI GS NFV-IFA 010	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Functional requirements specification	FEAT24, FEAT27, FEAT29, FEAT30
ETSI GS NFV-IFA 011	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; VNF Descriptor and Packaging Specification	FEAT19b, FEAT27, FEAT29, FEAT30
ETSI GS NFV-IFA 013	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Os-Ma-Nfvo reference point - Interface and Information Model Specification	FEAT29, FEAT30
ETSI GS NFV-IFA 014	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration Network Service Templates Specification	FEAT27
ETSI GS NFV-IFA 027	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Performance Measurements Specification	FEAT29
ETSI GS NFV-IFA 030	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Multiple Administrative Domain Aspect Interfaces Specification	See note 1
ETSI GS NFV-IFA 031	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Requirements and interfaces specification for management of NFV-MANO	FEAT29

Polatod

Titlo

Document Id.	Version(s)	Title	Related
			feature(s)
ETSI GS NFV-IFA 032	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT19b
		Management and Orchestration;	
		Interface and Information Model Specification for Multi-Site	
		Connectivity Services	
ETSI GS NFV-IFA 036	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT27, FEAT29
		Management and Orchestration;	
		Requirements for service interfaces and object model for	
		container cluster management and orchestration	
		specification	
ETSI GS NFV-IFA 040	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT27, FEAT29
		Management and Orchestration;	
		Requirements for service interfaces and object model for	
		OS container management and orchestration specification	
ETSI GS NFV-IFA 045	V5.2.1	Network Functions Virtualisation (NFV) Release 5	See note 1
	work ongoing	Management and Orchestration;	
		Fault and alarms modelling specification	
ETSI GS NFV-IFA 047	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT24
		Management and Orchestration;	
		Management data analytics Service Interface and	
		Information Model Specification	
ETSI GS NFV-IFA 048	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	FEAT24, FEAT27
	work ongoing	Management and Orchestration;	
		Policy Information Model Specification	
ETSI GS NFV-IFA 049	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT 21,
		Architectural Framework;	FEAT24, FEAT20,
		VNF generic OAM f and PaaS services specification	FEAT30
ETSI GS NFV-IFA 050	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	FEAT27, FEAT29
	work ongoing	Management and Orchestration;	
		Intent Management Service Interface and Information	
		Model Specification	
ETSI GS NFV-IFA 052	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	See note 1
	work ongoing	Management and Orchestration;	
		CCM-VIM Interoperability Interface and Information Model	
		Specification	
NOTE 1: The specification has been updated into the present Release 5, but without outcomes of specific Release 5			

NOTE 1: The specification has been updated into the present Release 5, but without outcomes of specific Release 5 features (e.g. maintenance).

NOTE 2: The document is not updated for edition 5.1.1. However some features have architectural impact, which will be described later.

6.3.3 Stage 2 publication packages

As indicated in Annex A of the present document, ETSI ISG NFV publishes deliverables in rounds, also referred as "drops" or "packages". Some documents are also not re-published if no technical changes or maintenance are performed. Clause A.3.3 describes guidelines and rules related to version alignments and inter-stage relationships.

The present clause lists the "Packages" of stage 2 deliverables to guide the readers and consumers of the specifications about consistently specified sets of deliverables. In the package tables, the tag "Not republished" applies when a deliverable is not republished with a new version and a previously published version is considered to be part of the package.

Release 5 stage 2 Package 1:

Document Id

Version(s)

Table 6.3.3-1 lists the deliverables that are part of Release 5 stage 2 Package 1.

Table 6.3.3-1: Deliverables part of Release 5 stage 2 Package 1

Document Id.	Version	Publication date (year-month)
ETSI GS NFV-IFA 005	V5.1.1	2024-06
ETSI GS NFV-IFA 006	V5.1.1	2024-06
ETSI GS NFV-IFA 007	V5.1.1	2024-06
ETSI GS NFV-IFA 008	V5.1.1	2024-06
ETSI GS NFV-IFA 010	V5.1.1	2024-06

Document Id.	Version	Publication date (year-month)
ETSI GS NFV-IFA 011	V5.1.1	2024-06
ETSI GS NFV-IFA 013	V5.1.1	2024-06
ETSI GS NFV-IFA 014	V5.1.1	2024-06
ETSI GS NFV-IFA 026	V5.1.1	2024-08
ETSI GS NFV-IFA 027	V5.1.1	2024-06
ETSI GS NFV-IFA 030	V5.1.1	2024-06
ETSI GS NFV-IFA 031	V5.1.1	2024-06
ETSI GS NFV-IFA 032	V5.1.1	2024-06
ETSI GS NFV-IFA 036	V5.1.1	2024-06
ETSI GS NFV-IFA 040	V5.1.1	2024-06
ETSI GS NFV-IFA 047	V5.1.1	2024-06
ETSI GS NFV-IFA 049	V5.1.1	2024-06
ETSI GS NFV-IFA 053	V5.1.1	2024-08

6.4 Stage 3 Group Specifications

6.4.1 New Group Specifications

The published new specifications associated to the Release 5 are listed in Table 6.4.1-1.

Table 6.4.1-1: Newly published stage 3 Group Specifications

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-SOL 021	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	FEAT20
	work ongoing	Protocols and Data Models;	
		Specification of protocols and data models for Intent Management	
ETSI GS NFV-SOL 022	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	FEAT26
	work ongoing	Protocols and Data Models;	
		Policy descriptor	
ETSI GS NFV-SOL-023	V5.2.1	Network Functions Virtualisation(NFV) Release 5;	ENH01.01
	work ongoing	Protocols and Data Models;	
		Specification of protocol and data model solutions for	
		CMF - NFV-MANO reference point	
ETSI GS NFV-SOL 024	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	FEAT24
	work ongoing	Protocols and Data Models;	
		Specification of protocol and data model solutions for	
		VNF Generic OAM functions and PaaS Services	
ETSI GS NFV-SOL 025	V5.3.1	Network Functions Virtualisation (NFV) Release 5;	FEAT20
	work ongoing	Protocols and Data Models;	
		Specification of protocol and data model solutions for	
		Telco Cloud data analytics service	

6.4.2 Evolved/propagated published deliverables from a previous Release

The published deliverables associated to the Release 5 that have been evolved/propagated from a previous Release are listed in Table 6.4.2-1.

Table 6.4.2-1: Published stage 3 deliverables evolved/propagated from a previous Release

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-SOL 001	V5.1.1	Network Functions Virtualisation (NFV) Release 5;	FEAT21, FEAT30,
		Protocols and Data Models;	FEAT31, FEAT35
		NFV descriptors based on TOSCA specification	
ETSI GS NFV-SOL 002	V5.1.1	Network Functions Virtualisation (NFV) Release 3;	FEAT31, FEAT35
		Protocols and Data Models;	
		RESTful protocols specification for the Ve-Vnfm	
		Reference Point	

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-SOL 003	V5.1.1	Network Functions Virtualisation (NFV) Release 3; Protocols and Data Models; RESTful protocols specification for the Or-Vnfm Reference Point	FEAT31, FEAT35
ETSI GS NFV-SOL 004	V5.1.1	Network Functions Virtualisation (NFV) Release 3; Protocols and Data Models; VNF Package and PNFD Archive specification	See note.
ETSI GS NFV-SOL 005	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point	FEAT30, FEAT35
ETSI GS NFV-SOL 007	V5.2.1 work ongoing	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; Network Service Descriptor File Structure Specification	See note.
ETSI GS NFV-SOL 009	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; RESTful protocols specification for the management of NFV-MANO	FEAT35
ETSI GS NFV-SOL 010	V5.2.1 work ongoing	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; VNF Snapshot Package specification	See note.
ETSI GS NFV-SOL 012	V5.2.1 work ongoing	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; RESTful protocols specification for the Policy Management Interface	FEAT26
ETSI GS NFV-SOL 013	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; Specification of common aspects for RESTful NFV MANO APIs	See note.
ETSI GS NFV-SOL 014	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; YAML data model specification for descriptor-based virtualised resource management	See note.
ETSI GS NFV-SOL 016	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; NFV-MANO procedures specification	FEAT35
ETSI GS NFV-SOL 018	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models; Profiling specification of protocol and data model solutions for OS Container management and orchestration	ENH01.01
ETSI GS NFV-SOL 020	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Protocols and Data Models Specification of protocols and data models for	See note.

features (only including e.g. maintenance performed in previous specification versions).

6.4.3 Stage 3 publication packages

As indicated in Annex A of the present document, ETSI ISG NFV publishes deliverables in rounds, also referred as "drops" or "packages". Some documents are also not re-published if no technical changes or maintenance are performed. Clause A.3.3 describes guidelines and rules related to version alignments and inter-stage relationships.

The present clause lists the "Packages" of stage 3 deliverables to guide the readers and consumers of the specifications about consistently specified sets of deliverables. In the package tables, the tag "Not republished" applies when a deliverable is not republished with a new version and a previously published version is considered to be part of the package.

Release 5 stage 3 Package 1:

Table 6.4.3-1 lists the deliverables that are part of Release 5 stage 3 Package 1.

Table 6.4.3-1: Deliverables part of Release 5 stage 3 Package 1

Document Id.	Version	Publication date (year-month)
ETSI GS NFV-SOL 001	V5.1.1	2024-07
ETSI GS NFV-SOL 002	V5.1.1	2024-07
ETSI GS NFV-SOL 003	V5.1.1	2024-07
ETSI GS NFV-SOL 004	V5.1.1	2024-07
ETSI GS NFV-SOL 005	V5.1.1	2024-07
ETSI GS NFV-SOL 009	V5.1.1	2024-07
ETSI GS NFV-SOL 013	V5.1.1	2024-07
ETSI GS NFV-SOL 014	V5.1.1	2024-07
ETSI GS NFV-SOL 016	V5.1.1	2024-08
ETSI GS NFV-SOL 018	V5.1.1	2024-07
ETSI GS NFV-SOL 020	V5.1.1	2024-07

6.5 Security Specifications

6.5.1 Newly published Security Specifications

The published new security specifications associated to the Release 5 are listed in Table 6.5.1-1.

Table 6.5.1-1: Newly published security specifications

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-SEC 023	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	
	work ongoing	Security;	
		Container Security Specification	
ETSI GS NFV-SEC 029	V5.2.1	Network Functions Virtualisation (NFV) Release 5;	
	work ongoing	Security;	
		Security Assurance Specification (SCAS) for VIM	
ETSI GS NFV-SEC 030	V5.2.1	Network Function Virtualisation (NFV) Release 5;	
	work ongoing	Security;	
		Security Assurance Specification (SCAS) for VNFM	
ETSI GS NFV-SEC 031	V5.2.1	Network Function Virtualisation (NFV) Release 5;	
	work ongoing	Security;	
		Security Assurance Specification (SCAS) for NFVO	

6.5.2 Evolved/propagated published Security Specifications

The deliverables associated to the Release 5 that have been evolved/propagated from a previous Release are listed in Table 6.5.2-1.

Table 6.5.2-1: Published stage 3 deliverables evolved/propagated from a previous Release

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-IFA 026	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Security Architecture enhancements for NFV Specification	ENH01.01
ETSI GS NFV-IFA 033	V5.2.1 work ongoing	Network Functions Virtualisation (NFV) Release 5; Management and Orchestration; Reference points related to Security Manager and Certificate Management Function - Interface and Information Model Specification	ENH01.01
ETSI GS NFV-SEC 028	V5.1.1	Network Functions Virtualisation (NFV) Release 5; Security; Security Assurance Specification (SCAS) for Generic NFV-MANO	See note.
NOTE: The specification has been updated into the present Release 5, but without outcomes of specific Release 5 features (e.g. maintenance).			

6.5.3 Release independent Security Documents

The release independent deliverables relevant for Release 5 are listed in Table 6.5.3-1.

Table 6.5.3-1: Release independent Security Documents

Document Id.	Version(s)	Title
ETSI GS NFV-SEC 001	V1.1.1	Network Functions Virtualisation (NFV);
		NFV Security; Problem Statement
ETSI GS NFV-SEC 002	V1.1.1	Network Functions Virtualisation (NFV);
		NFV Security;
		Cataloguing security features in management software
ETSI GR NFV-SEC 003	V1.3.1	Network Functions Virtualisation (NFV);
	work ongoing	NFV Security;
		Security and Trust Guidance
ETSI GS NFV-SEC 004	V1.1.1	Network Functions Virtualisation (NFV);
		NFV Security; Privacy and Regulation;
		Report on Lawful Interception Implications
ETSI GS NFV-SEC 006	V1.1.1	Network Functions Virtualisation (NFV);
		Security Guide;
		Report on Security Aspects and Regulatory Concerns
ETSI GR NFV-SEC 007	V1.2.1	Network Functions Virtualisation (NFV);
	work ongoing	Trust;
		Report on Attestation Technologies and Practices for Secure Deployments
ETSI GR NFV-SEC 009	V1.3.1	Network Functions Virtualisation (NFV);
	work ongoing	NFV Security;
		Report on use cases and technical approaches for multi-layer host
		administration
ETSI GR NFV-SEC 016	V1.2.1	Network Functions Virtualisation (NFV);
	work ongoing	Security; Location, locstamp and timestamp;
		Report on location, timestamping of VNFs
ETSI GS NFV-SEC 020	work ongoing	Network Functions Virtualisation (NFV);
		Security;
		Identity Management and Security Specification
ETSI GS NFV-SEC 024	work ongoing	Network Functions Virtualisation (NFV)
		Security;
		Security Management Specification
ETSI GS NFV-SEC 025	work ongoing	Network Functions Virtualisation (NFV);
		Security;
		Secure End-to-End VNF and NS management specification
ETSI GS NFV-SEC 026	work ongoing	Network Functions Virtualisation (NFV);
		Security;
		Isolation and trust domain specification

Table 6.5.3-2 lists security specifications from earlier releases that are considered valid in Release 5 without change:

Table 6.5.3-2: Other security specifications valid in Release 5

Document Id.	Version(s)	Title
ETSI GS NFV-SEC 012	V3.1.1	Network Functions Virtualisation (NFV) Release 3;
		Security;
		System architecture specification for execution of sensitive NFV components
ETSI GS NFV-SEC 013	V3.1.1	Network Functions Virtualisation (NFV) Release 3;
		Security;
		Security Management and Monitoring specification
ETSI GS NFV-SEC 014	V3.1.1	Network Functions Virtualisation (NFV) Release 3;
		NFV Security;
		Security Specification for MANO Components and Reference points

6.6 Testing specifications

The newly published deliverables of Release 5 specifying testing aspects are listed in Table 6.4.2-1.

Table 6.6-1: Published deliverables related to testing

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV-TST 010	work ongoing	Network Functions Virtualisation (NFV) Release 5;	
		Testing;	
		API Conformance Testing Specification	

6.7 Other documentation

The release independent documents valid in Release 5 are listed in Table 6.7-1.

Table 6.7-1: Release independent documents

Document Id.	Version(s)	Title	Description
ETSI GR NFV 003	V1.8.1	Network Functions Virtualisation (NFV); Terminology for Main Concepts in NFV	It includes terminology used across several NFV Releases. As a result, a number of terms and acronyms introduced in Release 4 are added in the newest version.
ETSI GS NFV-SOL 015	V1.2.1	Network Functions Virtualisation (NFV); Protocols and Data Models; Specification of Patters and Conventions for RESTful NFV-MANO APIs	It defines patterns and conventions for RESTful NFV-MANO API specifications, gives recommendations on API versioning and provides an API specification template. This document is followed by the ETSI NFV when creating RESTful NFV-MANO API specifications.
ETSI GR NFV-TST 006	V1.2.1	Network Functions Virtualisation (NFV); Testing; Report on CICD and DevOps	It provides guidance and recommendations on how to leverage DevOps and CI/CD techniques.

Table 6.7-2 lists specifications from earlier releases that are considered valid in Release 5 without change:

Table 6.7-2: Other specifications valid in Release 5

Document Id.	Version(s)	Title	
ETSI GS NFV-REL 006	V3.1.1	Network Functions Virtualisation (NFV) Release 3;	
		Reliability;	
		Maintaining Service Availability and Continuity Upon Software Modification	
ETSI GS NFV-IFA 018	V3.1.1	Network Functions Virtualisation (NFV);	
		Acceleration Technologies;	
		Network Acceleration Interface Specification; Release 3	
ETSI GS NFV-IFA 019	V3.1.1	Network Functions Virtualisation (NFV);	
		Acceleration Technologies;	
		Acceleration Resource Management Interface Specification; Release 3	

6.8 Map of ETSI NFV specifications and the NFV Architectural Framework

NFV Release 4 documentation is, to a great extent, structured according to the NFV Architectural Framework, with some specifications mapping one to one to the reference points and functional blocks identified in the framework.

Figure 6.8-1 is based on Figure 5.2-3 in ETSI GS NFV 006 [i.6] and illustrates a mapping of ETSI NFV specifications to the reference points and service interfaces shown in the NFV Architectural Framework diagram:

- specifications with requirements, information models and architecture (as known as Stages 1 and 2) are depicted in red;
- specifications related to protocols and data models (as known as Stage 3) are depicted in green;
- specifications and work items related to security enhancements are depicted in yellow.

The following specifications are not shown in the diagram:

- ETSI GS NFV 006 (NFV-MANO architecture)
- ETSI GS NFV-IFA 010 (NFV-MANO functional requirements)
- ETSI GR NFV-IFA 024 (GR, external touchpoints)
- ETSI GS NFV-IFA 026 (Security Architecture enhancements)
- ETSI GS NFV-IFA 027 (Performance metrics)
- ETSI GS NFV-IFA 033 (Security Manager and Certificate Management Function)
- ETSI GS NFV-IFA 045 (Fault and alarm models)
- ETSI GS NFV-IFA 047 (Management data analytics Service)
- ETSI GS NFV-IFA 048 (Policy Information Model)
- ETSI GS NFV-IFA 049 (VNF generic OAM functions specification)
- ETSI GS NFV-IFA 050 (Intent Management Service)
- ETSI GS NFV-IFA 053 (Physical Infrastructure Management)
- ETSI GS NFV-IFA 055 (Non-functional reliability requirements)
- ETSI GS NFV-SOL 012 (Policy Management)
- ETSI GS NFV-SOL 013 (API common aspects)
- ETSI GS NFV-SOL 015 (Patters and Conventions for APIs)
- ETSI GS NFV-SOL 016 (NFV-MANO procedures)
- ETSI GS NFV-SOL 021 (Intent Management Service)
- ETSI GS NFV-SOL 022 (Policy descriptor)
- ETSI GS NFV-SOL 023 (CMF-MANO reference point)
- ETSI GS NFV-SOL 024 (Generic OAM functions and PaaS Services)
- ETSI GS NFV-SOL 025 (Telco cloud data analytics service)
- ETSI GS NFV-SEC 022 (Access Token Specification)
- ETSI GS NFV-SEC 028 (Security Assurance Specification)
- ETSI GS NFV-TST 010 (API Conformance Testing)
- Other Release 3 specifications and release independent specifications valid in Release 5 are listed in Table 6.7-2.




Figure 6.8-1: Map of ETSI NFV specifications and the NFV Architectural Framework

Annex A:

Versioning of published deliverables

A.1 Introduction

The present Annex A provides information about the versioning of the deliverables published by the ETSI ISG NFV. The purpose is to ease the understanding about the version semantics and the alignments/relationships between published deliverables depending on their versions.

A.2 Types of specifications/reports produced by the ETSI ISG NFV

By using the Release process, the ETSI ISG NFV differentiates between four categories of deliverables:

- Release-dependent GS (normative) deliverable: this is a specification that contains normative provisions and specifies features that become part of an NFV Release. By making a deliverable Release-dependent, the ISG foresees that such deliverable will be part of an NFV Release. Features are specified consistently across other NFV Release-dependent GS deliverables. The deliverables that are Release-dependent are included in the NFV Release Description.
- Release-independent GS (normative) deliverable: this is a specification that contains normative provisions, but is not associated to any specific Release. This can be either because the specification was published as pre-Release (i.e. when a Release system was not established yet), or the specification is used or referred across many different Releases. A GS deliverable that is Release-independent can be included in the NFV Release Description when it is referred or directly used by some other Release-dependent deliverable(s).
- Release-dependent GR (informative) deliverable: this is a report that contains informative elements used to document different aspects of a feature or set of features part of an NFV Release. For instance, it fulfils the purposes of documenting use cases and potential solutions to support the feature or set of features. The deliverables that are Release-dependent are included in the NFV Release Description.
- Release-independent GR (informative) deliverable: this is a report that contains informative elements used to report about aspects of NFV that are related to features of several NFV Releases, related to future Releases, or independent of Releases. A GR deliverable that is Release-independent can be included in the NFV Release Description when it is referred or directly used by some other Release-dependent deliverable(s).

A.3 Deliverables naming and version semantics

A.3.1 Deliverables naming and numbering

All ETSI ISG NFV GS/GR deliverables follow the following naming and numbering scheme:

ETSI GS NFV[-XXX] YYY

ETSI GR NFV[-XXX] YYY

Where:

- XXX: optionally identifies the working group of the ISG that has produced the deliverable;
- YYY: stands for the chronological number from 000 to 999, which is unique within the namespace of the ISG
 or the working group identified by XXX.

EXAMPLE: ETSI GS NFV-IFA 001 V1.1.1

A.3.2 Deliverables versioning

All published ISG NFV GS/GR deliverables follow a versioning scheme:

ETSI GS NFV[-XXX] YYY vm.a.b

ETSI GR NFV[-XXX] YYY vm.a.b

The "m.a.b" stands for the version number where:

- "m", or first digit. It identifies a major version, and it is used to identify the Release number of Release-dependent deliverables. The value "m = 1" indicates that the deliverable is Release-independent and/or pre-Release (i.e. set of deliverables published when a Release system was not established yet).
- "a", or second digit. It typically stands for new publication with technical changes, which is incremented every time a (set of) technical change is introduced.
- "b", or third digit. It typically stands for an editorial version, which is incremented every time a (set of) purely editorial change is introduced. The digit is reset to "1" every time "a" is incremented.

Table A.3.2-1 summarizes the deliverable versioning "m.a.b" of published deliverables.

Table A.3.2-1: Summary deliverable versioning

	Type of deliverable			
	Release-dependent	Release-independent and/or pre-Release		
On first publication	"m" = Release number.	"m" = 1.		
	"a" = 1.	"a" = 1.		
	"b" = 1.	"b" = 1.		
	(see note 1)			
On subsequent	"m" = Release number.	"m" = 1.		
publication after first	"a" = incremented with (expected) technical	"a" = incremented with (expected) technical		
publication	changes.	changes.		
	"b" = 1.	"b" = incremented only with editorial		
	(see note 2)	changes.		
Specific naming	The first title uses the tag "Release #",	Not applicable.		
guidelines	indicating the Release to which the			
	deliverable belongs to.			

NOTE 1: Due the sequencing in the specification work and the inter-stage alignment (e.g. in between stage 2 and stage 3), the second digit "a" of the first publication version can differ from the one indicated in the present table. For instance, if stage 3 specifications already target the first publication providing an alignment with specifications of stage 2 published as V3.3.1, it is recommended that the first publication version of the stage 3 equivalence is also V3.3.1, and not V3.1.1.

NOTE 2: During drafting of subsequent versions of a published deliverable within a Release, the third digit "b" is used to track new draft versions which can include technical and/or editorials changes.

A.3.3 Version alignments and relations

Aiming at identifying the technical alignment between specifications stages, principally stage 2 (architecture, interfaces and information model), stage 3 (protocols and data models) and stage 4 (testing), the following rules and guidelines are followed for determining the target publications versions.

Guideline #1:

As part of the Release development and while the Release feature work is still "open" within a particular specification stage, certain features or technical changes are completed first than others. Furthermore, the ETSI ISG NFV typically publishes documents twice per year. Consequently, for Release-dependent deliverables within a Release, the second digit "a" of the published version of a deliverable denotes the "drop" or publication package.

EXAMPLE 1: Version 3.1.1 of a published deliverable denotes the publication within "drop #1" (version digit "a = 1"). Version 3.2.1 of a published deliverable denotes the publication within "drop #2".

Guideline #2:

Inter-stages specification alignment is important for keeping traceability of requirements across the different specification stages. During the development of the technical features of a Release, different specification publication "drops" can occur. In addition, a feature that has been completed at a specific drop can also be further maintained for corrections, improvements or clarifications, whose outcomes are reflected in subsequent specification publication drops.

To show the correspondence of requirements across different specification stages, higher (or subsequent) stages (e.g. stage 3 compared to stage 2) target same publication version as lower (or prequel) stages.

EXAMPLE 2: Table A.3.3-1 illustrates and example.

Table A.3.3-1: Example 2

Stage 2	Stage 3
Drop #1: publications as V3.1.1	No publication.
Feature #1 and #2 are completed.	
Feature #3 is partially completed.	
Drop #2: publications as V3.2.1	Package #A: publications as V3.2.1
Feature #3 is completed.	Feature #1 and #3 is completed.
Feature #4 and #5 are completed.	Stage 3 aligns with requirements and maintenance done in
Feature #1 is updated with maintenance.	stage 2 drop #2 of completed features in this package.
Drop #3: publications as V3.3.1	Package #B: publications as V3.3.1
Feature #6 is completed.	Feature #2, #4, #5 are completed.
No more features are to be specified within the Release.	Stage 3 aligns with requirements and maintenance done in
Feature #1, #2 and #5 are updated with maintenance.	stage 2 drop #3 of completed features in this package.
First round of full maintenance: publications as	Package #C: publications as V3.4.1
V3.4.1	Feature #6 is completed.
Feature #1 and #6 are updated with maintenance.	Stage 3 aligns with requirements and maintenance done in
	the first round of full maintenance in stage 2.
Second round of full maintenance: publications as	First round of full maintenance: publications as V3.5.1
V3.5.1	Stage 3 aligns with requirements and maintenance done in
	the second round of full maintenance in stage 2.

Guideline #3:

Within a specification stage, all associated Release-dependent deliverables are expected to be published with new version as part of specification publication drops. However, in some cases a deliverable might not be re-published if no technical changes or maintenance are performed. In such a case, differences in the latest published version of a specification can occur among the set of Release-dependent deliverables.

Normative and informative cross-references among deliverables published by the ETSI ISG NFV are typically present in deliverables without specifying a concrete version, only the "Release #". In such a case, the following guideline applies:

- If a deliverable X published with version "m.a.b" contains a reference to a deliverable Y that is published with same version "m.a.b", the applicable referenced version is thus "m.a.b" of deliverable Y.
- If a deliverable X published with version "m.a.b" contains a reference to a deliverable Y that is not published with same version "m.a.b", the applicable reference version is the latest version published of deliverable Y. For instance, the latest published version of deliverable Y might be "m.a-1.b".

Annex B: Release specification states

B.1 Overview

The meaning of the specification states of the specification stages is provided in Table B.1-1.

Table B.1-1: Meanings of specification work states

State	Meaning
Not started	Specification work has not started.
Open	Specification work is ongoing and the specifications/reports are being either newly created or updated to incorporate new technical features or modify existing ones.
Frozen	Specification work to incorporate new technical features or modify existing ones is completed. Only maintenance work can be performed.
Closed	Specification work is completed and the specifications are not further maintained. If corrections are necessary, these are handled on a case by case basis.

The release specification state transitions is as follows:

"Not started" \rightarrow "Open" \rightarrow "Frozen" \rightarrow "Closed"

Release specification states are associated to the specification stages, so while a Release can be in one state at an earlier specification stage, it can be in another state at a later specification stage.

EXAMPLE: Stage 2 specification work can be "frozen" while the stage 3 specification work can be still in development, i.e. "open".

Annex C:

Release 5 planning and definition

C.1 Introduction

The following clauses describe the planning and definition of the Release 5.

Feature details are not repeated but described here only for features not included in Release 5.

Feature progress can be monitored via the feature wiki [i.7] which is updated more frequently than the present document.

C.2 Schedule

Figure C.2-1 shows the schedule of Release 5 in context of Release 4 and Release 6.




Figure C.2-1: Schedule of Release 5

C.3 Feature overview

During release definition of Release 5 there were 11 features started from Release 4 and 7 new feature proposals.

Table C.3-1 shows the features considered during planning of Release 5.

Table C.3-1: Features considered for Release 5

FEAT Id.	History	Title	Studies, etc.	Remark	
FEAT19a	Extended	Enhanced container networking	IFA043		
	Release 4				
FEAT19b	Carry over	NFV-Connect - connectivity integration	IFA035		
	Release 4	and operationalization	(published)		
FEAT20	Main parts	Auto	IFA041,		
	in Release 4		IFA047,		
EE A TO4	Main nanta	50	IFA050		
FEAT21	Main parts in Release 4	5G	IFA037		
FEAT22	Carry over	M-Tenant	EVE018	The normative work is	
	Release 4			postponed and is to be	
				considered within Release 6	
				scope in the context of possible	
				evolution of NFV-MANO	
				architecture.	
FEAT23	Carry over	MANO-SBA	IFA039	The normative work is	
	Release 4			postponed and is to be	
				considered within Release 6	
				scope in the context of possible	
				evolution of NFV-MANO architecture.	
FEAT24	Extended	VNF generic management functions	EVE019,	architecture.	
FEA124	Release 4	VIVE generic management functions	IFA049		
FEAT25	Not started	VNF-CI	TST006	No normative work in Release 5.	
	in Release 4				
FEAT26	Extended	Policy Management Models	IFA042,		
	Release 4		IFA048		
			(published)		
FEAT27	New	NFV for vRAN	IFA046		
FF 4 To 6			(published)	T	
FEAT28	New	Fault Management Models	IFA045	The feature was planned for	
				Release 5, but then added late	
				to Release 4. No normative work in Release 5.	
FEAT29	New	Green NFV	EVE021	Work in recease 5.	
, 0			(final draft)		
FEAT30	New	VNF configuration	EVE022		
		J. J	(published)		
FEAT31	New	Flexible VNF deployment (Release 5	IFA044		
		extensions)	(published)		
FEAT32	New	Reliability for cloud-native VNF	REL014	No normative work in Release 5.	
			(final draft)		
FEAT33	New	Physical Infrastructure Management	No study,		
			IFA053		
			started		
FEAT35	New	Follow-up from IFA051	IFA051 (final draft)		
ENH02.06	Extended	Support for parameter mapping artifacts	urait)	The feature was completed in	
	Release 4	for MCIOP input		Release 4.	
ENH01.01	Extended	Security Enhancements	IFA026,		
	Release 4		IFA033		
			(published)		

Release 4 features not included in Table C.3-1 are closed. Further work related to them can be done like maintenance work or a small enhancement is added.

No normative work expected as follow-up of the following studies:

- REL013, Report on cognitive use of operations data for reliability.
- EVE020, Report on NFV support for Network Function Connectivity eXtensions.

No further feature proposals expected for Release 5.

C.4 Feature details

C.4.1 FEAT22: Multi-tenancy enhancements for NFV-MANO (M-Tenant)

C.4.1.1 Description

The scope of the feature covers the following areas:

- Multi-tenancy technology to share IT resources securely among multiple tenants that use the cloud.
- Virtualisation-based features as a means to isolate tenants.
- Association/disassociation of tenancy and NFV-MANO objects.
- Definition of isolation expectations of tenants.
- Management of tenants.

C.4.1.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions: all.
- Reference points and interfaces: all.

C.4.1.3 Documentation results in Release 5

The feature has been specified in the specifications and reports listed in Table C.4.1.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table C.4.1.3-1: Documentation results of feature "Multi-tenancy enhancements for NFV-MANO"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 018	V5.1.1	Report on Multi-tenancy in NFV

C.4.2 FEAT23: SBA for NFV-MANO (MANO-SBA)

C.4.2.1 Description

The scope of the feature covers the following areas:

- Service exposure to 3rd party access for selected NFV-MANO services.
- Assess steps in the SBA transformation (different steps have different levels of complexity), such as NFV-MANO service independence, modularization, data separation/split, exposure, dynamic registration and discovery of services.

- Optimal routing of service requests to NFV-MANO service instances, including load balancing and failover management.
- Enabling new interface consumers (e.g. policy engines, license managers, AI-based systems, etc.).

C.4.2.2 Architecture scope

The scope of the feature covers possible evolution of NFV-MANO architecture depending on the applied transformation target, as described in ETSI GR NFV-IFA 039.

C.4.2.3 Documentation results

The feature has been specified in the specifications and reports listed in Table C.4.2.3-1. The normative work is postponed and is to be considered within Release 6 scope in the context of possible evolution of NFV-MANO architecture.

Table C.4.2.3-1: Documentation results of feature "SBA for NFV-MANO"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 039	Info	Report on Service Based Architecture (SBA) design
	V5.1.1	

C.4.3 FEAT25: Continuous VNF integration (VNF-CI)

The feature was studied in ETSI GR NFV-TST 006 [i.4].

The scope of the feature covers the following areas:

- Optimization of the VNF Package structure and VNF.
- Test execution of test functions and feedback to VNF provider/developer.
- VNF/VNFC software component update/upgrade supporting continuous development and integration paradigms.

The "technical areas" covered by this feature are: A.2), D.1), and D.2).

This feature analyses and defines how to implement a "Joint Pipeline" to provide DevOps process between VNF providers and VNF operators. The feature also determines possible extensions of NFV MANO to realize such DevOps process.

C.4.4 FEAT28: Fault management models (FM-models)

C.4.4.1 Description

The feature was planned for Release 5, but parts of it were added late to Release 4.

The scope of the feature covers the following areas:

- Extend the information and data model of Alarms to address unspecified model elements and define applicable
 values to ensure proper processing of failure information and interoperability in between producers and
 consumers of the alarms.
- Enrich the fault management interfaces to exchange fault related closed loops information/results between different layers.
- Enable automated fault detection and performance degradation analysis with standardized metrics.

C.4.4.2 Architecture scope

C.4.4.3 Documentation Results

The feature has been specified in the specifications and reports listed in Table C.4.4.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table C.4.4.3-1: Documentation results of feature "Fault management models"

Document Id.	Stage	Description of the feature result
ETSI GS NFV-IFA 045		Specify an information model for alarms associated to the objects that are managed by NFV-MANO. Provide related use cases, illustrating also the correlation of fault information and the use of the information in fault management processes.

C.4.5 FEAT32: Reliability for cloud-native VNF

C.4.5.1 Description

This feature provides study and guidelines on evaluating measurable reliability aspects of cloud-native VNFs during VNF management processes. Corresponding functional and non-functional requirements are derived for guiding reliability management during the operations and maintenance of cloud-native VNFs.

C.4.5.2 Architecture scope

This feature is foreseen to bring no new architectural elements in the NFV-MANO framework.

C.4.5.3 Documentation results

The feature has been specified in the specifications and reports listed in Table C.4.4.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table C.5.4.3-1: Documentation results of feature "Reliability for cloud-native VNF"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-REL 014	Info:	Report on evaluating reliability for cloud-native VNFs.
	V5.1.1	

There are no normative provisions in Release 5.

Annex D: Change history

Date	Version	Information about changes		
January 2024	V5.0.1	First version of Release 5		
		All feature content updated.		
		Rebased on NFV007ed451 version 444.		
April 2024	V5.0.2	Update to Edition 5.1.1, stage 2 changes		
		NFVTSC(24)000029r1 NFV007ed511 FEAT24 update		
		NFVTSC(24)000030r1 NFV007ed511 FEAT21 update		
		NFVTSC(24)000031r1 NFV007ed511 FEAT29 update		
		NFVTSC(24)000032r1 NFV007ed511 FEAT30 update		
		NFVTSC(24)000033 NFV007ed511 FEAT19b update		
		NFVTSC(24)000034 NFV007ed511 FEAT33 PIM description update		
		NFVTSC(24)000035 NFV007ed511 FEAT31 update		
		NFVTSC(24)000036 NFV007ed511 Updates on general clauses		
		NFVTSC(24)000037 NFV007ed511 FEAT35 update		
May 2024	V5.0.3	NFVTSC(24)000041 NFV007ed511 Clause 4.3 past releases and editorials		
August 2024	V5.0.4	NFVTSC(24)000062r1 NFV007ed511 Update for recent publications		
		NFVTSC(24)000063 NFV007ed511 Remove testing parts		
September 2024	V5.0.5	NFVTSC(24)000071 NFV007ed511 Final updates		
-		NFVTSC(24)000074 NFV007ed511 Remove FEAT22 from Release 5		

History

Document history			
V5.1.1 November 2024 Publication		Publication	