

ETSI numbering system for telecommunications IC card Application providers (AID)



European Telecommunications Standards Institute

Reference

DTR/ICC-00011 (bao00ics.PDF)

Keywords

Card, ID

ETSI Secretariat

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

X.400

c= fr; a=atlas; p=etsi; s=secretariat

Internet

secretariat@etsi.fr
<http://www.etsi.fr>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

Contents

Intellectual Property Rights.....	4
Foreword	4
1 Scope.....	5
2 References.....	5
3 Definitions and abbreviations	5
3.1 Definitions	5
3.2 Abbreviations.....	6
4 Structure of the Application IDentifier (AID)	6
4.1 Registered application provider IDentifier (RID)	6
4.2 Proprietary application Identifier eXtension (PIX).....	6
5 Use of the Application IDentifier (AID).....	7
6 Application and registration procedures	7
6.1 Criteria for approval and rejection of requests.....	7
6.1.1 Criteria for approval of a request for an ETSI PIX number	7
6.1.2 Criteria for rejection of a request for an ETSI PIX number	8
6.2 Responsibilities of applicants.....	8
6.3 Responsibilities of the ETSI Secretariat	8
6.4 The register of ETSI PIX numbers	9
Annex A: Request registration form for an ETSI PIX number	10
A.1 To be completed by the requesting organization	10
A.2 To be completed by the ETSI Secretariat	10
Annex B: Allocated ETSI PIX number	11
History	12

Intellectual Property Rights

ETSI has not been informed of the existence of any Intellectual Property Right (IPR) which could be, or could become essential to the present document. However, pursuant to the ETSI Interim IPR Policy, no investigation, including IPR searches, has been carried out. No guarantee can be given as to the existence of any IPRs which are, or may be, or may become, essential to the present document.

Foreword

This Technical Report (TR) has been produced by ETSI Technical Committee Integrated Circuits Cards (ICC).

NOTE: The present document has been prepared not only by ther former ETSI STC TE9, but by ETSI STC TE9 in co-operation with ETSI STC SMG9, ETSI STC RES3/DAM and ETSI STC NA6/UCG.

1 Scope

The present document describes the numbering system for Application IDentifiers (AID) for ETSI telecommunication Integrated Circuits (IC) card applications according to ETSI documents and Application Providers (AP).

The numbering system described in the present document provides a means for an application and related services offered by a provider to identify if a given card contains the elements required by its application and related services.

An AID is used to address an application in the card. It consists of a Registered application provider IDentifier (RID) and a Proprietary application Identifier eXtension (PIX).

The present document describes the coding of the PIX as well as the registration procedure.

2 References

References may be made to:

- a) specific versions of publications (identified by date of publication, edition number, version number, etc.), in which case, subsequent revisions to the referenced document do not apply; or
- b) all versions up to and including the identified version (identified by "up to and including" before the version identity); or
- c) all versions subsequent to and including the identified version (identified by "onwards" following the version identity); or
- d) publications without mention of a specific version, in which case the latest version applies.

A non-specific reference to an ETS should also be taken to refer to later versions published as an EN with the same number.

- [1] ISO/IEC 7816-5 (1994): "Identification cards - Integrated circuit(s) cards with contacts - Part 5: Numbering system and registration procedure for application identifiers".
- [2] ITU Recommendation E.164: "Numbering plan for the ISDN era".
- [3] ISO/IEC 7816-4 (1995): "Information technology - Identification cards - Integrated circuit(s) cards with contacts - Part 4: Inter-industry commands for interchange".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following definitions apply (the first two from ISO/IEC 7816-5 [1]):

Application IDentifier (AID): A data element which identifies an application in a card. An AID may contain a Registered application provider IDentifier (RID). If it contains either a RID or an issuer identification number, then this identification is unambiguous.

Application Provider (AP): An entity which provides those components of an application on a card required to perform the respective application.

telecommunication IC card application: An application described by an ETSI document.


3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AID	Application IDentifier
AP	Application Provider
DECT	Digital Enhanced Cordless Telecommunications
GSM	Global System for Mobile communication
IC	Integrated Circuit(s)
ICC	IC Card
ID	IDentifier
PIX	Proprietary application Identifier eXtension
RID	Registered application provider IDentifier
TC	Technical Committee (in ETSI)
STC	Technical Sub-Committee (in ETSI)
UPT	Universal Personal Telecommunications

4 Structure of the Application IDentifier (AID)

In accordance with subclause 5.2 of ISO/IEC 7816-5 [1], the AID has the following structure:



The AID consists of a Registered application provider IDentifier (RID) of 5 bytes and a Proprietary application Identifier eXtension (PIX) of up to 11 bytes.

4.1 Registered application provider IDentifier (RID)

The ETSI RID, as registered by ISO according to ISO/IEC 7816-5 [1], is "A000000009".

4.2 Proprietary application Identifier eXtension (PIX)

The PIX is used at the discretion of ETSI and can contain between 7 and 11 bytes of information. The PIX is coded in hexadecimal. Hexadecimal digit 1 is the most significant digit.

Digit 1-4	ETSI application code
Purpose:	To be used for identification of the standardized ETSI card application (e.g. GSM, DECT, UPT, pre-paid application). Different versions of an application may have individual codings.
Management:	Assigned by ETSI on request from the ETSI technical body responsible for the document in question.
Coding:	Hexadecimal. The coding indicates the ETSI document that specifies the standardized ETSI card application and the ETSI PIX number. The correspondence between digits 1-4 and the ETSI document in question can be seen in a list maintained by the ETSI Secretariat (see subclause 6.3). Escape value "0000" is reserved for use by the ETSI Secretariat for proprietary ETSI applications.

Digits 5-8	Country code
	Purpose: To indicate the country of the application provider of the ETSI standardized application.
	Management: Assigned by ETSI.
	Coding: According to ITU Recommendation E.164 [2]. The coding is right justified and padded with "F" on the left.

NOTE: List of actual country codes is published by ITU.

Digits 9-14	Application provider code
	Purpose: Individual code for the application provider of the ETSI standardized application.
	Management: Assigned by ETSI.
	Coding: Hexadecimal. The coding is right justified and padded with "F" on the left.

Digits 15 up to 22	Application provider field. Optional. Up to 8 digits.
	Purpose: The use of this field is entirely up to the application provider. It may, for instance, be used to indicate "local" versions, revisions, etc. of the ETSI standardized application. According to ISO/IEC 7816-5 [1] subclause 5.2, if the AID is 16 bytes long, then the value "FF" for the least significant byte (digits 21 and 22) is reserved for future use.
	Management: Application provider.
	Coding: Hexadecimal.

Digits 1 to 14 are assigned and registered by the ETSI Secretariat.

5 Use of the Application Identifier (AID)

The use of the AID is specified in ISO/IEC 7816-4 [3] and ISO/IEC 7816-5 [1].

6 Application and registration procedures

An Application Provider (AP) wishing to get an ETSI PIX number assigned to it, should send its request for such a number to the ETSI Secretariat using the form in annex A, together with a non-refundable registration fee. Method of payment to be determined by the ETSI Secretariat.

Registration forms are also available, on request, from the ETSI Secretariat.

6.1 Criteria for approval and rejection of requests

6.1.1 Criteria for approval of a request for an ETSI PIX number

Requests for an ETSI PIX number should meet all the following criteria:

- a) the applicant should be a provider of telecommunication IC card applications following the specifications laid down in ETSI documents;
- b) the applicant has given a statement that the application conforms to the ETSI document referred to by the application code;
- c) the ETSI PIX number should be used within a year from time of registration (in accordance with ISO practice).

6.1.2 Criteria for rejection of a request for an ETSI PIX number

A request for an ETSI PIX number should be rejected if any of the following conditions exist:

- a) the applicant is not an Application Provider (AP) as defined in subclause 3.1;
- b) the applicant has requested a specific number or the reservation in the register of a specific number or has made a request which is outside the scope of the present document.

6.2 Responsibilities of applicants

The responsibilities of applicants are:

- a) to comply fully with the numbering system and the procedures for requesting ETSI PIX numbers as contained in the present document;
- b) to forward to the ETSI Secretariat a completed registration form (see annex A), together with a statement that the application conforms to the ETSI document referred to by the application code and the requisite fee;

NOTE: The registration fee is not refundable.

- c) to retain the completed registration form containing the ETSI PIX number assigned to the applicant by the ETSI Secretariat;
- d) to provide applications using the ETSI PIX number assigned to the applicant by the ETSI Secretariat within a reasonable time frame;
- e) to inform the ETSI Secretariat of any modification to the data related to the assigned ETSI PIX number;
- f) to take responsibility for the interoperability of all of the applicant's devices using the registered application provider code within the application described in the ETSI document related to the application code chosen;
- g) to register separately for each application if more than one ETSI PIX number is required.

6.3 Responsibilities of the ETSI Secretariat

The responsibilities of the ETSI Secretariat are:

- a) to fully comply with the numbering system and procedures for requesting ETSI PIX numbers in the present document;
- b) to provide ETSI application code on request to the ETSI technical body responsible for the ETSI document in question;
- c) to maintain a register of allocated ETSI application codes and associated ETSI documents;
- d) to process requests for ETSI PIX numbers within 30 days of receipt of a request;
- e) to ensure that clause A.1 of the registration form has been filled in correctly;
- f) where requests fulfil the criteria set down in subclause 6.1.1, to notify applicant, in writing, within 30 days of receipt of the request, as to the number assignment, returning the completed registration form containing the number assignment to the applicant informing it of the requirement to retain the completed registration form as a permanent record;
- g) to reject requests for a specific number and for reservation of a specific number or any request outside the scope of the present document;
- h) where a request is rejected, to advise the applicant, in writing, within 30 days of receipt of the request, that the request has been rejected, informing the applicant of the reason(s) for the rejection;
- j) to maintain the register of ETSI PIX numbers (see subclause 6.4) including its recoverability;

- k) to retain as a permanent record copies of all requests submitted to it, along with the disposition of each request;
- m) to maintain the list of correspondence between the ETSI PIX number and the document that specifies the standardized ETSI card application (see subclause 6.4) including its recoverability;
- n) to respond to general enquiries covering the present document;
- p) to prevent unauthorized use of ETSI AID and/or registered application code and/or ETSI application provider IDs if misuse is brought to the attention of the ETSI Secretariat.

6.4 The register of ETSI PIX numbers

The ETSI Secretariat maintains a database of information taken directly from the registration form.

The register of ETSI PIX numbers contains the following information:

- a) name of organisation;
- b) information as indicated on the registration form;
- c) ETSI PIX number(s) assigned to the Application Provider (AP) by the ETSI Secretariat.

NOTE: A copy of each request received is maintained on file by the ETSI Secretariat.

Annex A: Request registration form for an ETSI PIX number

Request form to be filled in and addressed to:

ETSI Secretariat

Postal address:

06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00

Fax: +33 4 93 65 47 16

Internet: secretariat@etsi.fr

This request is submitted in accordance with TR 101 220, i.e. the present document.

A.1 To be completed by the requesting organization

Name of organization:	
Address of organization:	
Principal contact in organization:	
Telephone number:	Fax number:
Address for correspondence/billing:	
European VAT Id:	
Country, if not identical with country in address field:	
Number and title of the ETSI document to which the telecommunication IC card application in question complies:	
ETSI card application code to which the telecommunication IC card application in question complies:	
Date:	Signature:

A.2 To be completed by the ETSI Secretariat

ETSI PIX number:	
Date:	Signature:

Annex B: Allocated ETSI PIX number

Table 6: Allocation of ETSI PIX

Application	AID		ETSI document (note 2)
	RID (note 1)	PIX	
DECT	"A000000009"		
GSM	"A000000009"		
	"A000000009"		
	"A000000009"		
	"A000000009"		
	"A000000009"		
	"A000000009"		
	"A000000009"		
	"A000000009"		
	"A000000009"		
	"A000000009"		
<p>NOTE 1: The ETSI RID, as registered by ISO according to ISO/IEC 7816-5 [1], is "A000000009".</p> <p>NOTE 2: It is the responsibility of the ETSI technical body, in charge of the application standardization, to inform the ETSI Secretariat when the respective ETSI document is withdrawn or renumbered.</p>			

AID Application IDentifier
PIX Proprietary application Identifier eXtension
RID Registered application provider IDentifier

History

Document history		
V1.1.1	July 1997	Publication