ETSI TR 103 948 V1.1.1 (2024-09)



Wireline Access Network Systems; General engineering for existing network reuse; Implementation of IP equipment on existing coaxial networks Reference

DTR/ATTM-0638

Keywords

coaxial, customer premises networks, energy efficiency, fixed networks, network, power over coaxial cable, sustainability, video surveillance

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the ETSI <u>Search & Browse Standards</u> application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver.

Users should be aware that the present document may be revised or have its status changed, this information is available in the <u>Milestones listing</u>.

If you find errors in the present document, please send your comments to the relevant service listed under <u>Committee Support Staff</u>.

If you find a security vulnerability in the present document, please report it through our <u>Coordinated Vulnerability Disclosure (CVD)</u> program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI. The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024. All rights reserved.

Contents

Intelle	Intellectual Property Rights			
Forev	/ord	5		
Moda	l verbs terminology	5		
1	Scope	6		
2	References	6		
2.1	Normative references			
2.2	Informative references	6		
3	Definition of terms, symbols and abbreviations	7		
3.1	Terms			
3.2	Symbols			
3.3	Abbreviations			
4				
4 4.1	Implementation of a wired capillary architecture			
4.1.1	Capillary Architecture Wiring Types Generalities			
4.1.1	Coaxial wiring			
4.1.2	IP binding channel			
4.2.1	IP link channel over Ethernet cable (point to point)			
4.2.2	IP link chain over coaxial cable	0		
4.2.3	Renewal installation of existing video channels			
4.3	Coaxial cables			
4.3.1	Types of used coaxial cables			
4.3.2	Cable quality control.			
4.3.3	Curvature radius			
4.3.4	Channel equipment insulation			
4.4	Connections			
4.4.1	Connector choice	.16		
4.4.2	Choice and installation of coaxial junctions	.16		
4.5	Connection end			
4.5.1	Detail on coaxial connections			
4.5.2	Concentrating points			
4.5.3	Intermediate connections and junction boxes			
4.5.4	Transport channel quality	.20		
5	Access point and patchcord tracking	.20		
5.1	Identification of access points			
5.1.0	Introduction	.20		
5.1.1	Numbering of access points	.20		
5.1.2	Cables			
5.1.3	Patchcords	.21		
6	Compliance criteria for identity reduction	.21		
6.1	Declaration of video equipment			
6.2	Type of link channels			
6.2.1	Equipment POE power supply			
6.3	Specific constraints of video surveillance channels			
6.4	Implementation of link channel			
6.4.1	Link channel quality	.22		
6.4.2	Connecting of concentrating video equipment	.23		
6.4.3	Cable quality control			
6.5	Coaxial cable distribution	.23		
6.5.1	Generalities			
6.5.2	Patch panel front			
6.5.3	Fitting description			
6.6	IP link channel over coaxial cable	.24		

7	Remote power supply of telecommunication equipment	
7.1	PoC supply (Power Over Coax)	
7.2	Risks on contacts of PoC link channel	
8	Technical specifications of patchcords and jumpers	25
9	Sustainability and efficiency recommendations	
9.1	General recommendations	
9.2	Waste management	
TT. /	ory	25

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECTTM, **PLUGTESTSTM**, **UMTSTM** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPPTM** and **LTETM** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2MTM** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**[®] and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Report (TR) has been produced by ETSI Technical Committee Access, Terminals, Transmission and Multiplexing (ATTM).

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document supports deployment of video surveillance equipment standardized in ETSI TS 105 176-2 [i.1] and ETSI TR 105 177 [i.2] on existing networks.

2 References

2.1 Normative references

Normative references are not applicable in the present document.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regards to a particular subject area.

[i.1]	ETSI TS 105 176-2 (V1.1.1): "Access, Terminals, Transmission and Multiplexing (ATTM); Ethernet and power over cables; Part 2: Ethernet and power over coaxial cables for IP video surveillance".
[i.2]	ETSI TR 105 177 (V1.1.1): "Access, Terminals, Transmission and Multiplexing (ATTM); Benefit Analysis of Ethernet and power over coaxial cables - IP Video Surveillance Case Studies".
[i.3]	ETSI GR OEU 029 (V1.1.1): "Energy Efficient IP Video Surveillance Systems over Coaxial Cables".
[i.4]	ETSI EN 305 174-8 (V1.1.1): "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 8: Management of end of life of ICT equipment (ICT waste/end of life)".
[i.5]	ETSI TS 105 174-8 (V1.1.1): "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 8: Implementation of WEEE practices for ICT equipment during maintenance and at end-of-life".
[i.6]	ISO/IEC 11801-1 (2018): "Information technology Generic cabling for customer premises".
[i.7]	EIA/TIA 568-C.2: "Balanced Twisted-Pair Telecommunications Cabling and Components Standards".
[i.8]	EN 50173-1:2018: "Information technology - Generic cabling systems - Part 1: General requirements" (produced by CENELEC).
[i.9]	IEEE 802.3af TM : "IEEE Standard for Information Technology - Telecommunications and Information Exchange Between Systems - Local and Metropolitan Area Networks - Specific Requirements - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications - Data Terminal Equipment (DTE) Power Via Media Dependent Interface (MDI)".
[i.10]	IEEE 802.3at TM : "IEEE Standard for Information technology Local and metropolitan area networks Specific requirements Part 3: CSMA/CD Access Method and Physical Layer Specifications Amendment 3: Data Terminal Equipment (DTE) Power via the Media Dependent Interface (MDI) Enhancements".

[i.11] IEEE 802.3btTM: "IEEE Standard for Ethernet Amendment 2: Physical Layer and Management Parameters for Power over Ethernet over 4 pairs".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

User Interface (UI): mechanism (preferably keyboard and display) to enable user interaction with the network

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

BNC	Bayonet Nut Connector
CCTV	Close Circuit TeleVision
CuR	Red Copper (Cuivre Rouge)
DSL	Digital Subscriber Line
E&PoC	Ethernet and Power over Coax
FeCu	Steel Copper (Acier Cuivré)
I-BNC	I Bayonet Nut Connector
ICT	Information & Communication Technology
IP	Internet Protocol
LAN	Local Area Network
LSZH	Low Smoke Zero Halogen
NF	French Norm (Norme Française)
POC	Power over Coax
PoC	Power over Coaxial
POE	Power Over Ethernet
PoE	Power over Ethernet
PUR	Polyurethane
PVC	PolyVinylChloride
T-BNC	T Bayonet Nut Connector
UI	User Interface
VMS	Video Management System

4 Implementation of a wired capillary architecture

4.1 Capillary Architecture Wiring Types

4.1.1 Generalities

The implementation of a wired capillary architecture is considered and broadly described as in Figure 1.




Figure 1: Capillary Architecture

Table 1: Types of wiring

Cable use	Conductor type	Equipment use	POE	Circuit bypass
Analog video Coaxial OI		Old standard	NO	NO
	Optical fibre	With dedicated converter	NO	NO
	Symmetric twisted pairs	Standard for equipment within 90 m	Low power equipment	NO
IP video Other IP equipment	Coaxial conductor	Standard for equipment over 90 m and less than 500 m Very exceptionally up to 1 800 m (after report validation)	Low power equipment	YES
	Optical fibre	Standard for equipment over 500 m	NO	NO

4.1.2 Coaxial wiring

Coaxial cables will be used to connect access points that are more than 90 m from their network connection.

For renewal, it will be common to use existing coaxial cables regardless of their length for IP transport.

Commonly used coaxial cables have a characteristic impedance of 75 Ω .

Signals transported over coaxial wiring are historically analogue video signals. Use of Ethernet 10b2 type cables for such signals been used for such signals, and new applications of DSL technology now allow Ethernet signals to be transported over bifilar or + wires.

Coaxial link chains can be used to distribute signals over long lengths of cable with suitable end equipment. Depending on the signals to be transmitted, they allow the use of T-connectors.

4.2 IP binding channel

4.2.1 IP link channel over Ethernet cable (point to point)

Each element should meet a minimum category for the IP channel to match the described class, as described in Figure 2.




Figure 2: IP link chain

In operating mode, the following recommendations apply:

- Single equipment connection.
- Single cable connects installations, each equipment is connected by flexible patchcords.
- While additional breakpoints are possible but not recommended, it is important to note that they reduce bond length performance.

As a reminder, from class D, the categories have been subdivided as in Table 2.

Table 2: Category (cable)

Category (cable)	CAT5	CAT5e	CAT6	CAT6a	CAT7	CAT7a	CAT7+
Frequency of use (according to standards)	100 MHz	100 MHz	250 MHz	500 MHz	600 MHz	1 000 MHz	1 200 MHz
Characterization frequency	200 MHz	200 MHz	450 MHz	550 MHz	900 MHz	1 200 MHz	1 500 MHz
Class (links)	D	D	E	Ea	F	Fa	Fa

The use of CAT6 or CAT6A is recommended to improve the velocity of propagation of the signal to receiver at the camera.

The patch cord should have a minimum section of AWG24 stranded copper (Not copper Clad Aluminium).

9




Figure 3: Cable categories and their characteristics

It is advisable to specialize in CCTV wiring. This is to limit malicious disconnections:

- Separation of CCTV concentration points.
- Camera access point is enclosed in the terminal installation, no accessible wall access.
- Outdoor Ethernet access points should be protected against corrosion (IP65 installation).

4-pair cables will be subject to a validation test performed according to ISO/IEC 11801 [i.6] Class Ea, EIA/TIA 568-C.2 CAT6A [i.7], EN 50173-1 [i.8] Class Ea standard, for Ethernet link channel whose ends are connected in RJ45 (see Figure 4).



Fixed installation cable

Figure 4: Permanent link test

For this test, two measurement patchcords supplied with a tester are used.

The link channel should have a length of less than 100 m, patchcord included, and will only be "Point to Point" (only one distant end).

End equipment can be powered either by the switch (via POE) or via a separate power supply (see Figure 5).




Figure 5: POE link test

4.2.2 IP link chain over coaxial cable





Figure 6: IP video example

For renewal, it will be common to use existing coaxial cables regardless of their length for IP transport over coaxial (IP video example, see Figure 6).

The completed line name is Ethernet and Power over Coax (E&PoC).

Interest of a coaxial channel is relevant in sites where it will not be possible to install network equipment in good condition within 90 m of equipment. In building, cabling is carried out in Ethernet on twisted pairs (see Figure 7).





This is the standard configuration for connections of IP equipment even with remote power supply \leq 90 m. Advantages are implementation cost, simplicity of the link channel, quality tests of the links, standardization. Coaxial cable is adapted to Ethernet channel by 2 media converter equipment (see Figure 8).

Master equipment can often connect several channels of coaxial links. (8 or 16 channels) Length of connecting channels will depend on type of chosen power supply for end equipment. End user equipment can be powered by the end "slave" converter equipment (POE). "Slave" equipment is powered by "Master" equipment (POC).




Figure 8: POC cable

This converter can have a dedicated low voltage power supply for end equipment when the consumption of end equipment is too high (PoE++ for example), see Figure 9.





Figure 9: POC cable with additional power supply

4.2.3 Renewal installation of existing video channels

"LAN EXTENDER" technology makes it possible to modernize an analog link channel by replacing it with IP video solution (see Figure 10).





The subject is service of end equipment is currently done by analog video and a power source from local network.




Figure 11: Channel renewal

By keeping the same coaxial capillary cable, the active equipment is replaced (see Figure 11).

Precautions relative to this renewal installation process are listed in Table 3.

Table 3: Main precautions for a renewal installation

Entity	Туре	Comments	
End feed It will be possible to remove end low voltage power cable consumption of link channel is compatible.		By monitoring energy balance of upstream installation, if the consumption of link channel is compatible.	
Lan Extender Slave	ave Inserting the box Adapt existing installation. Replace end installation.		
Coaxial patchcords	Adapt link channel	It is recommended to renew coaxial patchcords.	
Link quality	Access physical characteristics	 Access compatibility of length of connecting channel. Quality of coaxial connections. Type of cable loop resistance under evaluation and power measurements received at the end are indicative methods. 	

4.3 Coaxial cables

4.3.1 Types of used coaxial cables

There are two types of quality of coaxial cables (see Figure 11 and some examples of cables in Figure 12a and Figure 12b) with different uses:

• Rigid cables intended for connections between fixed installations between premises, buildings or sites. They can be adapted, even as cable layers, to many types of routing such as slabs (e.g. marine, and cablofils) but also hooks and sheaths.




Figure 12a: Rigid coaxial cable

• Flexible patchcords for internal wiring of installations.




Figure 12b: Flexible coaxial cable

Coaxial patchcords are consumable and should support:

- Power delivered by equipment providing remote power supply to the links and power supplied end.
- Numerous manipulations of twists and disconnections. More rigid cable should remain protected from frequent manipulations.

Standards	Cable reference	Composition	Section <i>(mm²)</i>	Loop Resistance ±10 % (Ohm/km)	Application
NF C 93 550	KX6	7 × 0,2 CuR	0,22	132	FIXED/MOBILE
PVC	UHD06	1 × 0,6 CuR	0,28	80	MOBILE/FIXED
PVC	RG59	1 × 0,6 FeCu	0,28	150	MOBILE/FIXED
LSZH	UHD06	1 × 0,6 CuR	0,28	80	FIXED
NF C 93 550	KX8	7 × 0,4 CuR	0,88	50	FIXED
PVC	RG11	1 x 1,7 CuR	2,27	20	FIXED
LSZH	UHD10	1 x 1,1 CuR	0,95	31	FIXED
LSZH	UHD16	1 × 1,6 CuR	2,01	16	FIXED
PUR	FLEX08	7 × 0,29 CuR	0,47	44	MOBILE
PUR	FLEX12	7 × 0,40 CuR	0,88	50	MOBILE

Table 4: Examples of coaxial cable

4.3.2 Cable quality control

The first cable quality control measurement of the link chain is the loop measurement of the coaxial circuit.

In accordance with ETSI TR 105 177 [i.2], following Figure 13, a shunt (short-circuit) is made at the end of a circuit (or cable). The resistance is measured at the other end of the circuit between the axial conductor and the peripheral screen conductor. The values obtained should be equivalent to those announced by the cable manufacturer supplier according to the length of the circuit.




Figure 13: Quality control measurement

4.3.3 Curvature radius

For most coaxial video cables, bend radius is approximately 5 times the outside diameter of the cable.

4.3.4 Channel equipment insulation

It is essential to take all the necessary precautions to insulate the cable connections from the earth or metal masses over the entire length of the coaxial link chain (see Figure 14).




Figure 14: IP over coaxial link chain (BNC connection to isolate from ground)

4.4 Connections

4.4.1 Connector choice

Connectors for coaxial cable used for capillary cabling (75 Ω) should absolutely be of BNC crimping or compression connector type, see Table 5.

	Classic BNC connector	BNC Compression connector
Type of coaxial capillary connectors		
Recommendations	With boots obligatory Flexible or fixed cabling o	This connector is suitable for rigid core cable connections

Table 5: Coaxial connectors

4.4.2 Choice and installation of coaxial junctions

Coaxial jumpers or patch cords are intended to connect:

- Two active elements of the same installation.
- Active equipment to a cable on a patch panel or splitter.

Direct connections on rigid cables are not recommended.

These jumpers or patch cords should meet the same level of quality as the entire linking chain:

- Risk of seriously degrading the quality of the signal if it is not done.
- To support electrical power transported in case of PoC (Power Over Coax).

• In a technical room, it is tolerated to use preformed jumpers or preformed patch cords instead of cables, but it will be important to meet the constraints of the cables.

Coaxial jumpers or patch cords should support:

- Powers delivered by equipment that remotely supplies links and end equipment.
- Numerous manipulations of twists and disconnections should be supported by cables and connectors.

Table 6 provides a comparison of the constraints.

Table 6: Coaxial patch cord constraints


Constraints	Patch cords	Cables		
Use	Coaxial cable management (short length) Coaxial permanent link			
Coiling & Overlengths				
Labelling Imperative if: • Patch cords are tied in strands • Patch cord pathway is difficult to follow it				
BNC Compression connector if built on site Connectors Classic BNC connector in case of preformed patch cord				
Path plan	Not applicable Imperative			


4.5 Connection end

4.5.1 Detail on coaxial connections

The use of male / female connection is recommended as soon as possible to reduce the size of the connections under the following configurations described in Table 7.

Table 7: Coaxial connection configurations





4.5.2 Concentrating points

Depending on the system configuration, the video link chains can be patched on cross-connects.

Their function is the interface between rigid video cables transiting in cable trays and flexible patch cords connecting active equipment.

There are 3 types of coaxial splitters:

- Patch panels in patch bays or active equipment.
- Distribution frames or in cabinets.
- Junction boxes.

Patch panels in installations:

• Example of patch panel.

Individual connection to equipment is detailed below in Figure 15.




Figure 15: Equipment/Patchcord/Cable

• The fixing of the BNC is insulated to meet all possible uses of coaxial use, according to Figure 16.




Figure 16: Isolated BNC headband

Cables are connected to coaxial BNC connectors attached to patch panels.

Use of twined connections with male connector allows handling of compression connectors without stressing cable connection (avoids rotation and torsion).

Urbanization of facilities

Urbanization of facilities is described in Figure 17.



Profile of a distribution frame

Front side of the installations

Profile of a distribution frame

Figure 17: Two types of urbanization of facilities

- 19" uprights are set back from door to allow adequate patching space for connection patch cords.
- Equipment and patch panels are fitted with patch cord guides allowing patch cord support and channelling on sides of facilities.
- Patch cord tracking can be performed by a single operator; patch cords remain on front panel and are accessible from an end of its length to the other.

4.5.3 Intermediate connections and junction boxes

All coaxial connections (see Table 7) should be made in an installation (splitter, concentration bay, camera stand, etc.) or a waterproof connection box (see Figure 18).



Figure 18: Coaxial connection

All cut-off points or intermediate boxes should be located on plans, cable books.

Nevertheless, these intermediate cut-off points should be avoided.

These intermediate connections have several functions:

- Close connection of equipment.
- Continuity connection ("sleeve" function).

Some cables are too rigid to be connected directly to the equipment, a connection with a flexible cord is necessary in a box close to the equipment (Access Point).

The implementation of a Male/Female compression fitting is to be done as a priority (see Table 7, case 1). If the Female BNC is not available on the market, the use of an I-BNC connector is tolerated (see Table 7, case 2).

4.5.4 Transport channel quality

The first quality control measurement of the link chain is loop measurement of coaxial circuit.

A shunt (short circuit) is made at the end of a circuit (or cable). The resistance is measured at the other end of the circuit between the axial conductor and the peripheral screen conductor. The obtained values should be equivalent to those stated by the cable supplier according to the length of the circuit.

5 Access point and patchcord tracking

5.1 Identification of access points

5.1.0 Introduction

Identification of an access point is essential for the cabling of any telecommunications system.

It allows identification of service cable and precise location of access points in large quantities in a fixed installation.

5.1.1 Numbering of access points

The numbering of an access point is:

- Unique to a site.
- Short identification to be easily tagged on access point and patch panels of concentration facilities.

The cables should be identifiable by:

- Directly written reference at ends on cable labels.
- Or specific reference from a site reference document.
- Or a distribution diagram.

5.1.3 Patchcords

Patchcords are linked to link chain. They directly connect two proximity devices or a device to its transmission cable.

Their identification is then essential in maintenance actions.

They should be identified if:

- Monitoring of their continuity is not easily accessible.
- Patchcords directly connect end equipment in the room.
- When on-site wiring diagram does not exit.

6 Compliance criteria for identity reduction

6.1 Declaration of video equipment

Video equipment characteristics will be provided and registered.

6.2 Type of link channels

6.2.1 Equipment POE power supply

Length of coaxial cables depends on their type and range of POE.

Three standards are available in POE (Power Over Ethernet), POE+ and POE++ see technical characteristics on Figure 19).

Conform to IEEE 802.3af [i.9], IEEE 802.3at [i.10] and IEEE 802.3bt [i.11].






Figure 19: POE technical characteristics

6.3 Specific constraints of video surveillance channels

Video surveillance stakes involve protecting access to connections to surveillance camera link chain. This is to limit malicious disconnections:

- Camera access point is enclosed in terminal installation, no accessible wall access. Connection can be direct to camera.
- Many external Ethernet access points should be protected against corrosion (IP65 installation).
- Separation of CCTV concentration points.

6.4 Implementation of link channel

6.4.1 Link channel quality

Performance of video transmission depends on quality of each component of coaxial cable chain, see Table 8.

Table 8: Component quality

	Торіс	Additional details
1	Equipment performance	
2 Link chain quality		Cable connection quality Qualitative choice of coaxial jumpers Number of connections in the link chain Wiring of facilities
3	Environment adaptation	Equipotentiality of masses - ground plane - cable connection at the ends

6.4.2 Connecting of concentrating video equipment

Generally, equipment connection will support to carry out a standard exchange of a sub-assembly (board) without having to disconnect all the wiring from the equipment.

Wiring distribution of patchcords will correspond to distribution direction of equipment boards. (Horizontal card for horizontal wiring.)

Video hubs are usually very dense. It is recommended, see Figure 20:

- To install racks in order of numbering from top to bottom in facilities.
- To label racks because numbering is included in equipment identification.

	Non-compliant wiring	Compliant wiring
Drawing	(For example, galvanic insulator)	$\overline{\mathbf{>}}$
	Horizontal wiring of patch cords prevents standard exchange of left cards	Vertical patch cord wiring allows standard exchange of a single equipment

Figure 20: Installation recommendations

6.4.3 Cable quality control

First quality control measurement of link chain is loop measurement of coaxial circuit.

A short circuit is made at the end of the circuit and resistance is measured at the other end between the axial conductor and the peripheral screen conductor.

Values differ according to cables and their theoretical balance calculated according to linear resistance provided by the manufacturer (examples of values in clause 4.4.1).

6.5 Coaxial cable distribution

6.5.1 Generalities

Video link chain requires nearby concentration equipment of patching distributors.

Their function is interface between rigid video cables transiting in cable trays and flexible cords connecting active equipment.

There are 3 types of coaxial splitters:

- Panels or patch panels in patch bays or active equipment.
- Distributors on frame or in cabinets.
- Junction or derivation boxes.

6.5.2 Patch panel front

For example, patch panel 19" with 16 BNC connectors per U can be installed in RJ45 patch cabinets with a 1U cable pass, see Figure 18.


They complete service of access points over 90 m away. In the case of smaller cabinets, a suitable headband could be installed.

Urbanization of 19" strips is identical to that of the RJ45. It requires a cord guide either below or above.

Patch panels are installed in existing video concentration installations. These insulated Plexiglas panels were the result of special production; they are no longer used for new installations.

6.5.3 Fitting description

Patch panels are installed in existing video concentration installations, see Figure 21. These insulated Plexiglas panels were the result of a special production, they are no longer used for new installations.



NOTE: 1U headband with 16 BNCs and 1U front panel cord passes.

Figure 21: Patch panels in existing video concentration installations

The bay houses 2 types of installation with different constraints:

- Active equipment requiring high IP protection (IP53 or IP55).
- A coaxial cable splitter that should be accessible for access to the cable connections.

6.6 IP link channel over coaxial cable

IP over coax link chains use same link chains as old analog video chains.

Global connection chain which is isolated from grounding and earthing. (Cable, cords, and connectors.)

7 Remote power supply of telecommunication equipment

7.1 PoC supply (Power Over Coax)

Power over Coax (PoC) provides Ethernet over coaxial cabling with a simple and convenient way to power devices on the same principle as Power Over Ethernet (PoE), see Figure 22.




Figure 22: Power over Coax (PoC) provides Ethernet over coaxial cabling

Distance limitation of use of end devices is mainly a function of the power consumed by all the components.

7.2 Risks on contacts of PoC link channel

Link breaking currents could damage to connector contacts.

Consumed PoC powers cause significant temperature rises on bad contacts or overly resistant cords.

It is recommended as a plug on cords:

- Satisfactory quality for BNC connectors.
- Minimum quality for flexible cord cables.

8 Technical specifications of patchcords and jumpers

Patchords and jumpers should follow the requirements and recommendations described in clause 4 and its relative subclauses (especially clause 4.3).

9 Sustainability and efficiency recommendations

9.1 General recommendations

The present document considers the recommendations on sustainability and efficiency described in the following ETSI documents:

- ETSI TR 105 177 [i.2] describe in the paragraphs on "Environmental impact" (clause 6.3).
- ETSI GR OEU 029 [i.3].

9.2 Waste management

The present document takes into account the requirements for processes in relation to management of end-of-life of ICT equipment define in the following standards:

26

- ETSI EN 305 174-8 [i.4].
- ETSI TS 105 174-8 [i.5].

History

Document history		
V1.1.1	September 2024	Publication

27