ETSI TS 102 965 V2.3.1 (2025-03)



Intelligent Transport Systems (ITS); Application Object Identifier (ITS-AID); Registration; Release 2 Reference

RTS/ITS-993

Keywords

ITS, registration, service

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the <u>Milestones listing</u>.

If you find errors in the present document, please send your comments to the relevant service listed under <u>Committee Support Staff</u>.

If you find a security vulnerability in the present document, please report it through our <u>Coordinated Vulnerability Disclosure (CVD)</u> program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI. The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025. All rights reserved.

Contents

Intellectual Property Rights	4
Foreword	4
Modal verbs terminology	4
Introduction	4
1 Scope	5
2 References 2.1 Normative references 2.2 Informative references	5
 3 Definition of terms, symbols and abbreviations	6 6
4 ITS-AID registration list	7
Annex A (normative): ITS-AID assigned for ETSI ITS	8
History	9

3

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECTTM, **PLUGTESTSTM**, **UMTSTM** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPPTM**, **LTETM** and **5GTM** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2MTM** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**[®] and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Intelligent Transport Systems (ITS).

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is in support of global registration for ITS-AID values for purposes of ETSI TC ITS. The technical issue of globally unique identifiers and addresses, one of which is ITS-AID, is standardized in ISO 17419 [1].

1 Scope

The present document:

- provides a hyperlink to a template to request a new entry in the list;
- lists the assigned ITS-AID values for ETSI-ITS.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the ETSI docbox.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] <u>ISO 17419</u>: "Intelligent transport systems — Cooperative systems — Globally unique identification".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	ETSI TS 103 745: "Requirements for the shared use of spectrum between Urban Rail and Road Intelligent Transport Systems (ITS) operating in the 5875 MHz to 5925 MHz frequency range".
[i.2]	ETSI TS 103 900: "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Cooperative Awareness Service; Release 2".
[i.3]	ETSI TS 103 831: "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Decentralized Environmental Notification Service; Release 2".
[i.4]	ETSI TS 103 301: "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Facilities layer protocols and communication requirements for infrastructure services; Release 2".
[i.5]	ETSI TS 103 836-4-1: "Intelligent Transport Systems (ITS); Vehicular Communications; GeoNetworking; Part 4: Geographical Addressing and Forwarding for Point-to-Point and Point-to-Multipoint Communications; Sub-part 1: Media-Independent Functionality; Release 2".
[i.6]	ETSI EN 302 890-1: "Intelligent Transport Systems (ITS); Facilities layer function; Part 1: Services Announcement (SA) specification".

ETSI TS 102 941: "Intelligent Transport Systems (ITS); Security; Trust and Privacy Management;

[i.8]	ETSI TS 103 300-3: "Intelligent Transport Systems (ITS); Vulnerable Road Users (VRU) awareness; Part 3: Specification of VRU awareness basic service; Release 2".
[i.9]	ETSI TS 103 724: "Intelligent Transport Systems (ITS); Facilities layer function; Interference Management Zone Message (IMZM); Release 2".
[i.10]	ETSI TS 103 324: "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Collective Perception Service; Release 2".
[i.11]	ETSI TS 103 759: "Intelligent Transport Systems (ITS); Security; Misbehaviour Reporting service; Release 2".
[i.12]	ETSI TS 103 882: "Intelligent Transport Systems (ITS); Automated Vehicle Marshalling (AVM); Release 2".
[i.13]	ETSI TS 103 916: "Intelligent Transport Systems (ITS); Parking Availability Service; Release 2".

[i.14]ETSI TS 104 072: "Intelligent Transport Systems (ITS); Facilities Layer; Parking Information
Service; Release 2".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ISO 17419 [1] apply.

3.2 Symbols

Void.

[i.7]

Release 2".

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AVM	Automated Vehicle Marshalling
CA	Cooperative Awareness
СР	Collective Perception
DEN	Decentralized Environmental Notification
GN	GeoNetworking
GN-MGMT	GeoNetworking Management Communications
GPC	GNSS Positioning Service
IMZ	Interference Management Zone
ITS-AID	ITS-Application IDentifier
IVI	Infrastructure to Vehicle Information
MR	Misbehaviour Reporting
PI	Parking Information
POI	Point Of Interest
RLT	Road and Lane Topology
RMO	Restricted Mode of Operation
TLC	Traffic Light Control
TLM	Traffic Light Manoeuvre
VRU	Vulnerable Road User

4 ITS-AID registration list

The assigned ITS-AID values for ETSI-ITS are provided in Annex A.

In order to request assignment of an ITS-AID the applicant shall use the template given in ISO 17419 [1].

7

Annex A (normative): ITS-AID assigned for ETSI ITS

ETSI Cooperative ITS shall use the assigned ITS-AIDs provided in Table A.1.

Date of application	ITS-AID value	Length in octets	ITS application name	Туре	Notes
January 2015	36	1	CA basic service	ITS application	CA service as specified in ETSI TS 103 900 [i.2]
January 2015	37	1	DEN basic service	ITS application	DEN service as specified in ETSI TS 103 831 [i.3]
January 2015	137	2	TLM service	ITS application class	TLM service as specified in ETSI TS 103 301 [i.4]
January 2015	138	2	RLT service	ITS application class	RLT service as specified in ETSI TS 103 301 [i.4]
January 2015	139	2	IVI service	ITS application class	IVI service as specified in ETSI TS 103 301 [i.4]
February 2016	141	2	GN-MGMT	ITS application	GN-MGMT as specified in ETSI TS 103 836-4-1 [i.5]
November 2017	540 801	3	SA service	ITS application	SA service as specified in ETSI EN 302 890-1 [i.6]
March 2018	622	2	CRL service	ITS application	CRL service as specified in ETSI TS 102 941 [i.7]
March 2018	623	2	Secured certificate request service	ITS application	Secure certificate request service as specified in ETSI TS 102 941 [i.7]
March 2018	624	2	CTL service	ITS application	CTL service as specified in ETSI TS 102 941 [i.7]
July 2018	540 802	3	GPC service	ITS application	GPC service as specified in ETSI TS 103 301 [i.4]
January 2020	639	2	CP service	ITS application	CP service as specified in ETSI TS 103 324 [i.10]
January 2020	638	2	VRU Awareness basic service	ITS application	VRU Awareness basic service as specified in ETSI TS 103 300-3 [i.8]
January 2020	140	2	TLC Request service	ITS application	TLC Request service as specified in ETSI TS 103 301 [i.4]
January 2020	637	2	TLC Status service	ITS application	TLC Status service as specified in ETSI TS 103 301 [i.4]
October 2021	640	2	IMZ basic service	ITS application	IMZ basic service as specified in ETSI TS 103 724 [i.9]
February 2023	1618	2	MR Service	ITS application	MR Service as specified in ETSI TS 103 759 [i.11]
April 2024	71	1	AVM Service	ITS application	AVM service as specified in ETSI TS 103 882 [i.12]
April 2024	1619	2	POI Service	ITS application	Parking Availability Service as specified in ETSI TS 103 916 [i.13]
February 2025	1620	2	RMO Service	ITS application	Restricted Mode of Operation Service as specified in ETSI TS 103 745 [i.1]
March 2025	1621	2	PI Service	ITS application	Parking Information Service as specified in ETSI TS 104 072 [i.14]

Table A.1: ETSI ITS standardized ITS-AIDs

History

Document history				
V1.1.1	March 2013	Publication as ETSI TR 102 965		
V1.2.1	June 2015	Publication		
V1.3.1	November 2016	Publication		
V1.4.1	November 2018	Publication		
V1.5.1	January 2020	Publication		
V2.1.1	November 2021	Publication		
V2.2.1	July 2024	Publication		
V2.3.1	March 2025	Publication		