



TECHNICAL SPECIFICATION

**Mission Critical (MC) services;  
Mission Critical Data (MCData) Application Server (AS)  
Protocol conformance specification for  
server-to-client interface;  
Part 2: Test Applicability and Implementation Conformance  
Statement (ICS) pro forma specification**

---

Reference

DTS/TCCE-00258

---

Keywords

LTE

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.  
All rights reserved.

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	4
Introduction .....	4
1 Scope .....	6
2 References .....	6
2.1 Normative references .....	6
2.2 Informative references.....	6
3 Definition of terms, symbols and abbreviations.....	7
3.1 Terms.....	7
3.2 Symbols.....	8
3.3 Abbreviations .....	8
4 Recommended Test Case Applicability .....	8
<b>Annex A (normative): ICS pro forma for Mission Critical Services.....</b>	<b>12</b>
A.0 The right to copy .....	12
A.1 Guidance for completing the ICS pro forma .....	12
A.1.1 Purposes and structure.....	12
A.1.2 Abbreviations and conventions .....	12
A.1.3 Instructions for completing the ICS pro forma.....	13
A.2 Identification of the MCDData Server Equipment.....	13
A.2.0 The right to copy .....	13
A.2.1 Date of the statement.....	13
A.2.2 MCDData Server under test identification .....	13
A.2.3 Product supplier.....	14
A.2.4 The Organization responsible for the Product testing .....	14
A.2.5 ICS contact person.....	15
A.3 Identification of the protocol.....	15
A.4 ICS pro forma tables.....	15
A.4.1 Implementation Types.....	15
A.4.2 Additional information .....	16
History .....	17

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee TETRA and Critical Communications Evolution (TCCE).

The present document is based on ETSI TS 136 579-4 [i.4] (3GPP TS 36.579-4) produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [4].

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# Introduction

The ETSI Technical Specification used as the reference document for the present document is part 4 of a multi-part deliverable covering conformance test specification for Mission Critical Services over LTE consisting of:

- ETSI TS 136 579-1 [i.2]: "LTE; Mission Critical (MC) services over LTE; Part 1: Common test environment (3GPP TS 36.579-1)";
- ETSI TS 136 579-2 [i.9]: "LTE; Mission Critical (MC) services over LTE; Part 2: Mission Critical Push To Talk (MCPTT) User Equipment (UE) Protocol conformance specification (3GPP TS 36.579-2)";

- ETSI TS 136 579-3 [i.10]: "LTE; Mission Critical (MC) services over LTE; Part 3: Mission Critical Push To Talk (MCPTT) Server Application conformance specification (3GPP TS 36.579-3)";
- **ETSI TS 136 579-4 [i.4]: "LTE; Mission Critical (MC) services over LTE; Part 4: Test Applicability and Implementation Conformance Statement (ICS) proforma specification (3GPP TS 36.579-4)";**
- ETSI TS 136 579-5 [1]: "LTE; Mission Critical (MC) services over LTE; Part 5: Abstract test suite (ATS) (3GPP TS 36.579-5)";
- ETSI TS 136 579-6 [i.5]: "LTE; Mission Critical (MC) services over LTE; Part 6: Mission Critical Video (MCVideo) User Equipment (UE) Protocol conformance specification (3GPP TS 36.579-6)";
- ETSI TS 136 579-7 [i.6]: "LTE; Mission Critical (MC) services over LTE; Part 7: Mission Critical Data (MCData) User Equipment (UE) Protocol conformance specification (3GPP TS 36.579-7)";
- 3GPP TS 36.579-8 [i.7]: "Mission Critical (MC) services over LTE; Part 8: Mission Critical Video (MCVideo) Server Application conformance specification";
- 3GPP TS 36.579-9 [i.8]: "Mission Critical (MC) services over LTE; Part 9: Mission Critical Data (MCData) Server Application conformance specification".

---

# 1 Scope

The present document provides the Implementation Conformance Statement (ICS) pro forma for testing Server implementations for compliance to the Mission Critical Services over LTE protocol requirements defined by 3GPP, and in accordance with the relevant guidance given in ISO/IEC 9646-1 [i.3] and ISO/IEC 9646-7 [2].

The present document specifies the recommended applicability statement for the test cases included in ETSI TS 104 149-1 [4]. These applicability statements are based on the features implemented in the Server respectively.

The present document is valid for Mission Critical Push to Talk (MCData) Servers implemented according to 3GPP releases starting from Release 14 up to the Release indicated on the cover page of the present document.

The present document does not specify applicability or ICS for protocol conformance testing for the EPS (LTE) bearers which carry the Mission Critical Services data sent or received by the Client and/or the Server. These are defined in ETSI TS 136 523-2 [i.11] (3GPP TS 36.523-2).

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI TS 136 579-5](#): "LTE; Mission Critical (MC) services over LTE; Part 5: Abstract test suite (ATS) (3GPP TS 36.579-5)".
- [2] [ISO/IEC 9646-7](#): "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [3] [ETSI TS 123 282](#): "LTE; Functional architecture and information flows to support Mission Critical Data (MCData); Stage 2 (3GPP TS 23.282)".
- [4] [ETSI TS 104 149-1](#): "Mission Critical (MC) services; Mission Critical Data (MCData) Application Server (AS) Protocol conformance specification for server-to-client interface; Part 1: Test structure, configurations, conformance requirement and test purposes".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

- [i.1] [ETSI TR 121 905](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; Vocabulary for 3GPP Specifications (3GPP TR 21.905)".

- [i.2] [ETSI TS 136 579-1](#): "LTE; Mission Critical (MC) services over LTE; Part 1: Common test environment (3GPP TS 36.579-1)".
- [i.3] [ISO/IEC 9646-1](#): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [i.4] [ETSI TS 136 579-4](#): " Mission Critical (MC) services over LTE; Part 4: Test Applicability and Implementation Conformance Statement (ICS). (3GPP TS 36.579-4)".
- [i.5] [ETSI TS 136 579-6](#): "LTE; Mission Critical (MC) services over LTE; Part 6: Mission Critical Video (MCVideo) User Equipment (UE) Protocol conformance specification (3GPP TS 36.579-6)".
- [i.6] [ETSI TS 136 579-7](#): "LTE; Mission Critical (MC) services over LTE; Part 7: Mission Critical Data (MCData) User Equipment (UE) Protocol conformance specification (3GPP TS 36.579-7)".
- [i.7] 3GPP TS 36.579-8: "Mission Critical (MC) services over LTE; Part 8: Mission Critical Video (MCVideo) Server Application conformance specification".
- [i.8] 3GPP TS 36.579-9: "Mission Critical (MC) services over LTE; Part 9: Mission Critical Data (MCData) Server Application conformance specification".
- [i.9] [ETSI TS 136 579-2](#): "LTE; Mission Critical (MC) services over LTE; Part 2: Mission Critical Push To Talk (MCPTT) User Equipment (UE) Protocol conformance specification (3GPP TS 36.579-2)".
- [i.10] [ETSI TS 136 579-3](#): "LTE; Mission Critical (MC) services over LTE; Part 3: Mission Critical Push To Talk (MCPTT) Server Application conformance specification (3GPP TS 36.579-3)".
- [i.11] [ETSI TS 136 523-2](#): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification (3GPP TS 36.523-2)".

---

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the terms given in ETSI TR 121 905 [i.1] (3GPP TR 21.905) and the following apply:

**NOTE:** A term defined in the present document takes precedence over the definition of the same term, if any, in ETSI TR 121 905 [i.1] (3GPP TR 21.905). Moreover, some terms defined in ISO/IEC 9646-1 [i.3] and ISO/IEC 9646-7 [2] are explicitly included below with small modification to reflect the terminology used in 3GPP.

**ICS pro forma:** document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

**Implementation Conformance Statement (ICS):** statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented

**Implementation eXtra Information for Testing (IXIT):** statement made by a supplier or implementer of an UEUT which contains or references all of the information (in addition to that given in the ICS) related to the UEUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the UEUT

**IUT containing MCX Client:** statement identifying which entity, and associated requirements, from the MCX service architecture is subject of testing

**NOTE:** Depending on the ETSI TS 136 579-5 [1] (3GPP TS 36.579-5) test model being used, the LTE UE (with the MCX Client installed) is considered as the IUT (MCX EUTRA test model), or, only the MCX Client is considered as the IUT (MCX IPCAN test model). In both cases the SUT is the UE, communicating with the SS over the Uu radio interface.

**IXIT pro forma:** document, in the form of a questionnaire, which when completed for an UEUT becomes an IXIT

**Protocol Implementation Conformance Statement (PICS):** ICS for an implementation or system claimed to conform to a given protocol specification

**Protocol Implementation eXtra Information for Testing (PIXIT):** IXIT related to testing for conformance to a given protocol specification

**static conformance review:** review of the extent to which the static conformance requirements are claimed to be supported by the UEUT, by comparing the answers in the ICS(s) with the static conformance requirements expressed in the relevant specification(s)

## 3.2 Symbols

Void.

## 3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI TR 121 905 [i.1] (3GPP TR 21.905) and the following apply:

NOTE: An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in ETSI TR 121 905 [i.1] (3GPP TR 21.905).

EUTRA	Evolved UMTS Terrestrial Radio Access
ICS	Implementation Conformance Statement
IPCAN	IP Connectivity Access Network
IUT	Implementation Under Test
IXIT	Implementation eXtra Information for Testing
MC	Mission Critical
MCDData	Mission Critical Data
MCPTT	Mission Critical Push To Talk
MCVideo	Mission Critical Video
MCX	Mission Critical X

NOTE: With X = PTT or X= Video or X= Data.

SS	System Simulator
SUT	System Under Test
TC	Test Case

---

## 4 Recommended Test Case Applicability

The applicability of each individual test is identified in Table 4-1 (MCDData Server). This is just a recommendation based on the purpose for which the test case was written.

The applicability of every test is formally expressed by the use of Boolean expression that are based on parameters (ICS) included in annex A of the present document.

Additional information related to the Test Case (TC), e.g. affecting its dynamic behaviour or its execution may be provided as well

The columns in Table 4-1 have the following meaning:

### Clause

The clause column indicates the clause number in ETSI TS 104 149-1 [4] respectively which contains the test body.

## Title

The title column describes the name of the test and contains the clause title of the clause in ETSI TS 104 149-1 [4] respectively which contains the test body.

## Release

The release column indicates the earliest release from which the test case is applicable. In some specific cases it may indicate the release(s) for which the TC is **only** applicable.

NOTE 1: Some exceptions to this interpretation may be indicated in Notes in column 'Number of TC Executions'.

## Applicability - Condition

The following notations are used for the applicability column:

R	recommended - the test case is recommended
O	optional – the test case is optional
N/A	not applicable - in the given context, the test case is not recommended.
Ci	conditional - the test is recommended ("R") or not ("N/A") depending on the support of other items. "i" is an integer identifying a unique conditional status expression which is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ... THEN ... ELSE...) ELSE ..." is used to avoid ambiguities.

NOTE 2: The conditions are defined in Table 4-1a (MCDData Server). To avoid ambiguity for the MCDData Server testing conditions the notation of C*Ci* is used.

## Applicability - Comments

This column contains a verbal description of the condition.

## Additional Information - Specific ICS

This column contains the mnemonics of ICS(s) affecting the dynamic behaviour of the TC.

NOTE 3: ICS items specified in other test specifications can be referred, to avoid redundant definitions.

## Additional Information - Specific IXIT

This column contains the mnemonics of IXIT(s) affecting the dynamic behaviour of the TC. IXITs are defined in ETSI TS 136 579-5 [1] (3GPP TS 36.579-5)

## Additional Information - Number of TC Executions

This column contains, wherever applicable, the recommended for certification purposes number of TC executions. It may contain also other information e.g. exceptions to the release applicable to the test. Clarifying notes when available are listed in dedicated tables with table numbers having the suffix "b".

Table 4-1: Applicability of MCDATA Server tests and additional information for testing

Clause	TC Title	Release	Applicability Condition	Comment	Additional Information Specific ICS	Specific IXIT	Number of TC Executions
<b>5</b>	<b>MCDATA Server - MCDATA Client Configuration</b>						
5.1	MCDATA Server - MCDATA Client / Configuration / Authentication / User Authorization / UE Configuration / User Profile / Key generation	Rel-15	CC01	IUT is MCDATA Server			
5.2	MCDATA Server - MCDATA Client / Configuration / Group Creation / Group Regroup Creation / Group Regroup Teardown	Rel-15	CC04	IUT is MCDATA Server			
5.3	MCDATA Server - MCDATA Client / Configuration / Group Affiliation / Implicit Affiliation / Remote change / De-affiliation / Home MCDATA system	Rel-15	CC01	IUT is MCDATA Server			
5.4	MCDATA Server - MCDATA Client / Configuration / Pre-established Session Establishment / Pre-established Session Modification / Pre-established Session Release	Rel-16	CC01	IUT is MCDATA Server			
5.5	MCDATA Server - MCDATA Client / Configuration / Determination of MCDATA Service Settings / Current Active MCDATA Settings / De-subscribe	Rel-15	CC01	IUT is MCDATA Server			
5.6	MCDATA Server - MCDATA Client / Configuration / Download CSK	Rel-16	CC01	IUT is MCDATA Server			
5.7	MCDATA Server - MCDATA Client / Configuration / Functional Alias / Functional alias status determination / Activate functional alias / Deactivate functional alias	Rel-16	CC01	IUT is MCDATA Server			
<b>6</b>	<b>MCDATA Server - MCDATA Client operation</b>						
<b>6.1</b>	<b>Short Data Service</b>						
6.1.1	MCDATA Server - MCDATA Client / Short Data Service (SDS) / Standalone SDS Using Signalling Control Plane / One-to-one Standalone SDS	Rel-15	CC02	IUT is MCDATA Server			
6.1.2	MCDATA Server - MCDATA Client / Short Data Service (SDS) / Standalone SDS Using Media Plane / Group Standalone SDS	Rel-15	CC02	IUT is MCDATA Server			
6.1.3	MCDATA Server - MCDATA Client / Short Data Service (SDS) / SDS Session / One-to-one SDS Session	Rel-15	CC02	IUT is MCDATA Server			

Clause	TC Title	Release	Applicability Condition	Comment	Additional Information Specific ICS	Specific IXIT	Number of TC Executions
6.1.4	MCDATA Server - MCDATA Client / Short Data Service (SDS) / Standalone SDS Using Media Plane / One-to-one Standalone SDS / Pre-established session	Rel-16	CC02	IUT is MCDATA Server			
<b>6.2</b>	<b>File Distribution</b>						
6.2.1	MCDATA Server - MCDATA Client / File Distribution (FD) / FD Using HTTP / One-to-one Standalone FD / Non-Mandatory Download / FILE DOWNLOAD REQUEST ACCEPTED / FILE DOWNLOAD COMPLETED / FILE DOWNLOAD REQUEST REJECTED / FILE DOWNLOAD DEFERRED	Rel-15	CC03	IUT is MCDATA Server			
6.2.2	MCDATA Server - MCDATA Client / File Distribution (FD) / FD Using HTTP / Group Standalone FD / Mandatory Download / Without Disposition Request	Rel-15	CC03	IUT is MCDATA Server			
6.2.3	MCDATA Server - MCDATA Client / File Distribution (FD) / FD Using Media Plane / One-to-one Standalone FD	Rel-15	CC03	IUT is MCDATA Server			
6.2.4	MCDATA Server - MCDATA Client / File Distribution (FD) / Accessing list of deferred data group communications	Rel-15	CC03	IUT is MCDATA Server			
<b>6.3</b>	<b>Enhanced Status (ES)</b>						
6.3.1	MCDATA Server - MCDATA Client / Enhanced Status (ES)	Rel-15	CC02	IUT is MCDATA Server			

**Table 4-1a: Applicability of tests Conditions MCDATA Server**

CC01	IF A.4.1-1/1 THEN R ELSE N/A
CC02	IF A.4.1-1/1 AND A.4.2-1/1 THEN R ELSE N/A
CC03	IF A.4.1-1/1 AND A.4.2-1/2 THEN R ELSE N/A
CC04	IF A.4.1-1/2 THEN R ELSE N/A

---

# Annex A (normative): ICS pro forma for Mission Critical Services

## A.0 The right to copy

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the ICS pro forma for Mission Critical Services pro forma in this Annex so that it can be used for its intended purposes and may further publish the completed ICS pro forma for Mission Critical Services.

---

## A.1 Guidance for completing the ICS pro forma

### A.1.1 Purposes and structure

The purpose of this ICS pro forma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in relevant specifications may provide information about the implementation in a standardized manner.

The ICS pro forma is subdivided into clauses for the following categories of information:

- instructions for completing the ICS pro forma;
- identification of the implementation;
- identification of the protocol;
- ICS pro forma tables (for example: Client implementation, Server implementation, etc.).

### A.1.2 Abbreviations and conventions

The ICS pro forma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [2].

#### Item column

The item column contains a number which identifies the item in the table.

#### Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

#### Reference column

The reference column gives reference to the relevant ETSI core specifications.

#### Release column

The release column indicates the earliest release from which the capability or option is relevant.

#### Mnemonic column

The Mnemonic column contains mnemonic identifiers for each item.

Comments column

This column is left blank for particular use by the reader of the present document.

References to items

For each possible item answer (answer in the support column) within the ICS pro forma there exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table. If there is more than one support column in a table, the columns shall be discriminated by letters (a, b, etc.), respectively.

### A.1.3 Instructions for completing the ICS pro forma

The supplier of the implementation may complete the ICS pro forma in each of the spaces provided. More detailed instructions are given at the beginning of the different clauses of the ICS pro forma.

---

## A.2 Identification of the MCDData Server Equipment

### A.2.0 The right to copy

Identification of the MCDData Server should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

### A.2.1 Date of the statement

.....

### A.2.2 MCDData Server under test identification

MCDData Server under test name:

.....  
.....

Hardware configuration:

.....  
.....  
.....

Software configuration:

.....  
.....  
.....

### A.2.3 Product supplier

Name:

.....

Address:

.....

.....

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

.....

### A.2.4 The Organization responsible for the Product testing

Name:

.....

Address:

.....

.....

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

.....

## A.2.5 ICS contact person

Name:

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

---

## A.3 Identification of the protocol

This ICS pro forma applies to the ETSI standards listed in the normative references clause of the present document.

---

## A.4 ICS pro forma tables

### A.4.1 Implementation Types

**Table A.4.1-1: Mission Critical Services general functionality**

Item	Functionality	Reference	Release	Mnemonic	Comments
1	MCDData Server	ETSI TS 123 282 (3GPP TS 23.282)	Rel-15	pc_MCDDataServer	
2	MCDData Server performing GMS function	ETSI TS 123 282 (3GPP TS 23.282)	Rel-15	pc_MCDDataServer_GMS	

## A.4.2 Additional information

**Table A.4.2-1: Additional information**

<b>Item</b>	<b>Additional information</b>	<b>Reference</b>	<b>Release</b>	<b>Mnemonic</b>	<b>Comments</b>
1	Support of MCDData Short Data Service (SDS)	ETSI TS 123 282 (3GPP TS 23.282)	Rel-14	pc_MCDData_SDS	
2	Support of MCDData File Distribution (FD)	ETSI TS 123 282 (3GPP TS 23.282)	Rel-14	pc_MCDData_FD	

---

## History

<b>Version</b>	<b>Date</b>	<b>Status</b>
V1.1.1	February 2026	Publication