

# ETSI TS 124 559 V18.2.0 (2026-02)



TECHNICAL SPECIFICATION

**5G;**  
**Application Data Analytics Enablement Service (ADAES);**  
**Stage 3**  
**(3GPP TS 24.559 version 18.2.0 Release 18)**



---

**Reference**

RTS/TSGC-0124559vi20

---

**Keywords**

5G

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	6
1 Scope .....	8
2 References .....	8
3 Definitions of terms, symbols and abbreviations .....	9
3.1 Terms.....	9
3.2 Abbreviations .....	9
4 General description.....	9
4.1 Overview .....	9
5 Functional entities .....	10
5.1 Application data analytics enablement server (ADAES) .....	10
5.2 Application data analytics enablement client (ADAEC).....	10
6 Application data analytics enablement service API .....	10
6.1 General .....	10
6.2 Application performance analytics.....	10
6.2.1 Service description.....	10
6.2.1.1 Overview.....	10
6.2.2 Service Operations .....	10
6.2.2.1 Introduction.....	10
6.2.2.2 Subscribe_VAL_Performance_Analytics .....	10
6.2.2.2.1 General .....	10
6.2.2.2.2 Subscribing to VAL performance analytics event using Subscribe_VAL_Performance_Analytics service operation .....	11
6.2.2.3 Notify_VAL_Performance_Analytics.....	11
6.2.2.3.1 General .....	11
6.2.2.3.2 Notifying VAL performance analytics event using Notify_VAL_Performance_Analytics service operation.....	11
6.2.2.4 Unsubscribe_VAL_Performance_Analytics .....	11
6.2.2.4.1 General .....	11
6.2.2.4.2 Unsubscribing from VAL performance analytics event using Unsubscribe_VAL_Performance_Analytics service operation .....	11
6.3 UE-to-UE session performance analytics.....	12
6.3.1 Service description.....	12
6.3.1.1 Overview.....	12
6.3.2 Service Operations .....	12
6.3.2.1 Introduction.....	12
6.3.2.2 Fetch_UE2UE_Session_Performance_Analytics.....	12
6.3.2.2.1 General .....	12
6.3.2.2.2 Obtaining UE-to-UE session performance analytics using Fetch_UE2UE_Session_Performance_Analytics service operation.....	12
6.4 Edge load data collection .....	13
6.4.1 Service description.....	13
6.4.2 Service Operations .....	13
6.4.2.1 Introduction.....	13
6.4.2.2 Subscribe_Edge_Load_Data_Collection.....	13
6.4.2.2.1 General .....	13
6.4.2.2.2 Subscribing to edge load data collection event using Subscribe_Edge_Load_Data_Collection service operation.....	13
6.4.2.3 Notify_Edge_Load_Data_Collection .....	14
6.4.2.3.1 General .....	14

6.4.2.3.2	Notifying edge load data collection event using Notify_Edge_Load_Data_Collection service operation.....	14
6.4.2.4	Unsubscribe_Edge_Load_Data_Collection .....	14
6.4.2.4.1	General .....	14
6.4.2.4.2	Unsubscribing from edge load data collection event using Unsubscribe_Edge_Load_Data_Collection service operation.....	14
6.5	Service experience performance analytics .....	14
6.5.1	General.....	14
6.5.2	Service Operations.....	15
6.5.2.1	Introduction.....	15
6.5.2.2	Configure_Triggers_Service_Information_Experience_Report.....	15
6.5.2.2.1	General .....	15
6.5.2.2.2	Configuring service experience information reporting using Configure_Triggers_Service_Information_Experience_Report service operation.....	15
6.5.2.3	Void.....	16
6.5.2.4	Push_Service_Experience_Information_Report .....	16
6.5.2.4.1	General .....	16
6.5.2.4.2	Pushing service experience information report using Push_Service_Experience_Information_Report service operation .....	16
6.5.2.5	Pull_Service_Experience_Information_Report.....	16
6.5.2.5.1	General .....	16
6.5.2.5.2	Pulling service experience information report using Pull_Service_Experience_Information_Report service operation.....	16
7	API Definitions .....	17
7.1	ADAE_ServiceConfiguration API .....	17
7.1.1	Introduction.....	17
7.1.2	Usage of HTTP .....	17
7.1.2.1	General .....	17
7.1.2.2	Content type .....	17
7.1.3	Resources.....	17
7.1.3.1	Overview.....	17
7.1.3.2	Resource: Application performance event subscription.....	19
7.1.3.2.1	Description .....	19
7.1.3.2.2	Resource definition.....	19
7.1.3.2.3	Resource standard methods .....	19
7.1.3.2.3.1	POST.....	19
7.1.3.2.4	Resource custom operations .....	20
7.1.3.3	Resource: Individual application performance event subscription.....	20
7.1.3.3.1	Description .....	20
7.1.3.3.2	Resource Definition.....	20
7.1.3.3.3	Resource Standard Methods .....	20
7.1.3.3.3.1	DELETE.....	20
7.1.3.3.4	Resource Custom Operations .....	21
7.1.3.4	Resource: UE-to-UE session performance analytics.....	21
7.1.3.4.1	Description .....	21
7.1.3.4.2	Resource definition.....	21
7.1.3.4.3	Resource standard methods .....	22
7.1.3.4.4	Resource custom operations .....	22
7.1.3.4.4.1	Overview.....	22
7.1.3.4.4.2	Fetch .....	22
7.1.3.5	Resource: Edge load data collection event subscription .....	23
7.1.3.5.1	Description .....	23
7.1.3.5.2	Resource definition.....	23
7.1.3.5.3	Resource standard methods .....	23
7.1.3.5.3.1	POST.....	23
7.1.3.5.4	Resource custom operations .....	24
7.1.3.6	Resource: Individual edge load event subscription .....	24
7.1.3.6.1	Description .....	24
7.1.3.6.2	Resource Definition.....	24
7.1.3.6.3	Resource Standard Methods .....	24
7.1.3.6.3.1	DELETE.....	24

7.1.3.6.4	Resource Custom Operations .....	25
7.1.3.7	Resource: Service experience information.....	25
7.1.3.7.1	Description .....	25
7.1.3.7.3.1	Void .....	25
7.1.3.7.4	Resource custom operations .....	25
7.1.3.7.4.1	Overview.....	25
7.1.3.7.4.2	Void .....	25
7.1.3.7.4.3	Operation: PULL Service Experience Information.....	26
7.1.3.8	Void .....	27
7.1.4	Notifications .....	27
7.1.4.1	General .....	27
7.1.4.2	Application performance event notification.....	27
7.1.4.2.1	Description .....	27
7.1.4.2.2	Notification definition .....	27
7.1.4.3	Edge load event notification.....	28
7.1.4.3.1	Description .....	28
7.1.4.3.2	Notification definition .....	28
7.1.4.4	Service experience information report event notification .....	29
7.1.4.4.1	Description .....	29
7.1.4.4.2	Notification definition .....	29
7.1.5	Data model.....	30
7.1.5.1	General .....	30
7.1.5.2	Structured data types .....	31
7.1.5.2.1	Introduction .....	31
7.1.5.2.2	Type: Ue2UePerfReq .....	32
7.1.5.2.3	Type: Ue2UePerfResp .....	32
7.1.5.2.4	Void.....	33
7.1.5.2.5	Void.....	33
7.1.5.2.6	Type: PullSrvExpInfo.....	33
7.1.5.2.7	Type: SrvExpInfoRep.....	33
7.1.5.2.8	Type: Ue2UeRepThreshold.....	33
7.1.5.2.9	Type: DataCollectReq .....	33
7.1.5.3	Simple data types and enumerations .....	34
7.1.5.3.1	Introduction .....	34
7.1.5.3.2	Simple data types.....	34
7.1.5.3.3	Void.....	34
7.1.6	Error Handling .....	34
7.1.6.1	General .....	34
7.1.6.2	Protocol Errors .....	34
7.1.6.3	Application Errors .....	34
7.1.7	Feature Negotiation.....	34
8	Usage of common API framework.....	34
8.1	General .....	34
9	Security.....	35
9.1	General .....	35
	<b>Annex A (normative): OpenAPI specification .....</b>	<b>36</b>
A.1	General .....	36
A.2	ADAE_ServiceConfiguration API.....	36
	<b>Annex B (informative): Change history .....</b>	<b>44</b>
	History .....	45

---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

**might not** indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

**is** (or any other verb in the indicative mood) indicates a statement of fact

**is not** (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

---

# 1 Scope

The present document specifies the protocol aspects of ADAE of SEAL services. The protocol aspects specify the UE supporting the client functionality of the ADAE SEAL services and the network supporting the server functionality of ADAE SEAL services, where the client functionality and server functionality are specified in 3GPP TS 23.436 [3].

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.900: "Technical Specification Group working methods".
- [2] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [3] 3GPP TS 23.436: "Procedures for Application Data Analytics Enablement Service".
- [4] 3GPP TS 26.531: "Data Collection and Reporting; General Description and Architecture".
- [5] 3GPP TS 26.532: "Data Collection and Reporting; Protocols and Formats".
- [6] 3GPP TS 29.122: "T8 reference point for Northbound APIs".
- [7] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".
- [8] 3GPP TS 29.523: "5G System; Policy Control Event Exposure Service".
- [9] 3GPP TS 29.549: "Service Enabler Architecture Layer for Verticals (SEAL); Application Programming Interface (API) specification".
- [10] 3GPP TS 29.571: "5G System; Common Data Types for Service Based Interfaces".
- [11] 3GPP TS 33.434: "Service Enabler Architecture Layer for Verticals (SEAL); Security Aspects".
- [12] OpenAPI: "OpenAPI Specification Version 3.0.0", <https://spec.openapis.org/oas/v3.0.0>.
- [13] IETF RFC 9112: "HTTP/1.1".
- [14] IETF RFC 9110: "HTTP Semantics".
- [15] IETF RFC 9111: "HTTP Caching".
- [16] IETF RFC 9113: "HTTP/2".
- [17] IETF RFC 8259: "The JavaScript Object Notation (JSON) Data Interchange Format".
- [18] 3GPP TS 29.520: "5G System; Network Data Analytics Services; Stage 3".

---

## 3 Definitions of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the terms given in 3GPP TR 21.905 [2] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [2].

**ADAE client:** An entity that provides the client side functionalities corresponding to the ADAE.

**ADAE server:** An entity that provides the server side functionalities corresponding to the ADAE.

For the purposes of the present document, the following terms and definitions given in 3GPP TS 23.436 [3] apply:

**ADAE service**  
**SEAL server**  
**SEAL service**  
**VAL application**  
**VAL server**  
**VAL service**  
**VAL client**  
**Vertical**  
**Vertical application**

For the purposes of the present document, the following terms and definitions given in 3GPP TS 26.531 [4] apply:

**data collection client**  
**direct reporting**

### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [2] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [2].

ADAE	Application Data Analytics Enablement
ADAEC	Application Data Analytics Enablement Client
ADAES	Application Data Analytics Enablement Server
API	Application Programming Interface
DC-AF	Data Collection AF
DC-Client	Data Collection Client
JSON	JavaScript Object Notation
SEAL	Service Enabler Architecture Layer
UE	User Equipment
VAL	Vertical Application Layer

---

## 4 General description

### 4.1 Overview

Application data analytics enablement service enables an application data analytics enablement client (ADAEC) and a vertical application layer (VAL) server to communicate with an application data analytics enablement server (ADAES).

## 5 Functional entities

### 5.1 Application data analytics enablement server (ADAES)

The ADAES is a functional entity with a unique identity in the PLMN and uses the provided data analytics to administer the operations and performance of one or more VAL applications.

### 5.2 Application data analytics enablement client (ADAEC)

The ADAEC is a functional entity with a unique identity and acts as the VAL application client which provides data analytics of the VAL applications.

## 6 Application data analytics enablement service API

### 6.1 General

The clause describes the procedures of the application data analytics enablement service API.

### 6.2 Application performance analytics

#### 6.2.1 Service description

##### 6.2.1.1 Overview

The ADAE\_ServiceConfiguration API, as defined 3GPP TS 23.436 [3], allows the ADAES via ADAE-UU reference point to subscribe to ADAEC to the event of the VAL performance analytics.

#### 6.2.2 Service Operations

##### 6.2.2.1 Introduction

The service operation defined for ADAE\_ServiceConfiguration API for application performance analytics is shown in the table 6.2.2.1-1.

**Table 6.2.2.1-1: Operations for application performance analytics**

Service operation name	Description	Initiated by
Subscribe_VAL_Performance_Analytics	This service operation is used by ADAES to subscribe to the event of the VAL performance analytics.	ADAES
Notify_VAL_Performance_Analytics	This service operation is used by ADAEC to notify about the VAL performance analytics.	ADAEC
Unsubscribe_VAL_Performance_Analytics	This service operation is used by ADAES to unsubscribe from the event of the VAL performance analytics.	ADAES

##### 6.2.2.2 Subscribe\_VAL\_Performance\_Analytics

###### 6.2.2.2.1 General

This service operation is used by the ADAES for VAL performance analytics event subscription to the ADAEC.

#### 6.2.2.2.2 Subscribing to VAL performance analytics event using Subscribe\_VAL\_Performance\_Analytics service operation

To subscribe to VAL performance analytics event, the ADAES shall send an HTTP POST request with a Request-URI according to the pattern "{apiRoot}/adae-sc/<apiVersion>/application-performance" and with a body containing data type AppPerfSub as defined in clause 7.10.1.4.2.2 of 3GPP TS 29.549 [9].

Upon receipt of the HTTP POST request, the ADAEC shall:

- a) verify the identity of the ADAES and determine if the ADAES is authorized to subscribe to the VAL performance analytics event; and
- b) if the ADAES:
  - 1) is not authorized, the ADAEC shall respond to the ADAES with an appropriate error status code; or
  - 2) is authorized, the ADAEC shall create a new "Individual application performance event subscription" resource and respond to the ADAES with an HTTP "201 Created" status code, including a Location header field containing the URI for the created "Individual application performance event subscription" and the response body including the AppPerfSub data structure containing a representation of the created resource as defined in clause 7.1.3.

#### 6.2.2.3 Notify\_VAL\_Performance\_Analytics

##### 6.2.2.3.1 General

This service operation is used by the ADAEC to send notification to the ADAES with the VAL performance analytics event subscription to the ADAEC.

##### 6.2.2.3.2 Notifying VAL performance analytics event using Notify\_VAL\_Performance\_Analytics service operation

To notify VAL performance analytics event, the ADAEC shall send an HTTP POST request with a Request-URI according to the pattern "{notifUri}" and with a body containing data type AppPerfNotif as defined in clause 7.10.1.4.2.3 of 3GPP TS 29.549 [9].

Upon receipt of the HTTP POST request, the ADAES shall respond to the ADAEC with:

- a) if the request is successfully processed, a "204 No Content" status code and process the event notification; or
- b) if errors occur when processing the request, an appropriate error response as specified in clause 7.1.6.

#### 6.2.2.4 Unsubscribe\_VAL\_Performance\_Analytics

##### 6.2.2.4.1 General

This service operation is used by the ADAES to unsubscribe from the VAL performance analytics event.

##### 6.2.2.4.2 Unsubscribing from VAL performance analytics event using Unsubscribe\_VAL\_Performance\_Analytics service operation

To unsubscribe from VAL performance analytics event, the ADAES shall send an HTTP DELETE request to the resource representing the event in the ADAES as specified in clause 7.1.3.3.

Upon receiving the HTTP DELETE request:

- a) the ADAEC shall verify the identity of the ADAES and check if the ADAES is authorized to unsubscribe from the VAL performance analytics event associated with the resource URI "{apiRoot}/adae-sc/<apiVersion>/application-performance/{appPerfId}";

- b) if the ADAES is authorized to unsubscribe from the VAL performance analytics event, the ADAEC shall delete the resource pointed by the resource URI "{apiRoot}/adae-sc/<apiVersion>/application-performance/{appPerfId}";
- c) if the request is successfully processed, the ADAEC shall respond to the ADAES with a "204 No Content" status code; and
- d) if errors occur when processing the request, the ADAEC shall respond to the ADAES with an appropriate error response as specified in clause 7.1.6.

## 6.3 UE-to-UE session performance analytics

### 6.3.1 Service description

#### 6.3.1.1 Overview

The ADAE\_ServiceConfiguration API, as defined 3GPP TS 23.436 [3], allows the ADAES via ADAE-UU reference point, to obtain the UE-to-UE session performance analytics from the ADAEC.

### 6.3.2 Service Operations

#### 6.3.2.1 Introduction

The service operation defined for ADAE\_ServiceConfiguration API for UE-to-UE session performance analytics is shown in the table 6.3.2.1-1.

**Table 6.3.2.1-1: Operations for UE-to-UE session performance analytics**

Service operation name	Description	Initiated by
Fetch_UE2UE_Session_Performance_Analytics	This service operation is used by ADAES to obtain the UE-to-UE session performance analytics.	ADAES

#### 6.3.2.2 Fetch\_UE2UE\_Session\_Performance\_Analytics

##### 6.3.2.2.1 General

This service operation is used by the ADAES for obtaining the UE-to-UE session performance analytics from the ADAEC.

##### 6.3.2.2.2 Obtaining UE-to-UE session performance analytics using Fetch\_UE2UE\_Session\_Performance\_Analytics service operation

To obtain the UE-to-UE session performance analytics, the ADAES shall send an HTTP POST request with a Request-URI according to the pattern "{apiRoot}/adae-sc/<apiVersion>/ue2ue-session-performance/fetch" and with a body containing data type Ue2UePerfReq as defined in clause 7.1.5.2.2.

Upon receipt of the HTTP POST request, the ADAEC shall:

- a) verify the identity of the ADAES and determine if the ADAES is authorized to obtain the UE-to-UE session performance analytics; and
- b) if the ADAES:
  - 1) is not authorized, the ADAEC shall respond to the ADAES with an appropriate error status code; or
  - 2) is authorized, the ADAEC shall respond to the ADAES with an HTTP "200 OK" status code with the response body including the Ue2UePerfResp as defined in clause 7.1.3.3.4.2 with the following attributes:

- i) UE-to-UE session performance analytics;
- ii) one or more VAL UEs; and
- iii) identity of the UE-to-UE session performance analytics.

## 6.4 Edge load data collection

### 6.4.1 Service description

The ADAE\_ServiceConfiguration API, as defined 3GPP TS 23.436 [3], allows the ADAES via ADAE-UU reference point to subscribe to ADAEC to the event of the edge load data collection.

### 6.4.2 Service Operations

#### 6.4.2.1 Introduction

The service operation defined for ADAE\_ServiceConfiguration API for edge load data collection is shown in the table 6.4.2.1-1.

**Table 6.4.2.1-1: Operations for edge load data collection**

Service operation name	Description	Initiated by
Subscribe_Edge_Load_Data_Collection	This service operation is used by ADAES to subscribe to the event of the edge load data collection.	ADAES
Notify_Edge_Load_Data_Collection	This service operation is used by ADAEC to notify about the edge load data collection.	ADAEC
Unsubscribe_Edge_Load_Data_Collection	This service operation is used by ADAES to unsubscribe from the edge load data collection.	ADAES

#### 6.4.2.2 Subscribe\_Edge\_Load\_Data\_Collection

##### 6.4.2.2.1 General

This service operation is used by the ADAES for edge load data collection event subscription to the ADAEC.

##### 6.4.2.2.2 Subscribing to edge load data collection event using Subscribe\_Edge\_Load\_Data\_Collection service operation

To subscribe to edge load data collection event, the ADAES shall send an HTTP POST request with a Request-URI according to the pattern "{apiRoot}/adae-sc/<apiVersion>/edge-load" and with a body containing data type EdgeSub as defined in clause 7.10.7.4.2.2 of 3GPP TS 29.549 [9].

Upon receipt of the HTTP POST request, the ADAEC shall:

- a) verify the identity of the ADAES and determine if the ADAES is authorized to subscribe to the edge load data collection event; and
- b) if the ADAES:
  - 1) is not authorized, the ADAEC shall respond to the ADAES with an appropriate error status code; or
  - 2) is authorized, the ADAEC shall create a new "Individual edge load event subscription" resource and respond to the ADAES with an HTTP "201 Created" status code, including a Location header field containing the URI for the created "Individual edge load event subscription" and the response body including the EdgeSub data structure containing a representation of the created resource as defined in clause 7.1.3.

### 6.4.2.3 Notify\_Edge\_Load\_Data\_Collection

#### 6.4.2.3.1 General

This service operation is used by the ADAEC to send notification to the ADAES with the edge load data collection event subscription to the ADAEC.

#### 6.4.2.3.2 Notifying edge load data collection event using Notify\_Edge\_Load\_Data\_Collection service operation

To notify edge load data collection event, the ADAEC shall send an HTTP POST request with a Request-URI according to the pattern "{notifUri}" and with a body containing data type EdgeNotif as defined in clause 7.10.7.4.2.3 of 3GPP TS 29.549 [9];

Upon receipt of the HTTP POST request, the ADAES shall respond to the ADAEC with:

- a) if the request is successfully processed, a "204 No Content" status code and process the event notification; or
- b) if errors occur when processing the request, an appropriate error response as specified in clause 7.1.6.

### 6.4.2.4 Unsubscribe\_Edge\_Load\_Data\_Collection

#### 6.4.2.4.1 General

This service operation is used by the ADAES to unsubscribe from the edge load data collection event.

#### 6.4.2.4.2 Unsubscribing from edge load data collection event using Unsubscribe\_Edge\_Load\_Data\_Collection service operation

To unsubscribe from edge load data collection event, the ADAES shall send an HTTP DELETE request to the resource representing the event in the ADAES as specified in clause 7.1.3.6.

Upon receiving the HTTP DELETE request:

- a) the ADAEC shall verify the identity of the ADAES and check if the ADAES is authorized to unsubscribe from the edge load data collection event associated with the resource URI "{apiRoot}/adae-sc/<apiVersion>/edge-load/{edgeLdId}";
- b) if the ADAES is authorized to unsubscribe from the edge load data collection event, the ADAEC shall delete the resource pointed by the resource URI "{apiRoot}/adae-sc/<apiVersion>/edge-load/{edgeLdId}";
- c) if the request is successfully processed, the ADAEC shall respond to the ADAES with a "204 No Content" status code; and
- d) if errors occur when processing the request, the ADAEC shall respond to the ADAES with an appropriate error response as specified in clause 7.1.6.

## 6.5 Service experience performance analytics

### 6.5.1 General

The ADAE\_ServiceConfiguration API, as defined 3GPP TS 23.436 [3], allows the ADAES via ADAE-UU reference point to:

- pull from the ADAEC, the service experience information report.

## 6.5.2 Service Operations

### 6.5.2.1 Introduction

The service operation defined for ADAE\_ServiceConfiguration API for service experience information is shown in the table 6.5.2.1-1.

**Table 6.5.2.1-1: Operations for service experience information**

Service operation name	Description	Initiated by
Pull_Service_Experience_Information_Report	This service operation is used by ADAES to pull service experience information report.	ADAES

### 6.5.2.2 Configure\_Triggers\_Service\_Information\_Experience\_Report

#### 6.5.2.2.1 General

This service operation is used by the ADAEC to fetch the configuration triggers from the ADAES.

#### 6.5.2.2.2 Configuring service experience information reporting using Configure\_Triggers\_Service\_Information\_Experience\_Report service operation

To fetch the configuration triggers from the ADAES, if direct DC-Client is available in the UE, the ADAEC may use the direct DC-Client services as defined in clause 4.4.2 of 3GPP TS 26.532 [5]. The ADAEC may provide below information as input parameters to the application registration procedure:

- a) external application identifier specific to the ADAEC;
- b) application service provider identifier specific to the ADAES;
- c) callback listener of the ADAEC to receive the future response; and
- d) consent for the UE identity (i.e. GPSI) to be included in data reports, sent to the DC-AF.

Upon receiving the request, the DC-AF returns "DataReportingSession" resource as defined in clause 7.3.2.1 of 3GPP TS 26.532 [5] to DC-Client in the response message and in the "reportingRules" attribute, the "DataDomain" is set to "APPLICATION\_SPECIFIC" and the "applicationSpecificRecords" container in the DataReportingRule data type shall contain the triggers as specified in the ConRepTrigger data type defined in table 6.5.2.2.2-1.

On success, the DC-Client provides the DataReportingSession data type as defined in clause 7.3.2.1 of 3GPP TS 26.532 [5] to the ADAEC.

**Table 6.5.2.2-1: Definition of type ConfRepTrigger**

Attribute name	Data type	P	Cardinality	Description	Applicability
valServerIds	array(string)	M	1..N	Identities of one or more VAL servers, for which the configuration of the service experience information report applies.	
triggCrit	string	M	1	Information criteria about the triggers on which the service experience is information to be reported for the VAL server and is set to value "TRIGGER_CRITERIA".	
commonTriggCrit	string	O	0..1	Information criteria about the triggers (applicable to all VAL servers) on which the service experience information is fetched and is set to value "COMMON_TRIGGER_CRITERIA".	
srvExpMeas	DurationSec	O	0..1	Information about the service experience information measurements which needs to be fetched and included in the report. If not present, by default end-to-end response time is measured.	
notifyTarget	string	O	0..1	The target address which is notified.	

### 6.5.2.3 Void

### 6.5.2.4 Push\_Service\_Experience\_Information\_Report

#### 6.5.2.4.1 General

This service operation is used by the ADAEC to push the service experience information report to the ADAES.

#### 6.5.2.4.2 Pushing service experience information report using Push\_Service\_Experience\_Information\_Report service operation

When Direct DC-Client is available in the UE, to push the service experience information report to the ADAES based on the request from VAL client or trigger conditions meeting, the ADAEC shall:

- a) create the service experience information report as defined in "SrvExpInfoRep" data type in table 7.1.5.2.7-1; and
- b) invoke the "reportUeData" method as defined in clause 4.4.4 of 3GPP TS 26.532 [5] and provide DataReport data type as defined in clause 7.3.2.3 of 3GPP TS 26.532 [5] as input parameter with the "applicationSpecificRecords" attribute set with the SrvExpInfoRep data type in table 7.1.5.2.7-1.

On receiving the service experience information request, the ADAES shall process the report from ADAEC to determine/predict analytics and initiate further actions as defined in clause 8.9.2.1 of 3GPP TS 23.436 [3].

### 6.5.2.5 Pull\_Service\_Experience\_Information\_Report

#### 6.5.2.5.1 General

This service operation is used by the ADAES to pull the service experience information report from the ADAEC.

#### 6.5.2.5.2 Pulling service experience information report using Pull\_Service\_Experience\_Information\_Report service operation

To pull the service experience information report from the ADAEC, the ADAES shall send an HTTP POST request with a Request-URI according to the pattern "{apiRoot}/adae-sc/<apiVersion>/service-experience/pull" and with a body containing data type PullSrvExpInfo as defined in clause 7.1.5.2.6.

Upon receipt of the HTTP POST request:

- a) the ADAEC shall verify the identity of the ADAES and determine if the ADAES is authorized to pull the service experience information report; and
- b) if the ADAES:
  - 1) is not authorized, the ADAEC shall respond to the ADAES with an appropriate error status code; or
  - 2) is authorized, the ADAEC shall respond to the ADAES with an HTTP "200 OK" status code and with a body containing data type SrvExpInfoRep as defined in clause 7.1.5.2.7.

Upon receipt of the HTTP POST request, the ADAES shall respond to the ADAEC with a "204 No Content" status code and process the report.

---

## 7 API Definitions

### 7.1 ADAE\_ServiceConfiguration API

#### 7.1.1 Introduction

The HTTP URIs used in HTTP protocol for the ADAE service shall have the resource URI structure as defined in clause 5.2.4 of 3GPP TS 29.122 [6]:

**{apiRoot}/<apiName>/<apiVersion>/<apiSpecificSuffixes>**

where:

- a) {apiRoot} shall be set as described in clause 5.2.4 of 3GPP TS 29.122 [6];
- b) <apiName> shall be "adae-sc";
- c) <apiVersion> shall be "v1"; and
- d) <apiSpecificSuffixes> shall be set as described in clause 7.1.3.

#### 7.1.2 Usage of HTTP

##### 7.1.2.1 General

For ADAE service configuration API, support of HTTP/1.1 (IETF RFC 9112 [13], IETF RFC 9110 [14] and IETF RFC 9111 [15]) over TLS is mandatory and support of HTTP/2 (IETF RFC 9113 [16]) over TLS is recommended.

A functional entity desiring to use HTTP/2 shall use the HTTP upgrade mechanism to negotiate applicable HTTP version as described in IETF RFC 9113 [16].

##### 7.1.2.2 Content type

The bodies of HTTP request and successful HTTP responses shall be encoded in JSON format (see IETF RFC 8259 [17]).


The MIME media type that shall be used within the related Content-Type header field is "application/json", as defined in IETF RFC 8259 [17].

#### 7.1.3 Resources

##### 7.1.3.1 Overview

This clause describes the structure for the Resource URIs and the resources and methods used for the service.

Figure 7.1.3.1-1 depicts the resource URI structure of the ADAE\_ServiceConfiguration API.



**Figure 7.1.3.1-1: Resource URI structure of the ADAE\_ServiceConfiguration API**

Table 7.1.3.1-1 provides an overview of the resources and applicable HTTP methods.

**Table 7.1.3.1-1: Resources and methods overview**

Resource name	Resource URI	HTTP method	Description
Application performance event subscription	/application-performance	POST	Subscription to the VAL performance analytics event.
Individual application performance event subscription	/application-performance/{appPerfId}	DELETE	Deletes an individual VAL performance analytics event.
UE-to-UE session performance analytics	/ue2ue-session-performance/fetch	fetch (POST)	Request for the UE-to-UE session performance analytics.
Edge load event subscription	/edge-load	POST	Subscription to the edge load data collection event.
Individual edge load event subscription	/edge-load/{edgeLdId}	DELETE	Deletes an individual edge load data collection subscription.
Service experience	/service-experience/pull	pull (POST)	Pull a service experience information report.

### 7.1.3.2 Resource: Application performance event subscription

#### 7.1.3.2.1 Description

Application performance event subscription is used by the ADAES to subscribe to the ADAEC for the event of the VAL performance analytics.

#### 7.1.3.2.2 Resource definition

Resource URI: {apiRoot}/adae-sc/<apiVersion>/application-performance

This resource shall support the resource URI variables defined in the table 7.1.3.2.2-1.

**Table 7.1.3.2.2-1: Resource URI variables for this resource**

Name	Data Type	Definition
apiRoot	string	See clause 5.2.4 in 3GPP TS 29.122 [6]

#### 7.1.3.2.3 Resource standard methods

##### 7.1.3.2.3.1 POST

This operation is for subscription to the VAL application performance analytics and shall support the URI query parameters specified in table 7.1.3.2.3.1-1.

**Table 7.1.3.2.3.1-1: URI query parameters supported by the POST method on this resource**

Name	Data type	P	Cardinality	Description	Applicability
n/a					

This method shall support the request data structures specified in table 7.1.3.2.3.1-2 and the response data structures and response codes specified in table 7.1.3.2.3.1-3.

**Table 7.1.3.2.3.1-2: Data structures supported by the POST Request Body on this resource**

Data type	P	Cardinality	Description
AppPerfSub	M	1	Subscription to the VAL performance analytics event

**Table 7.1.3.2.3.1-3: Data structures supported by the POST Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
AppPerfSub	M	1	201 Created	Subscription to the VAL performance analytics is created.
NOTE: The mandatory HTTP error status codes for the POST method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] shall also apply.				

**Table 7.1.3.2.3.1-4: Headers supported by the 201 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	Contains the URI of the newly created resource, according to the structure: {apiRoot}/adae-sc/<apiVersion>/application-performance/{appPerfId}

#### 7.1.3.2.4 Resource custom operations

None.

### 7.1.3.3 Resource: Individual application performance event subscription

#### 7.1.3.3.1 Description

The individual application performance event subscription resource represents an individual event subscription of the ADAES.

#### 7.1.3.3.2 Resource Definition

Resource URI: {apiRoot}/adae-sc/<apiVersion>/application-performance/{appPerfId}

This resource shall support the resource URI variables defined in the table 7.1.3.3.2-1.

**Table 7.1.3.3.2-1: Resource URI variables for this resource**

Name	Data Type	Definition
apiRoot	string	See clause 5.2.4 in 3GPP TS 29.122 [6]
appPerfId	string	Identifies an application performance event subscription

#### 7.1.3.3.3 Resource Standard Methods

##### 7.1.3.3.3.1 DELETE

This method shall support the URI query parameters specified in table 7.1.3.3.3.1-1.

**Table 7.1.3.3.3.1-1: URI query parameters supported by the DELETE method on this resource**

Name	Data type	P	Cardinality	Description
n/a				

This method shall support the request data structures specified in table 7.1.3.3.3.1-2 and the response data structures and response codes specified in table 7.1.3.3.3.1-3.

**Table 7.1.3.3.3.1-2: Data structures supported by the DELETE Request Body on this resource**

Data type	P	Cardinality	Description
n/a			

**Table 7.1.3.3.3.1-3: Data structures supported by the DELETE Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
n/a			204 No Content	The individual application performance event subscription matching the appPerfId is deleted.
n/a			307 Temporary Redirect	Temporary redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
n/a			308 Permanent Redirect	Permanent redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
NOTE: The mandatory HTTP error status codes for the DELETE method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] also apply.				

**Table 7.1.3.3.3.1-4: Headers supported by the 307 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

**Table 7.1.3.3.3.1-5: Headers supported by the 308 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

#### 7.1.3.3.4 Resource Custom Operations

None.

#### 7.1.3.4 Resource: UE-to-UE session performance analytics

##### 7.1.3.4.1 Description

This resource is used by the ADAES to request the ADAEC for the UE-to-UE session performance analytics.

##### 7.1.3.4.2 Resource definition

Resource URI: **{apiRoot}/adae-sc/<apiVersion>/ue2ue-session-performance**

This resource shall support the resource URI variables defined in the table 7.1.3.4.2-1.

**Table 7.1.3.4.2-1: Resource URI variables for this resource**

Name	Data Type	Definition
apiRoot	string	See clause 5.2.4 in 3GPP TS 29.122 [6]

## 7.1.3.4.3 Resource standard methods

None

## 7.1.3.4.4 Resource custom operations

## 7.1.3.4.4.1 Overview

**Table 7.1.3.4.4.1-1: Custom operations**

Operation name	Custom operation URI	Mapped HTTP method	Description
Fetch	/ue2ue-session-performance/fetch	POST	Request for the UE-to-UE session performance analytics

## 7.1.3.4.4.2 Fetch

This custom operation is for the ADAES to request the ADAEC the UE-to-UE session performance analytics and shall support the URI query parameters specified in table 7.1.3.4.4.2-1.

**Table 7.1.3.4.4.2-1: URI query parameters supported by the POST method on this resource**

Name	Data type	P	Cardinality	Description	Applicability
n/a					

This custom operation shall support the request data structures specified in table 7.1.3.4.4.2-2 and the response data structures and response codes specified in table 7.1.3.4.4.2-3.

**Table 7.1.3.4.4.2-2: Data structures supported by the POST Request Body on this resource**

Data type	P	Cardinality	Description
Ue2UePerfReq	M	1	ADAES requests ADAEC for the UE-to-UE session performance analytics

**Table 7.1.3.4.4.2-3: Data structures supported by the POST Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
Ue2UePerfResp	M	1	200 OK	ADAEC responses ADAES the UE-to-UE session performance analytics
n/a			307 Temporary Redirect	Temporary redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
n/a			308 Permanent Redirect	Permanent redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].

NOTE: The mandatory HTTP error status codes for the POST method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] shall also apply.

**Table 7.1.3.4.4.2-4: Headers supported by the 307 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

**Table 7.1.3.4.4.2-5: Headers supported by the 308 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

### 7.1.3.5 Resource: Edge load data collection event subscription

#### 7.1.3.5.1 Description

Edge load data collection event subscription is used by the ADAES to subscribe to the ADAEC for the event of the edge load data collection.

#### 7.1.3.5.2 Resource definition

Resource URI: {apiRoot}/adae-sc/<apiVersion>/edge-load

This resource shall support the resource URI variables defined in the table 7.1.3.5.2-1.

**Table 7.1.3.5.2-1: Resource URI variables for this resource**

Name	Data Type	Definition
apiRoot	string	See clause 5.2.4 in 3GPP TS 29.122 [6]

#### 7.1.3.5.3 Resource standard methods

##### 7.1.3.5.3.1 POST

This method is the ADAES to subscribe to the ADAEC for the event of the edge-load data collection and shall support the URI query parameters specified in table 7.1.3.5.3.1-1.

**Table 7.1.3.5.3.1-1: URI query parameters supported by the POST method on this resource**

Name	Data type	P	Cardinality	Description	Applicability
n/a					

This method shall support the request data structures specified in table 7.1.3.5.3.1-2 and the response data structures and response codes specified in table 7.1.3.5.3.1-3.

**Table 7.1.3.5.3.1-2: Data structures supported by the POST Request Body on this resource**

Data type	P	Cardinality	Description
EdgeSub	M	1	Subscription to the edge load data collection event

**Table 7.1.3.5.2.3.1-3: Data structures supported by the POST Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
EdgeSub	M	1	201 Created	Subscription to the edge load data collection is created.
NOTE: The mandatory HTTP error status codes for the POST method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] shall also apply.				

**Table 7.1.3.5.2.3.1-4: Headers supported by the 201 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	String	M	1	Contains the URI of the newly created resource, according to the structure: {apiRoot}/adae-sc/<apiVersion>/edge-load/{edgeLdId}

#### 7.1.3.5.4 Resource custom operations

None.

#### 7.1.3.6 Resource: Individual edge load event subscription

##### 7.1.3.6.1 Description

The individual edge load event subscription resource represents an individual event subscription of the ADAE server.

##### 7.1.3.6.2 Resource Definition

Resource URI: {apiRoot}/adae-sc/<apiVersion>/edge-load/{edgeLdId}

This resource shall support the resource URI variables defined in the table 7.1.3.6.2-1.

**Table 7.1.3.6.2-1: Resource URI variables for this resource**

Name	Data Type	Definition
apiRoot	string	See clause 5.2.4 in 3GPP TS 29.122 [6]
edgeLdId	string	Identifies an edge load data collection event subscription

##### 7.1.3.6.3 Resource Standard Methods

###### 7.1.3.6.3.1 DELETE

This method shall support the URI query parameters specified in table 7.1.3.6.3.1-1.

**Table 7.1.3.6.3.1-1: URI query parameters supported by the DELETE method on this resource**

Name	Data type	P	Cardinality	Description
n/a				

This method shall support the request data structures specified in table 7.1.3.6.3.1-2 and the response data structures and response codes specified in table 7.1.3.6.3.1-3.

**Table 7.1.3.6.3.1-2: Data structures supported by the DELETE Request Body on this resource**

Data type	P	Cardinality	Description
n/a			

**Table 7.1.3.6.3.1-3: Data structures supported by the DELETE Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
n/a			204 No Content	The individual edge load data collection event subscription matching the edgeLdId is deleted.
n/a			307 Temporary Redirect	Temporary redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
n/a			308 Permanent Redirect	Permanent redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
NOTE: The mandatory HTTP error status codes for the DELETE method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] also apply.				

**Table 7.1.3.6.3.1-4: Headers supported by the 307 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

**Table 7.1.3.6.3.1-5: Headers supported by the 308 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

#### 7.1.3.6.4 Resource Custom Operations

None.

#### 7.1.3.7 Resource: Service experience information

##### 7.1.3.7.1 Description

The resource is used by the ADAES to:

- a) pull the service experience information report from the ADAEC.

##### 7.1.3.7.3.1 Void

##### 7.1.3.7.4 Resource custom operations

##### 7.1.3.7.4.1 Overview

**Table 7.1.3.7.4.1-1: Custom operations**

Operation name	Custom operation URI	Mapped HTTP method	Description
Pull	/service-experience/pull	POST	Pull a service experience information report

##### 7.1.3.7.4.2 Void

## 7.1.3.7.4.3 Operation: PULL Service Experience Information

This operation is used by the ADAES to pull the service experience information report from the ADAEC and shall support the URI query parameters specified in table 7.1.3.7.4.3-1.

**Table 7.1.3.7.4.3-1: URI query parameters supported by the POST method on this resource**

Name	Data type	P	Cardinality	Description	Applicability
n/a					

This method shall support the request data structures specified in table 7.1.3.7.4.3-2 and the response data structures and response codes specified in table 7.1.3.7.4.3-3.

**Table 7.1.3.7.4.3-2: Data structures supported by the POST Request Body on this resource**

Data type	P	Cardinality	Description
PullSrvExplInfo	M	1	Request for the report on the service experience information

**Table 7.1.3.7.4.3-3: Data structures supported by the POST Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
SrvExplInfoRep	M	1	200 OK	Successfully obtaining the report on the service experience information
n/a			307 Temporary Redirect	Temporary redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
n/a			308 Permanent Redirect	Permanent redirection. The response shall include a Location header field containing an alternative URI of the resource located in an alternative ADAEC. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
NOTE: The mandatory HTTP error status codes for the POST method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] shall also apply.				

**Table 7.1.3.7.4.3-4: Headers supported by the 307 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

**Table 7.1.3.7.4.3-5: Headers supported by the 308 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI of the resource located in an alternative ADAEC.

### 7.1.3.8 Void

## 7.1.4 Notifications

### 7.1.4.1 General

**Table 7.1.4.1-1: Notifications overview**

Notification	Callback URI	HTTP method	Description (service operation)
Application performance event notification	{notifUri}	POST	Notification for the VAL performance analytics event
Edge load event notification	{notifUri}	POST	Notification for the edge load data collection event
Service experience report event notification	{notifUri}	POST	Notification for the service experience report event

### 7.1.4.2 Application performance event notification

#### 7.1.4.2.1 Description

Application performance event notification is by the ADAEC to notify the ADAES, the VAL performance analytics.

#### 7.1.4.2.2 Notification definition

The POST method shall be used for the event notification and the callback URI shall be the one provided by the consumer during the subscription to the event.

Callback URI: {**notifUri**}

This method shall support the URI query parameters specified in table 7.1.4.2.2-1.

**Table 7.1.4.2.2-1: URI query parameters supported by the POST method on this resource**

Name	Data type	P	Cardinality	Description
n/a				

If the notification is on the VAL performance analytics, this method shall support the request data structures specified in table 7.1.4.2.2-2 and the response data structures and response codes specified in table 7.1.4.2.2-3.

**Table 7.1.4.2.2-2: Data structures supported by the POST Request Body on this resource**

Data type	P	Cardinality	Description
AppPerfNotif	M	1	Notification information of the VAL performance analytics.

**Table 7.1.4.2.2-3: Data structures supported by the POST Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
n/a			204 No Content	Notification for the VAL performance analytics event is accepted.
n/a			307 Temporary Redirect	Temporary redirection, during event notification. The response shall include a Location header field containing an alternative URI representing the end point of an alternative ADAES where the notification should be sent. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
n/a			308 Permanent Redirect	Permanent redirection, during event notification. The response shall include a Location header field containing an alternative URI representing the end point of an alternative ADAES where the notification should be sent. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
NOTE: The mandatory HTTP error status codes for the POST method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] shall also apply.				

**Table 7.1.4.2.2-4: Headers supported by the 307 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI representing the end point of an alternative ADAES towards which the notification should be redirected.

**Table 7.1.4.2.2-5: Headers supported by the 308 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI representing the end point of an alternative ADAES towards which the notification should be redirected.

### 7.1.4.3 Edge load event notification

#### 7.1.4.3.1 Description

The edge load event notification is used by the ADAEC to notify the ADAES, the edge load data collection.

#### 7.1.4.3.2 Notification definition

The POST method shall be used for the event notification and the callback URI shall be the one provided by the consumer during the subscription to the event.

Callback URI: {notifUri}

This method shall support the URI query parameters specified in table 7.1.4.3.2-1.

**Table 7.1.4.3.2-1: URI query parameters supported by the POST method on this resource**

Name	Data type	P	Cardinality	Description
n/a				

If the notification is on the edge load data collection, this method shall support the request data structures specified in table 7.1.4.3.2-2 and the response data structures and response codes specified in table 7.1.4.3.2-3.

**Table 7.1.4.3.2-2: Data structures supported by the POST Request Body on this resource**

Data type	P	Cardinality	Description
EdgeNotif	M	1	Notification information of edge load data collection event

**Table 7.1.4.3.2-3: Data structures supported by the POST Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
n/a			204 No Content	Notification for the edge load data collection event is accepted.
n/a			307 Temporary Redirect	Temporary redirection, during event notification. The response shall include a Location header field containing an alternative URI representing the end point of an alternative ADAES where the notification should be sent. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
n/a			308 Permanent Redirect	Permanent redirection, during event notification. The response shall include a Location header field containing an alternative URI representing the end point of an alternative ADAES where the notification should be sent. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
NOTE: The mandatory HTTP error status codes for the POST method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] shall also apply.				

**Table 7.1.4.3.2-4: Headers supported by the 307 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI representing the end point of an alternative ADAES towards which the notification should be redirected.

**Table 7.1.4.3.2-5: Headers supported by the 308 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI representing the end point of an alternative ADAES towards which the notification should be redirected.

## 7.1.4.4 Service experience information report event notification

### 7.1.4.4.1 Description

The service experience information report event notification is used by the ADAEC to notify the ADAES, the service experience information.

### 7.1.4.4.2 Notification definition

The POST method shall be used for the event notification and the callback URI shall be the one provided by the consumer during the subscription to the event.

Callback URI: {notifUri}

This method shall support the URI query parameters specified in table 7.1.4.4.2-1.

**Table 7.1.4.4.2-1: URI query parameters supported by the POST method on this resource**

Name	Data type	P	Cardinality	Description
n/a				

If the notification is on the service experience information, this method shall support the request data structures specified in table 7.1.4.4.2-2 and the response data structures and response codes specified in table 7.1.4.4.2-3.

**Table 7.1.4.4.2-2: Data structures supported by the POST Request Body on this resource**

Data type	P	Cardinality	Description
SrvExpInfoRep	M	1	Notification of service experience information report

**Table 7.1.4.4.2-3: Data structures supported by the POST Response Body on this resource**

Data type	P	Cardinality	Response codes	Description
n/a	M	1	204 (No Content)	Notification of the service experience information report is accepted.
n/a			307 Temporary Redirect	Temporary redirection, during event notification. The response shall include a Location header field containing an alternative URI representing the end point of an alternative ADAES where the notification should be sent. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
n/a			308 Permanent Redirect	Permanent redirection, during event notification. The response shall include a Location header field containing an alternative URI representing the end point of an alternative ADAES where the notification should be sent. Redirection handling is described in clause 5.2.10 of 3GPP TS 29.122 [6].
NOTE: The mandatory HTTP error status codes for the POST method listed in table 5.2.6-1 of 3GPP TS 29.122 [6] shall also apply.				

**Table 7.1.4.4.2-4: Headers supported by the 307 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI representing the end point of an alternative ADAES towards which the notification should be redirected.

**Table 7.1.4.4.2-5: Headers supported by the 308 Response Code on this resource**

Name	Data type	P	Cardinality	Description
Location	string	M	1	An alternative URI representing the end point of an alternative ADAES towards which the notification should be redirected.

## 7.1.5 Data model

### 7.1.5.1 General

This clause specifies the application data model supported by the API.

Table 7.1.5.1-1 specifies the data types defined for the ADAE\_ServiceConfiguration API.

**Table 7.1.5.1-1: ADAE\_ServiceConfiguration API specific Data Types**

Data type	Clause defined	Description	Applicability
DataCollectReq	7.1.5.2.9	Contains data collection requirements.	
PullSrvExpInfo	7.1.5.2.6	Pull an individual service experience information	
SrvExpInfoRep	7.1.5.2.7	Response to pull an individual service experience information	
Ue2UePerfReq	7.1.5.2.2	Request for the UE-to-UE session performance analytics	
Ue2UePerfResp	7.1.5.2.3	Response for the UE-to-UE session performance analytics	
Ue2UeRepThreshold	7.1.5.2.8	Represents reporting threshold.	

Table 7.1.5.1-2 specifies data types re-used by the ADAE\_ServiceConfiguration API service.

**Table 7.1.5.1-2: Re-used Data Types**

Data type	Reference	Comments	Applicability
AppPerfSub	3GPP TS 29.549 [9]	Subscription to the VAL application performance analytics	
AppPerfNotif	3GPP TS 29.549 [9]	Notification information of the application performance analytics.	
DurationSec	3GPP TS 29.122 [6]	Represent the time interval between successive location reports.	
EdgeSub	3GPP TS 29.549 [9]	Subscription to the edge load analytics event	
EdgeNotif	3GPP TS 29.549 [9]	Notification information of the edge load analytics event.	
LocationArea	3GPP TS 29.122 [6]	Represents location information.	
MatchingDirection	3GPP TS 29.520 [18]	Used to indicate a threshold matching direction.	
Pc5QoSPara	3GPP TS 29.571 [10]	Represents policy data on the PC5 QoS parameters.	
ReportingInformation	3GPP TS 29.523 [8]	Indicates the reporting requirement.	
SupportedFeatures	3GPP TS 29.571 [10]	Used to negotiate the applicability of the optional features defined in table 7.1.7-1.	
TimeWindow	3GPP TS 29.122 [6]	Represents a start time and a stop time of a time window	
U2UAnalytics	3GPP TS 29.549 [9]	Indicates the list of the requested analytics.	
ValTargetUe	3GPP TS 29.549 [9]	Used to indicate either VAL User ID or VAL UE ID.	

## 7.1.5.2 Structured data types

### 7.1.5.2.1 Introduction

This clause defines the structures to be used in resource representations.

## 7.1.5.2.2 Type: Ue2UePerfReq

Table 7.1.5.2.2-1: Definition of type Ue2UePerfReq

Attribute name	Data type	P	Cardinality	Description	Applicability
serverId	string	M	1	Identity of the ADAES	
analyticsId	string	M	1	Identity of the UE-to-UE session analytics	
valUelds	array(ValTargetUe)	M	1..N	One or more VAL UEs, for which the UE-to-UE session performance analytics, is requested.	
pc5Qos	Pc5QoSPara	M	1	The QoS attributes to be analysed at the ADAEC during UE-to-UE session.	
reportConfig	ReportingInformation	O	0..1	The configuration of UE-to-UE session performance analytics reporting.	
repThresholds	array(Ue2UeRepThreshold)	C	1..N	Identifies reporting threshold corresponding to the analytics. (NOTE 1)	
dataAbstractReq	boolean	O	0..1	Indicates whether the data abstraction is required. (NOTE 2)  true: required; false: not required (default).	
dataCollectReq	DataCollectReq	O	0..1	Contains data collection requirements.	
area	LocationArea	O	0..1	The geographical or service area, for which the UE-to-UE session performance analytics is requested.	
timeWindow	TimeWindow	O	0..1	The time window as the start time point and the end time point, for which the UE-to-UE session performance analytics is applied.	
suppFeat	SupportedFeatures	O	0..1	Indicates the list of supported features used as described in clause 7.1.7.	
NOTE 1: This attribute shall be provided only if the "reportConfig" attribute is present and the "notifMethod" attribute within the ReportingInformation data type provided in the "reportConfig" attribute is set to value "ON_EVENT_DETECTION".					
NOTE 2: This attribute may be provided only if the "reportConfig" attribute is present.					

## 7.1.5.2.3 Type: Ue2UePerfResp

Table 7.1.5.2.-1: Definition of type Ue2UePerfResp

Attribute name	Data type	P	Cardinality	Description	Applicability
dataOutputs	array(string)	M	1..N	UE-to-UE session performance analytics for prediction or statistics depending on the type and on the requested QoS parameter based on the analytics event.	
valUelds	array(ValTargetUe)	M	1..N	One or more VAL UEs, for which the UE-to-UE session performance analytics applies.	
analyticsId	string	O	0..1	Identity of the UE-to-UE session analytics	
suppFeat	SupportedFeatures	O	0..1	Indicates the list of supported features used as described in clause 7.1.7.	

7.1.5.2.4 Void

7.1.5.2.5 Void

7.1.5.2.6 Type: PullSrvExpInfo

**Table 7.1.5.2.6-1: Definition of type PullSrvExpInfo**

Attribute name	Data type	P	Cardinality	Description	Applicability
valServerId	string	M	1	Identity of the VAL server, for which the service experience information report is requested.	
valServiceId	string	O	0..1	Identity of the VAL service	

7.1.5.2.7 Type: SrvExpInfoRep

**Table 7.1.5.2.7-1: Definition of type SrvExpInfoRep**

Attribute name	Data type	P	Cardinality	Description	Applicability
valUeId	ValTargetUe	M	1	Identity of VAL UE	
valServerId	string	M	1	Identity of the VAL server, for which the service experience information report is requested.	
valServiceId	string	O	0..1	Identity of the VAL service	
timeStamp	DurationSec	O	0..1	Timestamp as start time and end time of the collected report	
valSrvExpRep	ReportingInformation	O	0..1	Report on the VAL service experience information	

7.1.5.2.8 Type: Ue2UeRepThreshold

**Table 7.1.5.2.8-1: Definition of type Ue2UeRepThreshold**

Attribute name	Data type	P	Cardinality	Description	Applicability
thrName	U2UAnalytics	M	1	Indicates the name of the analytics threshold.	
thrValue	string	M	1	Indicates the value for the analytics threshold.	
thrMatchDirect	MatchingDirection	M	1	Indicates the threshold matching direction for the analytics threshold provided in the "thrValue" attribute.	

7.1.5.2.9 Type: DataCollectReq

**Table 7.1.5.2.9-1: Definition of type DataCollectReq**

Attribute name	Data type	P	Cardinality	Description	Applicability
dataFormat	string	M	1	Indicates the format of the requested data.	
repPeriod	DurationSec	O	0..1	Indicates the time interval between successive reportings.	
abstractLevel	string	O	0..1	Indicates the desired level of abstraction of the requested data.	
accuracyLevel	UInteger	O	0..1	Indicates the desired level of accuracy of the requested data. Minimum = 0. Maximum = 100.	

### 7.1.5.3 Simple data types and enumerations

#### 7.1.5.3.1 Introduction

This clause defines simple data types and enumerations that can be referenced from data structures defined in the previous clauses.

#### 7.1.5.3.2 Simple data types

None.

#### 7.1.5.3.3 Void

## 7.1.6 Error Handling

### 7.1.6.1 General

HTTP error handling shall be supported as specified in clause 5.2.6 of 3GPP TS 29.122 [4].

In addition, the requirements in the following clauses shall apply.

### 7.1.6.2 Protocol Errors

In this release of the specification, there are no additional protocol errors applicable for the ADAE\_ServiceConfiguration API.

### 7.1.6.3 Application Errors

The application errors defined for ADAE\_ServiceConfiguration API are listed in table 7.1.6.3-1.

**Table 7.1.6.3-1: Application errors**

Application Error	HTTP status code	Description	Applicability

## 7.1.7 Feature Negotiation

General feature negotiation procedures are defined in clause 5.2.7 of 3GPP TS 29.122 [6]. Table 7.1.7-1 lists the supported features for ADAE\_ServiceConfiguration API.

**Table 7.1.7-1: Supported Features**

Feature number	Feature Name	Description

---

# 8 Usage of common API framework

## 8.1 General

Usage of common API framework shall be supported by the ADAE service configuration API as described in clause 8 in 3GPP TS 29.549 [9].

---

## 9 Security

### 9.1 General

Usage of HTTP over TLS and the TLS profiles shall be as specified in clause 5.1.1.4 of 3GPP TS 33.434 [11].

# Annex A (normative): OpenAPI specification

## A.1 General

This annex is based on the OpenAPI Specification [12] and provides corresponding representations of all APIs defined in the present specification.

NOTE 1: An OpenAPIs representation embeds JSON Schema representations of HTTP message bodies.

This annex shall take precedence when being discrepant to other parts of the specification with respect to the encoding of information elements and methods within the API(s).

NOTE 2: The semantics and procedures, as well as conditions, e.g. for the applicability and allowed combinations of attributes or values, not expressed in the OpenAPI definitions but defined in other parts of the specification also apply.

Informative copies of the OpenAPI specification files contained in this 3GPP Technical Specification are available on a Git-based repository that uses the GitLab software version control system (see clause 5B of the 3GPP TR 21.900 [1] and clause 5.3.1 of the 3GPP TS 29.501 [7] for further information).

## A.2 ADAE\_ServiceConfiguration API

openapi: 3.0.0

```

info:
  title: ADAE_ServiceConfiguration
  version: 1.0.0
  description: |
    API for ADAE service configuration.
    © 2024, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TSDSI, TTA, TTC).
    All rights reserved.

externalDocs:
  description: >
    3GPP TS 24.559 V18.1.0 Application Data Analytics Enablement Service; Stage 3.
  url: https://www.3gpp.org/ftp/Specs/archive/24_series/24.559/

security:
- {}
- oAuth2ClientCredentials: []

servers:
- url: '{apiRoot}/adae-sc/v1'
  variables:
    apiRoot:
      default: https://example.com
      description: apiRoot as defined in clause 5.2.4 of 3GPP TS 29.122.

paths:
  /application-performance:
    post:
      description: >
        Creates a new individual VAL performance analytics event subscription.
      operationId: VALPerformanceSubscription
      tags:
      - VAL performance event subscriptions (Collection)
      requestBody:
        required: true
        content:
          application/json:
            schema:
              $ref: 'TS29549_SS_ADAE_VALPerformanceAnalytics.yaml#/components/schemas/AppPerfSub'
      callbacks:
        notificationUri:
          '{$request.body#/notifUri}':
            post:

```

```

    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref:
' TS29549_SS_ADAE_VALPerformanceAnalytics.yaml#/components/schemas/AppPerfNotif'
      responses:
        '204':
          description: No Content (successful notification)
        '307':
          $ref: 'TS29122_CommonData.yaml#/components/responses/307'
        '308':
          $ref: 'TS29122_CommonData.yaml#/components/responses/308'
        '400':
          $ref: 'TS29122_CommonData.yaml#/components/responses/400'
        '401':
          $ref: 'TS29122_CommonData.yaml#/components/responses/401'
        '403':
          $ref: 'TS29122_CommonData.yaml#/components/responses/403'
        '404':
          $ref: 'TS29122_CommonData.yaml#/components/responses/404'
        '411':
          $ref: 'TS29122_CommonData.yaml#/components/responses/411'
        '413':
          $ref: 'TS29122_CommonData.yaml#/components/responses/413'
        '415':
          $ref: 'TS29122_CommonData.yaml#/components/responses/415'
        '429':
          $ref: 'TS29122_CommonData.yaml#/components/responses/429'
        '500':
          $ref: 'TS29122_CommonData.yaml#/components/responses/500'
        '503':
          $ref: 'TS29122_CommonData.yaml#/components/responses/503'
        default:
          $ref: 'TS29122_CommonData.yaml#/components/responses/default'
responses:
  '201':
    description: VAL performance event subscription resource created successfully.
    content:
      application/json:
        schema:
          $ref: 'TS29549_SS_ADAE_VALPerformanceAnalytics.yaml#/components/schemas/AppPerfSub'
    headers:
      Location:
        description: Contains the URI of the newly created resource.
        required: true
        schema:
          type: string
  '400':
    $ref: 'TS29122_CommonData.yaml#/components/responses/400'
  '401':
    $ref: 'TS29122_CommonData.yaml#/components/responses/401'
  '403':
    $ref: 'TS29122_CommonData.yaml#/components/responses/403'
  '404':
    $ref: 'TS29122_CommonData.yaml#/components/responses/404'
  '411':
    $ref: 'TS29122_CommonData.yaml#/components/responses/411'
  '413':
    $ref: 'TS29122_CommonData.yaml#/components/responses/413'
  '415':
    $ref: 'TS29122_CommonData.yaml#/components/responses/415'
  '429':
    $ref: 'TS29122_CommonData.yaml#/components/responses/429'
  '500':
    $ref: 'TS29122_CommonData.yaml#/components/responses/500'
  '503':
    $ref: 'TS29122_CommonData.yaml#/components/responses/503'
  default:
    $ref: 'TS29122_CommonData.yaml#/components/responses/default'
/application-performance/{appPerfId}:
  delete:
    description: Deletes an individual VAL performance event subscription.
    operationId: DeleteIndValPerfEventSubsc
    tags:
      - Individual VAL performance event subscription

```

```
parameters:
  - name: appPerfId
    in: path
    description: Identifier of an individual VAL performance event subscription.
    required: true
    schema:
      type: string
responses:
  '204':
    description: >
      The individual VAL performance subscription matching the appPerfId is deleted.
  '307':
    $ref: 'TS29122_CommonData.yaml#/components/responses/307'
  '308':
    $ref: 'TS29122_CommonData.yaml#/components/responses/308'
  '400':
    $ref: 'TS29122_CommonData.yaml#/components/responses/400'
  '401':
    $ref: 'TS29122_CommonData.yaml#/components/responses/401'
  '403':
    $ref: 'TS29122_CommonData.yaml#/components/responses/403'
  '404':
    $ref: 'TS29122_CommonData.yaml#/components/responses/404'
  '429':
    $ref: 'TS29122_CommonData.yaml#/components/responses/429'
  '500':
    $ref: 'TS29122_CommonData.yaml#/components/responses/500'
  '503':
    $ref: 'TS29122_CommonData.yaml#/components/responses/503'
  default:
    $ref: 'TS29122_CommonData.yaml#/components/responses/default'

/ue2ue-session-performance/fetch:
  post:
    description: >
      Obtain the UE-to-UE session performance analytics.
    operationId: FetchUe2UeSessionPerformance
    tags:
      - Fetch UE-to-UE session performance analytics
    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/Ue2UePerfReq'
    responses:
      '200':
        description: >
          Successful case. The UE-to-UE session performance information is returned in
          the response body.
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/Ue2UePerfResp'
      '307':
        $ref: 'TS29122_CommonData.yaml#/components/responses/307'
      '308':
        $ref: 'TS29122_CommonData.yaml#/components/responses/308'
      '400':
        $ref: 'TS29122_CommonData.yaml#/components/responses/400'
      '401':
        $ref: 'TS29122_CommonData.yaml#/components/responses/401'
      '403':
        $ref: 'TS29122_CommonData.yaml#/components/responses/403'
      '404':
        $ref: 'TS29122_CommonData.yaml#/components/responses/404'
      '411':
        $ref: 'TS29122_CommonData.yaml#/components/responses/411'
      '413':
        $ref: 'TS29122_CommonData.yaml#/components/responses/413'
      '415':
        $ref: 'TS29122_CommonData.yaml#/components/responses/415'
      '429':
        $ref: 'TS29122_CommonData.yaml#/components/responses/429'
      '500':
        $ref: 'TS29122_CommonData.yaml#/components/responses/500'
      '503':
        $ref: 'TS29122_CommonData.yaml#/components/responses/503'
```

```

    default:
      $ref: 'TS29122_CommonData.yaml#/components/responses/default'

/edge-load:
  post:
    description: >
      Creates a new individual edge load data collection event subscription.
    operationId: EdgeLoadDataCollectionSubscription
    tags:
      - Edge load data collection event subscriptions (Collection)
    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref: 'TS29549_SS_ADAE_EdgeLoadAnalytics.yaml#/components/schemas/EdgeSub'
    callbacks:
      notificationUri:
        '{$request.body#/notifUri}':
          post:
            requestBody:
              required: true
              content:
                application/json:
                  schema:
                    $ref: 'TS29549_SS_ADAE_EdgeLoadAnalytics.yaml#/components/schemas/EdgeNotif'
    responses:
      '204':
        description: No Content (successful notification)
      '307':
        $ref: 'TS29122_CommonData.yaml#/components/responses/307'
      '308':
        $ref: 'TS29122_CommonData.yaml#/components/responses/308'
      '400':
        $ref: 'TS29122_CommonData.yaml#/components/responses/400'
      '401':
        $ref: 'TS29122_CommonData.yaml#/components/responses/401'
      '403':
        $ref: 'TS29122_CommonData.yaml#/components/responses/403'
      '404':
        $ref: 'TS29122_CommonData.yaml#/components/responses/404'
      '411':
        $ref: 'TS29122_CommonData.yaml#/components/responses/411'
      '413':
        $ref: 'TS29122_CommonData.yaml#/components/responses/413'
      '415':
        $ref: 'TS29122_CommonData.yaml#/components/responses/415'
      '429':
        $ref: 'TS29122_CommonData.yaml#/components/responses/429'
      '500':
        $ref: 'TS29122_CommonData.yaml#/components/responses/500'
      '503':
        $ref: 'TS29122_CommonData.yaml#/components/responses/503'
      default:
        $ref: 'TS29122_CommonData.yaml#/components/responses/default'
  responses:
    '201':
      description: Edge load data collection event subscription resource created successfully.
      content:
        application/json:
          schema:
            $ref: 'TS29549_SS_ADAE_EdgeLoadAnalytics.yaml#/components/schemas/EdgeSub'
      headers:
        Location:
          description: Contains the URI of the newly created resource.
          required: true
          schema:
            type: string
    '400':
      $ref: 'TS29122_CommonData.yaml#/components/responses/400'
    '401':
      $ref: 'TS29122_CommonData.yaml#/components/responses/401'
    '403':
      $ref: 'TS29122_CommonData.yaml#/components/responses/403'
    '404':
      $ref: 'TS29122_CommonData.yaml#/components/responses/404'
    '411':
      $ref: 'TS29122_CommonData.yaml#/components/responses/411'

```

```

'413':
  $ref: 'TS29122_CommonData.yaml#/components/responses/413'
'415':
  $ref: 'TS29122_CommonData.yaml#/components/responses/415'
'429':
  $ref: 'TS29122_CommonData.yaml#/components/responses/429'
'500':
  $ref: 'TS29122_CommonData.yaml#/components/responses/500'
'503':
  $ref: 'TS29122_CommonData.yaml#/components/responses/503'
default:
  $ref: 'TS29122_CommonData.yaml#/components/responses/default'

/edge-load/{edgeLdId}:
  delete:
    description: Deletes an individual edge load data collection event subscription.
    operationId: DeleteIndEdgeLdDataCollectEventSubsc
    tags:
      - Individual edge load data collection event subscription
    parameters:
      - name: edgeLdId
        in: path
        description: Identifier of an individual edge load data collection event subscription.
        required: true
        schema:
          type: string
    responses:
      '204':
        description: >
          The individual edge load data collection subscription matching the edgeLdId is deleted.
      '307':
        $ref: 'TS29122_CommonData.yaml#/components/responses/307'
      '308':
        $ref: 'TS29122_CommonData.yaml#/components/responses/308'
      '400':
        $ref: 'TS29122_CommonData.yaml#/components/responses/400'
      '401':
        $ref: 'TS29122_CommonData.yaml#/components/responses/401'
      '403':
        $ref: 'TS29122_CommonData.yaml#/components/responses/403'
      '404':
        $ref: 'TS29122_CommonData.yaml#/components/responses/404'
      '429':
        $ref: 'TS29122_CommonData.yaml#/components/responses/429'
      '500':
        $ref: 'TS29122_CommonData.yaml#/components/responses/500'
      '503':
        $ref: 'TS29122_CommonData.yaml#/components/responses/503'
      default:
        $ref: 'TS29122_CommonData.yaml#/components/responses/default'

/service-experience/pull:
  post:
    description: >
      ADAE server pulls service experience report from the ADAE client.
    operationId: PullSrvExpReport
    tags:
      - Pull service experienec report
    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/PullSrvExpInfo'
    responses:
      '200':
        description: >
          Successful case. The ADAE client provides service experience reporting to
          the ADAE server.
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/SrvExpInfoRep'
      '307':
        $ref: 'TS29122_CommonData.yaml#/components/responses/307'
      '308':
        $ref: 'TS29122_CommonData.yaml#/components/responses/308'
      '400':

```

```

    $ref: 'TS29122_CommonData.yaml#/components/responses/400'
  '401':
    $ref: 'TS29122_CommonData.yaml#/components/responses/401'
  '403':
    $ref: 'TS29122_CommonData.yaml#/components/responses/403'
  '404':
    $ref: 'TS29122_CommonData.yaml#/components/responses/404'
  '411':
    $ref: 'TS29122_CommonData.yaml#/components/responses/411'
  '413':
    $ref: 'TS29122_CommonData.yaml#/components/responses/413'
  '415':
    $ref: 'TS29122_CommonData.yaml#/components/responses/415'
  '429':
    $ref: 'TS29122_CommonData.yaml#/components/responses/429'
  '500':
    $ref: 'TS29122_CommonData.yaml#/components/responses/500'
  '503':
    $ref: 'TS29122_CommonData.yaml#/components/responses/503'
  default:
    $ref: 'TS29122_CommonData.yaml#/components/responses/default'

```

## components:

```

securitySchemes:
  oAuth2ClientCredentials:
    type: oauth2
    flows:
      clientCredentials:
        tokenUrl: '{tokenUrl}'
        scopes: {}

```

## schemas:

```

Ue2UePerfReq:
  description: ADAES requests ADAEC for the UE-to-UE session performance analytics.
  type: object
  properties:
    serverId:
      type: string
      description: String identifying the ADAE server
    analyticsId:
      type: string
      description: String identifying the UE-to-UE session analytics
    valUeIds:
      type: array
      items:
        $ref: 'TS29549_SS_UserProfileRetrieval.yaml#/components/schemas/ValTargetUe'
      minItems: 1
      description: >
        One or more VAL UE IDs whose UE-to-UE session performance is requested.
    pc5Qos:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Pc5QoSPara'
    reportConfig:
      $ref: 'TS29523_Npcf_EventExposure.yaml#/components/schemas/ReportingInformation'
    repThresholds:
      description: >
        Identifies reporting threshold corresponding to the analytics.
      type: array
      items:
        $ref: '#/components/schemas/Ue2UeRepThreshold'
      minItems: 1
    dataAbstractReq:
      description: >
        Indicates whether the data abstraction is required (true) or not (false).
      type: boolean
      default: false
    dataCollectReq:
      $ref: '#/components/schemas/DataCollectReq'
    area:
      $ref: 'TS29122_CommonData.yaml#/components/schemas/LocationArea'
    timeWindow:
      $ref: 'TS29122_CommonData.yaml#/components/schemas/TimeWindow'
    suppFeat:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/SupportedFeatures'
  required:
    - serverId
    - valUeIds
    - pc5Qos

```

```

Ue2UePerfResp:
  description: >
    ADAEC responds to ADAES with the UE-to-UE session performance analytics information.
  type: object
  properties:
    dataOutputs:
      type: array
      items:
        type: string
      minItems: 1
      description: >
        UE-to-UE session performance analytics for prediction or statistics.
    valUeIds:
      type: array
      items:
        $ref: 'TS29549_SS_UserProfileRetrieval.yaml#/components/schemas/ValTargetUe'
      minItems: 1
      description: >
        One or more VAL UE IDs whose UE-to-UE session performance has been requested.
    analyticsId:
      type: string
      description: String identifying the UE-to-UE session analytics
    suppFeat:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/SupportedFeatures'
  required:
    - dataOutputs
    - valUeIds

Ue2UeRepThreshold:
  description: Identifies reporting threshold corresponding to the analytics.
  type: object
  properties:
    thrName:
      $ref: 'TS29549_SS_ADAE_Ue2UePerformanceAnalytics.yaml#/components/schemas/U2UAnalytics'
    thrValue:
      description: Indicates the value for the analytics threshold.
      type: string
    thrMatchDirect:
      $ref: 'TS29520_Nnwdaf_EventsSubscription.yaml#/components/schemas/MatchingDirection'
  required:
    - thrName
    - thrValue
    - thrMatchDirect

DataCollectReq:
  description: Contains data collection requirements.
  type: object
  properties:
    dataFormat:
      description: Indicates the format of the requested data.
      type: string
    repPeriod:
      $ref: 'TS29122_CommonData.yaml#/components/schemas/DurationSec'
    abstractLevel:
      description: Indicates the desired level of abstraction of the requested data.
      type: string
    accuracyLevel:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Uinteger'
  required:
    - dataFormat

PullSrvExpInfo:
  description: Contains VAL server and service identities.
  type: object
  properties:
    valServerId:
      type: string
    valServiceId:
      type: string
  required:
    - valServerId

SrvExpInfoRep:
  description: Allows ADAEC to provide the service experience report to the ADAES.
  type: object
  properties:
    valUeId:
      $ref: 'TS29549_SS_UserProfileRetrieval.yaml#/components/schemas/ValTargetUe'

```

```
valServerId:
  type: string
  description: String identifying the VAL server the service experience report applies.
valServiceId:
  type: string
  description: String identifying the VAL service
timeStamp:
  $ref: 'TS29122_CommonData.yaml#/components/schemas/DurationSec'
valSrvExpRep:
  $ref: 'TS29523_Npcf_EventExposure.yaml#/components/schemas/ReportingInformation'
required:
- valUeId
- valServerId
```

```
# Simple data types and Enumerations
```

## Annex B (informative): Change history

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2023-02	CT1#140	C1-230160				Skeleton for Application Data Analytics Enablement Service	0.0.0
2023-05	CT1#142	C1-233310				Application data analytics enablement service abbreviations and references	0.1.0
2023-05	CT1#142	C1-234031				Application data analytics enablement service functional entities	0.1.0
2023-05	CT1#142	C1-234032				Application data analytics enablement service procedures	0.1.0
2023-05	CT1#142	<a href="#">C1-234033</a>				Application data analytics enablement service procedures	0.1.0
2023-10	CT1#144	<a href="#">C1-237009</a>				Correction of general description	0.2.0
2023-10	CT1#144	C1-237962				ADAES configuration API	0.2.0
2023-10	CT1#144	C1-237963				Application performance analytics configuration API	0.2.0
2023-10	CT1#144	C1-237964				Procedure for application performance analytics	0.2.0
2023-11	CT1#145	C1-239589				Resource review for ADAE services	0.3.1
2023-11	CT1#145	C1-239666				Application performance event subscription for ADAE services	0.3.1
2023-11	CT1#145	C1-239672				UE-to-UE session performance for ADAE services	0.3.1
2023-11	CT1#145	C1-239673				Edge load event subscription for ADAE services	0.3.1
2023-11	CT1#145	C1-239588				Service experience for ADAE services	0.3.1
2023-11	CT1#145	C1-239674				Application performance event notification for ADAE services	0.3.1
2023-11	CT1#145	C1-239675				Edge load event notification for ADAE services	0.3.1
2023-11	CT1#145	C1-239586				Data model for ADAE services	0.3.1
2023-11	CT1#145	C1-239587				Error handling for ADAE services	0.3.1
2023-11	CT1#145	C1-239477				Notification overview for ADAE services	0.3.1
2024-01	CT1#146	C1-240300				Add references	0.4.0
2024-01	CT1#146	C1-240301				Corrections and removal of some titles	0.4.0
2024-01	CT1#146	C1-240302				Restructuring of resource URI for ADAES	0.4.0
2024-01	CT1#146	C1-240303				Service description and operations for application performance analytics	0.4.0
2024-01	CT1#146	C1-240304				Service description and operations for UE-to-UE session performance analytics	0.4.0
2024-01	CT1#146	C1-240305				Service description and operations for edge load data collection	0.4.0
2024-01	CT1#146	C1-240306				Service description and operations for service-experiment	0.4.0
2024-01	CT1#146	C1-240307				Usage of HTTP, common API framework, and security	0.4.0
2024-01	CT1#146	C1-240308				ADAES service configuration OpenAPI	0.4.0
2024-03	CT1#147	C1-241600				Miscellaneous corrections	0.5.0
2024-03	CT1#147	C1-241601				Miscellaneous corrections	0.5.0
2024-03	CT1#147	C1-241602				OpenAPI corrections	0.5.0
2024-03	CT1#147	C1-241603				Description of functional entities	0.5.0
2024-03	CT1#147	C1-241604				Usage of HTTP	0.5.0
2024-03	CT1#147	C1-241605				Update the configuring triggers and PUSH service experience information report procedures	0.5.0
2024-03	CT#103	CP-240251				Presentation to TSG CT#103 for information and approval	1.0.0
2024-03	CT#103					Approved in CT#103	18.0.0
2024-03	CT#103					YAML files that were missing in previous version included	18.0.1
2024-06	CT#104	CP-241166	0001	1	B	UE-to-UE session performance analytics request	18.1.0
2024-06	CT#104	CP-241166	0002	1	B	Supported features indication in UE-to-UE session performance analytics	18.1.0
2024-06	CT#104	CP-241166	0003		F	Support of redirections	18.1.0
2024-06	CT#104	CP-241166	0004		F	Definition of timeWindow	18.1.0
2024-06	CT#104	CP-241166	0005	2	F	Remove API definition and OPEN API for Configuring Triggers and PUSH service experience information report.	18.1.0
2024-06	CT#104	CP-251273	0006		F	Update of info and externalDocs fields	18.1.0
2025-12	CT#110	CP-253079	0017		F	Corrections on the service experience information	18.2.0

---

## History

<b>Version</b>	<b>Date</b>	<b>Status</b>
V18.0.1	May 2024	Publication
V18.1.0	May 2024	Publication
V18.2.0	February 2026	Publication