

ETSI TS 129 581 V18.6.0 (2026-04)



TECHNICAL SPECIFICATION

**5G;
5G System;
Multicast/Broadcast Service Transport Services;
Stage 3
(3GPP TS 29.581 version 18.6.0 Release 18)**



Reference

RTS/TSGC-0429581 vi60

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 6 |
| 1 Scope | 8 |
| 2 References | 8 |
| 3 Definitions, symbols and abbreviations | 9 |
| 3.1 Definitions | 9 |
| 3.2 Symbols..... | 9 |
| 3.3 Abbreviations | 9 |
| 4 Overview | 9 |
| 4.1 General | 9 |
| 5 Services offered by the MBSTF..... | 10 |
| 5.1 Introduction | 10 |
| 5.2 Nmbstf_MBSDistributionSession Service | 10 |
| 5.2.1 Service Description..... | 10 |
| 5.2.2 Service Operations..... | 11 |
| 5.2.2.1 Introduction..... | 11 |
| 5.2.2.2 Create | 11 |
| 5.2.2.2.1 General | 11 |
| 5.2.2.3 Update | 12 |
| 5.2.2.3.1 General | 12 |
| 5.2.2.4 Destroy | 12 |
| 5.2.2.4.1 General | 12 |
| 5.2.2.5 Retrieve | 13 |
| 5.2.2.5.1 General | 13 |
| 5.2.2.6 StatusSubscribe service operation..... | 14 |
| 5.2.2.6.1 General | 14 |
| 5.2.2.6.2 Subscription creation | 14 |
| 5.2.2.6.3 Subscription update | 15 |
| 5.2.2.7 StatusUnsubscribe..... | 15 |
| 5.2.2.7.1 General | 15 |
| 5.2.2.8 StatusNotify | 16 |
| 5.2.2.8.1 General | 16 |
| 6 API Definitions | 17 |
| 6.1 Nmbstf_MBSDistributionSession Service API..... | 17 |
| 6.1.1 Introduction..... | 17 |
| 6.1.2 Usage of HTTP | 17 |
| 6.1.2.1 General | 17 |
| 6.1.2.2 HTTP standard headers | 17 |
| 6.1.2.2.1 General | 17 |
| 6.1.2.2.2 Content type | 18 |
| 6.1.2.3 HTTP custom headers | 18 |
| 6.1.3 Resources..... | 18 |
| 6.1.3.1 Overview..... | 18 |
| 6.1.3.2 Resource: MBS Distribution sessions collection (Collection) | 19 |
| 6.1.3.2.1 Description | 19 |
| 6.1.3.2.2 Resource Definition..... | 19 |
| 6.1.3.2.3 Resource Standard Methods | 19 |
| 6.1.3.2.3.1 POST..... | 19 |
| 6.1.3.2.4 Resource Custom Operations | 20 |
| 6.1.3.3 Resource: Individual MBS distribution session (Document)..... | 20 |

| | | |
|-------------|--|----|
| 6.1.3.3.1 | Description | 20 |
| 6.1.3.3.2 | Resource Definition | 20 |
| 6.1.3.3.3 | Resource Standard Methods | 21 |
| 6.1.3.3.3.1 | PATCH | 21 |
| 6.1.3.3.3.2 | DELETE | 22 |
| 6.1.3.3.3.3 | GET | 23 |
| 6.1.3.3.4 | Resource Custom Operations | 24 |
| 6.1.3.4 | Resource: Subscriptions collection for MBS distribution session (Collection) | 24 |
| 6.1.3.4.1 | Description | 24 |
| 6.1.3.4.2 | Resource Definition | 24 |
| 6.1.3.4.3 | Resource Standard Methods | 24 |
| 6.1.3.4.3.1 | POST | 24 |
| 6.1.3.4.4 | Resource Custom Operations | 26 |
| 6.1.3.5 | Resource: Individual subscription for an MBS distribution session (Document) | 26 |
| 6.1.3.5.1 | Description | 26 |
| 6.1.3.5.2 | Resource Definition | 26 |
| 6.1.3.5.3 | Resource Standard Methods | 26 |
| 6.1.3.5.3.1 | DELETE | 26 |
| 6.1.3.5.3.2 | PATCH | 27 |
| 6.1.3.5.4 | Resource Custom Operations | 29 |
| 6.1.4 | Custom Operations without associated resources | 29 |
| 6.1.5 | Notifications | 29 |
| 6.1.5.1 | General | 29 |
| 6.1.5.2 | StatusNotify | 29 |
| 6.1.5.2.1 | Description | 29 |
| 6.1.5.2.2 | Target URI | 29 |
| 6.1.5.2.3 | Standard Methods | 29 |
| 6.1.6 | Data Model | 30 |
| 6.1.6.1 | General | 30 |
| 6.1.6.2 | Structured data types | 31 |
| 6.1.6.2.1 | Introduction | 31 |
| 6.1.6.2.2 | Type: CreateReqData | 32 |
| 6.1.6.2.3 | Type: CreateRspData | 32 |
| 6.1.6.2.4 | Type: DistSession | 33 |
| 6.1.6.2.5 | Type: ObjDistributionData | 34 |
| 6.1.6.2.6 | Type: PktDistributionData | 35 |
| 6.1.6.2.7 | Type: StatusSubscribeReqData | 35 |
| 6.1.6.2.8 | Type: StatusSubscribeRspData | 35 |
| 6.1.6.2.9 | Type: StatusNotifyReqData | 35 |
| 6.1.6.2.10 | Type: DistSessionSubscription | 35 |
| 6.1.6.2.11 | Type: DistSessionEventReportList | 36 |
| 6.1.6.2.12 | Type: DistSessionEventReport | 36 |
| 6.1.6.2.13 | Type: UpTrafficFlowInfo | 37 |
| 6.1.6.2.14 | Type: MbStfIngestAddr | 38 |
| 6.1.6.2.15 | Type: ExtSsm | 40 |
| 6.1.6.3 | Simple data types and enumerations | 40 |
| 6.1.6.3.1 | Introduction | 40 |
| 6.1.6.3.2 | Simple data types | 40 |
| 6.1.6.3.3 | Enumeration: DistSessionState | 40 |
| 6.1.6.3.4 | Enumeration: ObjDistributionOperatingMode | 40 |
| 6.1.6.3.5 | Enumeration: ObjAcquisitionMethod | 40 |
| 6.1.6.3.6 | Enumeration: PktDistributionOperatingMode | 41 |
| 6.1.6.3.7 | Enumeration: DistSessionEventType | 41 |
| 6.1.6.3.8 | Enumeration: PktIngestMethod | 41 |
| 6.1.6.4 | Data types describing alternative data types or combinations of data types | 41 |
| 6.1.6.5 | Binary data | 42 |
| 6.1.7 | Error Handling | 42 |
| 6.1.7.1 | General | 42 |
| 6.1.7.2 | Protocol Errors | 42 |
| 6.1.7.3 | Application Errors | 42 |
| 6.1.8 | Feature negotiation | 42 |
| 6.1.9 | Security | 42 |

6.1.10 HTTP redirection43

Annex A (normative): OpenAPI specification44

A.1 General44

A.2 Nmbstf_DistSession API.....44

Annex B (informative): Change history55

History56

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

might not indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

is (or any other verb in the indicative mood) indicates a statement of fact

is not (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

1 Scope

The present document specifies the stage 3 protocol and data model for the Nmbstf Service Based Interface. It provides stage 3 protocol definitions and message flows, and specifies the API for each service offered by the MBSTF.

The 5G System stage 2 architecture and procedures are specified in 3GPP TS 23.501 [2] and 3GPP TS 23.502 [3]. The 5G Multicast-Broadcast Session Management Services for 5G System is specified in 3GPP TS 23.247 [15] and the User Service Architecture for 5G Multicast-Broadcast Services is specified in 3GPP TS 26.502 [17].

The Technical Realization of the Service Based Architecture and the Principles and Guidelines for Services Definition are specified in 3GPP TS 29.500 [4] and 3GPP TS 29.501 [5].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.501: "System Architecture for the 5G System; Stage 2".
- [3] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [4] 3GPP TS 29.500: "5G System; Technical Realization of Service Based Architecture; Stage 3".
- [5] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".
- [6] OpenAPI: "OpenAPI Specification Version 3.0.0", <https://spec.openapis.org/oas/v3.0.0>.
- [7] 3GPP TR 21.900: "Technical Specification Group working methods".
- [8] 3GPP TS 33.501: "Security architecture and procedures for 5G system".
- [9] IETF RFC 6749: "The OAuth 2.0 Authorization Framework".
- [10] 3GPP TS 29.510: "5G System; Network Function Repository Services; Stage 3".
- [11] IETF RFC 9113: "HTTP/2".
- [12] IETF RFC 8259: "The JavaScript Object Notation (JSON) Data Interchange Format".
- [13] IETF RFC 9457: "Problem Details for HTTP APIs".
- [14] IETF RFC 6902: "JavaScript Object Notation (JSON) Patch".
- [15] 3GPP TS 23.247: "Architectural enhancements for 5G multicast-broadcast services; Stage 2".
- [16] 3GPP TS 29.571: "5G System; Common Data Types for Service Based Interfaces; Stage 3".
- [17] 3GPP TS 26.502: "5G multicast-broadcast services; User Service architecture; Stage 2".
- [18] 3GPP TS 29.580: "5G System; Multicast/Broadcast Service Function services; Stage 3".
- [19] IETF RFC 5775: "Asynchronous Layered Coding (ALC) Protocol Instantiation".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

For the definitions of the basic SBI notions (e.g. apiRoot, API URI, Callback URI, etc.), SBI specific abbreviations (e.g. CRUD, YAML, etc.), special characters, operators and delimiters that are used by SBI specifications, see clause 3 in 3GPP TS 29.501 [5].

3.2 Symbols

For the purposes of the present document, the following symbols apply:

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

| | |
|---------|---|
| 5MBS | 5G Multicast-Broadcast Services |
| AF | Application Function |
| ALC | Asynchronous Layered Coding |
| AS | Application server |
| DNN | Data Network Name |
| MBSF | Multicast/Broadcast Service Function |
| MBSTF | Multicast/Broadcast Service Transport Function |
| MB-SMF | Multicast/Broadcast Session Management Function |
| MB-UPF | Multicast/Broadcast User Plane Function |
| NEF | Network Exposure Function |
| NF | Network Function |
| S-NSSAI | Single Network Slice Selection Assistance Information |
| TSI | Transmission Session Identifier |
| URI | Uniform Resource Identifier |

4 Overview

4.1 General

Within the 5GC, the MBSTF offers services to the MBSF via the Nmbstf service based interface (see 3GPP TS 23.501 [2] and 3GPP TS 26.502 [17]).

Figure 4.1 provides the reference model (in service based interface representation and in reference point representation), with focus on the MBSTF and the scope of the present specification.




Figure 4-1: Reference model – MBSTF

Nmb2 is the reference point between MBSF and MBSTF.

The functionalities supported by the MBSTF are listed in clause 5.3.2.12 of 3GPP TS 23.247 [15].

The services and service operations provided by the Nmbstf interface are listed in clause 7.3 of 3GPP TS 26.502 [17].

5 Services offered by the MBSTF

5.1 Introduction

Table 5.1-1 summarizes the SBI services produced by the MBSTF.

Table 5.1-1: NF Services provided by MBSTF

| Service Name | Description | Example Consumers |
|-------------------------------|---|-------------------|
| Nmbstf_MBSDistributionSession | Manage (e.g. Create, Modify, Delete) a new MBS Distribution Session within the MBSTF. | MBSF |

Table 5.1-2 summarizes the corresponding APIs defined for this specification.

Table 5.1-2: API Descriptions

| Service Name | Clause | Description | OpenAPI Specification File | apiName | Annex |
|-------------------------------|--------|------------------------------------|---------------------------------|--------------------|-------|
| Nmbstf_MBSDistributionSession | 5.2 | MBSTF Distribution Session Service | TS29581_Nmbstf_DistSession.yaml | nmbstf-distsession | A.2 |

5.2 Nmbstf_MBSDistributionSession Service

5.2.1 Service Description

The Nmbstf_MBSDistributionSession service operates on MBS distribution sessions. The following are the key functionalities of this NF service:

- Creation, modification, retrieval and deletion of MBS Distribution Sessions

Table 5.2.1-1 lists the service operations that are supported by the Nmbstf_MBSDistributionSession service.

Table 5.2.1-1: Service operations supported by the Nmbstf_MBSDistributionSession service

| Service Operations | Description | Operation Semantics | Example Consumers |
|--------------------|---|---------------------|-------------------|
| Create | Create a new MBS Distribution Session within the MBSTF | Request / Response | MBSF |
| Update | Update an existing MBS Distribution Session | Request / Response | MBSF |
| Destroy | Delete an existing MBS Distribution Session | Request / Response | MBSF |
| Retrieve | Retrieve the parameters of an existing MBS Distribution Session | Request / Response | MBSF |
| StatusSubscribe | Subscribe to notifications related to an MBS Distribution Session | Subscribe/ Notify | MBSF |
| StatusUnsubscribe | Unsubscribe from notifications related to an MBS Distribution Session | | MBSF |
| StatusNotify | Notify event(s) related to an MBS Distribution Session | | MBSF |

5.2.2 Service Operations

5.2.2.1 Introduction

See Table 5.2.1-1 for an overview of the service operations supported by the Nmbstf_MBSDistributionSession service.

5.2.2.2 Create

5.2.2.2.1 General

The Create service operation shall be used to create a new MBS Distribution Session within the MBSTF (see clauses 5.2, 4.5.2 of 3GPP TS 26.502 [17]).

The NF Service Consumer (e.g. MBSF) shall create an MBS Distribution session in the MBSTF by using the HTTP POST method as shown in Figure 5.2.2.2.1-1.




Figure 5.2.2.2.1-1: MBS Distribution session creation

1. The NF Service Consumer shall send a POST request (CreateReqData) targeting the MBS Distribution Sessions collection resource of the MBSTF. The content of the POST request shall contain the following information:
 - The baseline parameters for an MBS Distribution Session including Distribution Session Identifier, and;
 - Additional MBS Distribution Session parameters for Object Distribution Method, or;
 - Additional MBS Distribution Session parameters for Packet Distribution Method;
- 2a. On success, the MBSTF shall return a "201 Created" response. The "Location" header shall be present and shall contain the URI of the created resource. The content of the POST response (CreateRspData) shall contain a representation of the created MBS session.

2b. On failure, one of the HTTP status code listed in Table 6.1.3.2.3.1-3 shall be returned. The message body shall contain a ProblemDetails structure with the "cause" attribute set to one of the application errors listed in Table 6.1.3.2.3.1-3.

2c. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A RedirectResponse IE shall be included in the content of POST response.

5.2.2.3 Update

5.2.2.3.1 General

The Update service operation shall be used to update an existing MBS Distribution Session within the MBSTF (see clauses 5.2, 4.5.2 of 3GPP TS 26.502 [17]).

The NF Service Consumer (e.g. MBSF) shall update an MBS Distribution session in the MBSTF by using the HTTP PATCH method as shown in Figure 5.2.2.3.1-1.




Figure 5.2.2.3.1-1: MBS Distribution session update

1. The NF Service Consumer shall send a PATCH request (PatchData) to update the MBS distribution session.

2a. On success, the MBSTF shall return "204 No Content";

2b. On success, the MBSTF shall return "200 OK" containing new resource representation of MBS distribution session;

2c. On failure, one of the HTTP status code listed in Table 6.1.3.3.1-3 shall be returned. The message body shall contain a ProblemDetails structure with the "cause" attribute set to one of the application errors listed in Table 6.1.3.3.1-3.

2d. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A RedirectResponse IE shall be included in the content of PATCH response.

5.2.2.4 Destroy

5.2.2.4.1 General

The Destroy service operation shall be used to delete an existing MBS Distribution Session within the MBSTF (see clauses 5.2, 4.5.2 of 3GPP TS 26.502 [17]).

The NF Service Consumer (e.g. MBSF) shall delete an MBS Distribution session in the MBSTF by using the HTTP DELETE method as shown in Figure 5.2.2.4.1-1.




Figure 5.2.2.4.1-1: MBS Distribution session deletion

1. The NF Service Consumer shall send a DELETE request (distSessionRef) to release the MBS distribution session.
- 2a. On success, the MBSTF shall delete the MBS distribution session and return a "204 No Content" response.
- 2b. On failure, one of the HTTP status code listed in Table 6.1.3.3.3.2-3 shall be returned. The message body shall contain a ProblemDetails structure with the "cause" attribute set to one of the application errors listed in Table 6.1.3.3.3.2-3.
- 2c. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A RedirectResponse IE shall be included in the content of DELETE response.

5.2.2.5 Retrieve

5.2.2.5.1 General

The Retrieve service operation shall be used to retrieve the parameters of an existing MBS Distribution Session within the MBSTF (see clauses 5.2, 4.5.2 of 3GPP TS 26.502 [17]).

The NF Service Consumer (e.g. MBSF) shall retrieve an MBS Distribution session in the MBSTF by using the HTTP GET method as shown in Figure 5.2.2.5.1-1.




Figure 5.2.2.5.1-1: MBS Distribution session retrieval

1. The NF Service Consumer shall send a GET request to the resource representing the MBS distribution session (distSessionRef).
- 2a. On success, the MBSTF shall respond with "200 OK" with the message body containing parameters of the distribution session (distSession).
- 2b. On failure, one of the HTTP status code listed in Table 6.1.3.3.3.3-3 shall be returned. The message body shall contain a ProblemDetails structure with the "cause" attribute set to one of the application errors listed in Table 6.1.3.3.3.3-3.
- 2c. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A RedirectResponse IE shall be included in the content of GET response.

5.2.2.6 StatusSubscribe service operation

5.2.2.6.1 General

The StatusSubscribe service operation shall be used by an NF Service Consumer (e.g. MBSF) to create a subscription to the MBSTF notifications related to the event(s) of an MBS distribution session.

5.2.2.6.2 Subscription creation

The NF Service Consumer (e.g. MBSF) shall subscribe to MBSTF service notifications by using the HTTP POST method as shown in Figure 5.2.2.6.2-1.




Figure 5.2.2.6.2-1: Subscribing to MBSTF notifications

1. The NF Service Consumer shall send a POST request (StatusSubscribeReqData) to the resource URI representing the subscriptions collection resource in the MBSTF. The content of the POST request shall contain:
 - the list of MBS distribution session events requested to be subscribed.
 - the Notification URI , indicating the address where the MBSTF shall send the notifications;

The request body may also contain:

- an expiry time suggested by the NF Service Consumer, representing the time span during which the subscription is desired to be kept active; and
 - Notification Correlation ID;
- 2a. On success, the MBSTF shall return a "201 Created" response. The "Location" header shall be present and shall contain the URI of the created resource. The content of the POST response (StatusSubscribeRspData) shall include:
 - the Distribution Session Identifier;
 - the list of events successfully subscribed;
 - the expiry time after which the subscription becomes invalid.
 - 2b. On failure, one of the HTTP status code listed in the data structures supported by the POST Response Body (see Table 6.1.3.4.3.1-3) shall be returned. The message body shall contain a ProblemDetails structure with the "cause" attribute set to one of the application error listed in the same Table 6.1.3.4.3.1-3).
 - 2c. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A RedirectResponse IE shall be included in the content of POST response.

5.2.2.6.3 Subscription update

When the StatusSubscribe service operation is used for updating a subscription, the NF Service Consumer (e.g. MBSF) shall update its subscription to MBSTF notifications by using the HTTP PATCH method as shown in Figure 5.2.2.6.3-1.




Figure 5.2.2.6.3-1: Updating a subscription to MBSTF notifications

1. The NF Service Consumer shall send a PATCH request to update the individual subscription resource in the MBSTF (`/dist-sessions/{distSessionRef}/subscriptions/{subscriptionId}`). The message body contains an `array(PatchItem)`, where each `PatchItem` type indicates a requested change to the `DistSessionSubscription` data structure (see clause 6.1.6.2.10). The following information may be requested to be modified with `array(PatchItem)` structure (see Table 6.1.3.5.3.2-2):
 - Notification URI (callback URI), indicating the address where the MBSTF shall send the notifications;
 - New expiration time;
- 2a. On success, the MBSTF shall return a "200 Ok" response with a representation of the modified subscription (`DistSessionSubscription` data structure (see clause 6.1.6.2.10)).
- 2b. On failure, one of the HTTP status code listed in Table 6.1.3.5.3.2-3 shall be returned. The message body shall contain a `ProblemDetails` structure with the "cause" attribute set to one of the application errors listed in Table 6.1.3.5.3.2-3.
- 2c. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A `RedirectResponse` IE shall be included in the content of PATCH response.

5.2.2.7 StatusUnsubscribe

5.2.2.7.1 General

The StatusUnsubscribe service operation shall be used by an NF Service Consumer (e.g. MBSF) to unsubscribe from the MBSTF notifications related to an MBS distribution session.

The NF Service Consumer (e.g. MBSF) shall unsubscribe from MBSTF notifications by using the HTTP DELETE method as shown in Figure 5.2.2.7.1-1.




Figure 5.2.2.7.1-1: Unsubscribing from MBSTF notifications

1. The NF Service Consumer shall send a DELETE request to the resource URI representing the individual subscription document resource in the MBSTF.
2. On success, the MBSTF shall return a "204 No Content" response.
- 2b. On failure, one of the HTTP status code listed in the data structures supported by the DELETE Response Body (see Table 6.1.3.5.3.1-3) shall be returned. The message body shall contain a ProblemDetails structure with the "cause" attribute set to one of the application error listed in the same Table 6.1.3.5.3.1-3.
- 2c. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A RedirectResponse IE shall be included in the content of DELETE response.

5.2.2.8 StatusNotify

5.2.2.8.1 General

The StatusNotify service operation shall be used by the MBSTF to notify a subscribed NF Service Consumer (e.g. MBSF) about the events related to an MBS distribution session.

The MBSTF shall notify the NF Service Consumer (e.g. MBSF) by using the HTTP POST method to the callback URI received earlier in the subscription as shown in Figure 5.2.2.8.1-1.




Figure 5.2.2.8.1-1: MBTSMF notifications

1. The MBSTF shall send a POST request (StatusNotifyReqData) to the callback URI ({notifUri}) of the subscribed NF Service Consumer. The content of the POST request shall contain:
 - Notification Correlation ID, if this information was provided during subscription;
 - the list of MBS distribution session events to be reported:
 - report a DATA_INGEST_FAILURE event when the MBSTF failed to ingest data from the AF/AS;
 - report a SESSION_DEACTIVATED event when the MBS distribution session is deactivated;
 - report a SESSION_ACTIVATED event when the MBS distribution session is activated.
 - report a SERVICE_MANAGEMENT_FAILURE event when the MBS distribution session failed to start.

- report a DATA_INGEST_SESSION_ESTABLISHED event when the User Data Ingest Session corresponding to the distribution session is successfully established.
- report a DATA_INGEST_SESSION_TERMINATED event when the User Data Ingest Session corresponding to the distribution session is stopped at the end of the current active period.

2a. On success, the MBSF shall return a "204 No Content" response.

2b. On failure, one of the HTTP status code listed in the data structures supported by the POST Response Body (see Table 6.1.5.2.3.1-2) shall be returned. The message body shall contain a ProblemDetails structure with the "cause" attribute set to one of the application error listed in the same Table 6.1.5.2.3.1-2).

2c. On redirection, "307 Temporary Redirect" or "308 Permanent Redirect" shall be returned. A RedirectResponse IE shall be included in the content of POST response.

6 API Definitions

6.1 Nmbstf_MBSDistributionSession Service API

6.1.1 Introduction

The Nmbstf_MBSDistributionSession service shall use the Nmbstf-distsession API.

The API URI of the Nmbstf_MBSDistributionSession API shall be:

{apiRoot}/<apiName>/<apiVersion>

The request URIs used in HTTP requests from the NF service consumer towards the NF service producer shall have the Resource URI structure defined in clause 4.4.1 of 3GPP TS 29.501 [5], i.e.:

{apiRoot}/<apiName>/<apiVersion>/<apiSpecificResourceUriPart>

with the following components:

- The {apiRoot} shall be set as described in 3GPP TS 29.501 [5].
- The <apiName> shall be "nmbstf-distsession".
- The <apiVersion> shall be "v1".
- The <apiSpecificResourceUriPart> shall be set as described in clause 6.1.3.

6.1.2 Usage of HTTP

6.1.2.1 General

HTTP/2, IETF RFC 9113 [11], shall be used as specified in clause 5 of 3GPP TS 29.500 [4].

HTTP/2 shall be transported as specified in clause 5.3 of 3GPP TS 29.500 [4].

The OpenAPI [6] specification of HTTP messages and content bodies for the Nmbstf-distsession API is contained in Annex A.

6.1.2.2 HTTP standard headers

6.1.2.2.1 General

See clause 5.2.2 of 3GPP TS 29.500 [4] for the usage of HTTP standard headers.

6.1.2.2.2 Content type

JSON, IETF RFC 8259 [12], shall be used as content type of the HTTP bodies specified in the present specification as specified in clause 5.4 of 3GPP TS 29.500 [4]. The use of the JSON format shall be signalled by the content type "application/json".

"Problem Details" JSON object shall be used to indicate additional details of the error in a HTTP response body and shall be signalled by the content type "application/problem+json", as defined in IETF RFC 9457 [13].

6.1.2.3 HTTP custom headers

The mandatory HTTP custom header fields specified in clause 5.2.3.2 of 3GPP TS 29.500 [4] shall be supported, and the optional HTTP custom header fields specified in clause 5.2.3.3 of 3GPP TS 29.500 [4] may be supported.

6.1.3 Resources

6.1.3.1 Overview

Figure 6.1.3.1-1 describes the resource URI structure of the Nmbstf_MBSDistributionSession API.




Figure 6.1.3.1-1: Resource URI structure of the Nmbstf_MBSDistributionSession API

Table 6.1.3.1-1 provides an overview of the resources and applicable HTTP methods.

Table 6.1.3.1-1: Resources and methods overview

| Resource purpose/name | Resource URI (relative path after API URI) | HTTP method or custom operation | Description (service operation) |
|---|--|---------------------------------|---|
| MBS Distribution sessions collection | /dist-sessions | POST | Create |
| Individual MBS Distribution session | /dist-sessions/{distSessionRef} | PATCH | Update |
| | | GET | Retrieve |
| | | DELETE | Destroy |
| Subscriptions collection for MBS Distribution sessions | /dist-sessions/{distSessionRef}/subscriptions | POST | StatusSubscribe (to create a subscription) |
| Individual subscription for an MBS Distribution session | /dist-sessions/{distSessionRef}/subscriptions/{subscriptionId} | DELETE | StatusUnsubscribe |
| | | PATCH | StatusSubscribe (to update or renew a subscription) |

6.1.3.2 Resource: MBS Distribution sessions collection (Collection)

6.1.3.2.1 Description

This resource represents the collection of the MBS Distribution sessions created in the MBSTF.

This resource is modelled with the Collection resource archetype (see clause C.2 of 3GPP TS 29.501 [5]).

6.1.3.2.2 Resource Definition

Resource URI: {apiRoot}/nmbstf-distSession/<apiVersion>/dist-sessions

This resource shall support the resource URI variables defined in table 6.1.3.2.2-1.

Table 6.1.3.2.2-1: Resource URI variables for this resource

| Name | Data type | Definition |
|------------|-----------|------------------|
| apiRoot | string | See clause 6.1.1 |
| apiVersion | string | See clause 6.1.1 |

6.1.3.2.3 Resource Standard Methods

6.1.3.2.3.1 POST

This method creates an individual MBS distribution session resource in the MBSTF.

This method shall support the URI query parameters specified in table 6.1.3.2.3.1-1.

Table 6.1.3.2.3.1-1: URI query parameters supported by the POST method on this resource

| Name | Data type | P | Cardinality | Description | Applicability |
|------|-----------|---|-------------|-------------|---------------|
| n/a | | | | | |

This method shall support the request data structures specified in table 6.1.3.2.3.1-2 and the response data structures and response codes specified in table 6.1.3.2.3.1-3.

Table 6.1.3.2.3.1-2: Data structures supported by the POST Request Body on this resource

| Data type | P | Cardinality | Description |
|---------------|---|-------------|---|
| CreateReqData | M | 1 | Representation of the MBS distribution session to be created in the MBSTF |

Table 6.1.3.2.3.1-3: Data structures supported by the POST Response Body on this resource

| Data type | P | Cardinality | Response codes | Description |
|--|---|-------------|------------------------------|---------------------------------------|
| CreateRspData | M | 1 | 201 Created | Successful creation of an MBS session |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. (NOTE 2) |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. (NOTE 2) |
| NOTE 1: The mandatory HTTP error status code for the POST method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply. | | | | |
| NOTE 2: RedirectResponse may be inserted by an SCP, see clause 6.10.9.1 of 3GPP TS 29.500 [4]. | | | | |

Table 6.1.3.2.3.1-4: Headers supported by the POST method on this resource

| Name | Data type | P | Cardinality | Description |
|------|-----------|---|-------------|-------------|
| | | | | |

Table 6.1.3.2.3.1-5: Headers supported by the 201 response code on this resource

| Name | Data type | P | Cardinality | Description |
|----------|-----------|---|-------------|--|
| Location | string | M | 1 | Contains the URI of the newly created resource, according to the structure: {apiRoot}/nmbstf-distSession/<apiVersion>/dist-sessions/{distSessionRef} |

Table 6.1.3.2.3.1-6: Headers supported by the 307 response code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

Table 6.1.3.2.3.1-7: Headers supported by the 308 response code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

6.1.3.2.4 Resource Custom Operations

None

6.1.3.3 Resource: Individual MBS distribution session (Document)

6.1.3.3.1 Description

This resource represents an individual MBS distribution session created in the MBSTF.

This resource is modelled with the Document resource archetype (see clause C.1 of 3GPP TS 29.501 [5]).

6.1.3.3.2 Resource Definition

Resource URI: {apiRoot}/nmbstf-distSession/<apiVersion>/dist-sessions/{distSessionRef}

This resource shall support the resource URI variables defined in table 6.1.3.3.2-1.

Table 6.1.3.3.2-1: Resource URI variables for this resource

| Name | Data type | Definition |
|----------------|-----------|--|
| apiRoot | string | See clause 6.1.1 |
| apiVersion | string | See clause 6.1.1 |
| distSessionRef | string | MBS distribution session reference assigned by the MBSTF during the Create service operation |

6.1.3.3.3 Resource Standard Methods

6.1.3.3.3.1 PATCH

This method updates an individual MBS distribution session resource in the MBSTF.

This method shall support the URI query parameters specified in table 6.1.3.3.3.1-1.

Table 6.1.3.3.3.1-1: URI query parameters supported by the PATCH method on this resource

| Name | Data type | P | Cardinality | Description | Applicability |
|------|-----------|---|-------------|-------------|---------------|
| n/a | | | | | |

This method shall support the request data structures specified in table 6.1.3.3.3.1-2 and the response data structures and response codes specified in table 6.1.3.3.3.1-3.

Table 6.1.3.3.3.1-2: Data structures supported by the PATCH Request Body on this resource

| Data type | P | Cardinality | Description |
|------------------|---|-------------|---|
| array(PatchItem) | M | 1..N | List of changes to be made to the MBS session resource, according to the JSON PATCH format specified in IETF RFC 6902 [16]. |

Table 6.1.3.3.3.1-3: Data structures supported by the PATCH Response Body on this resource

| Data type | P | Cardinality | Response codes | Description |
|---|---|-------------|------------------------|---|
| n/a | | | 204 No Content | Successful response |
| DistSession | M | 1 | 200 OK | Upon success, a response body containing the updated representation of Distribution Session shall be returned |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. (NOTE 2) |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. (NOTE 2) |
| NOTE 1: The mandatory HTTP error status code for the PATCH method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply. | | | | |
| NOTE 2: RedirectResponse may be inserted by an SCP, see clause 6.10.9.1 of 3GPP TS 29.500 [4]. | | | | |

Table 6.1.3.3.3.1-4: Headers supported by the 307 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

Table 6.1.3.3.3.1-5: Headers supported by the 308 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

6.1.3.3.3.2 DELETE

This method deletes an individual MBS distribution session resource in the MBSTF.

This method shall support the URI query parameters specified in table 6.1.3.3.3.2-1.

Table 6.1.3.3.3.2-1: URI query parameters supported by the DELETE method on this resource

| Name | Data type | P | Cardinality | Description | Applicability |
|------|-----------|---|-------------|-------------|---------------|
| n/a | | | | | |

This method shall support the request data structures specified in table 6.1.3.3.3.2-2 and the response data structures and response codes specified in table 6.1.3.3.3.2-3.

Table 6.1.3.3.3.2-2: Data structures supported by the DELETE Request Body on this resource

| Data type | P | Cardinality | Description |
|-----------|---|-------------|-------------|
| n/a | | | |

Table 6.1.3.3.3.2-3: Data structures supported by the DELETE Response Body on this resource

| Data type | P | Cardinality | Response codes | Description |
|--|---|-------------|------------------------|------------------------------------|
| n/a | | | 204 No Content | Successful response |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. (NOTE 2) |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. (NOTE 2) |
| NOTE 1: The mandatory HTTP error status code for the DELETE method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply. | | | | |
| NOTE 2: RedirectResponse may be inserted by an SCP, see clause 6.10.9.1 of 3GPP TS 29.500 [4]. | | | | |

Table 6.1.3.3.3.2-4: Headers supported by the 307 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

Table 6.1.3.3.3.2-5: Headers supported by the 308 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MB-STF (service) instance ID towards which the request is redirected |

6.1.3.3.3.3 GET

This method retrieves an individual MBS distribution session resource in the MBSTF.

This method shall support the URI query parameters specified in table 6.1.3.3.3.3-1.

Table 6.1.3.3.3.3-1: URI query parameters supported by the GET method on this resource

| Name | Data type | P | Cardinality | Description | Applicability |
|------|-----------|---|-------------|-------------|---------------|
| n/a | | | | | |

This method shall support the request data structures specified in table 6.1.3.3.3.3-2 and the response data structures and response codes specified in table 6.1.3.3.3.3-3.

Table 6.1.3.3.3.3-2: Data structures supported by the GET Request Body on this resource

| Data type | P | Cardinality | Description |
|-----------|---|-------------|-------------|
| n/a | | | |

Table 6.1.3.3.3.3-3: Data structures supported by the GET Response Body on this resource

| Data type | P | Cardinality | Response codes | Description |
|---|---|-------------|------------------------|---|
| DistSession | M | 1 | 200 OK | Successful response containing representation of the MBS Distribution Session |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. (NOTE 2) |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. (NOTE 2) |
| NOTE 1: The mandatory HTTP error status code for the GET method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply. | | | | |
| NOTE 2: RedirectResponse may be inserted by an SCP, see clause 6.10.9.1 of 3GPP TS 29.500 [4]. | | | | |

Table 6.1.3.3.3-4: Headers supported by the 307 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

Table 6.1.3.3.3-5: Headers supported by the 308 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

6.1.3.3.4 Resource Custom Operations

None.

6.1.3.4 Resource: Subscriptions collection for MBS distribution session (Collection)

6.1.3.4.1 Description

This resource represents the collection of the individual subscriptions for an MBS distribution session created in the MBSTF with StatusSubscribe service operation.

This resource is modelled with the Collection resource archetype (see clause C.2 of 3GPP TS 29.501 [5]).

6.1.3.4.2 Resource Definition

Resource URI: {apiRoot}/nmbstf-distSession/<apiVersion>/dist-sessions/{distSessionRef}/subscriptions

This resource shall support the resource URI variables defined in table 6.1.3.4.2-1.

Table 6.1.3.4.2-1: Resource URI variables for this resource

| Name | Data type | Definition |
|----------------|-----------|--|
| apiRoot | string | See clause 6.1.1 |
| apiVersion | string | See clause 6.1.1 |
| distSessionRef | string | MBS distribution session reference assigned by the MBSTF during the Create service operation |

6.1.3.4.3 Resource Standard Methods

6.1.3.4.3.1 POST

This method creates an individual subscription resource for an MBS distribution session in the MBSTF with StatusSubscribe service operation.

This method shall support the URI query parameters specified in table 6.1.3.4.3.1-1.

Table 6.1.3.4.3.1-1: URI query parameters supported by the POST method on this resource

| Name | Data type | P | Cardinality | Description | Applicability |
|------|-----------|---|-------------|-------------|---------------|
| n/a | | | | | |

This method shall support the request data structures specified in table 6.1.3.4.3.1-2 and the response data structures and response codes specified in table 6.1.3.4.3.1-3.

Table 6.1.3.4.3.1-2: Data structures supported by the POST Request Body on this resource

| Data type | P | Cardinality | Description |
|------------------------|---|-------------|---|
| StatusSubscribeReqData | M | 1 | Data within the StatusSubscribe Request |

Table 6.1.3.4.3.1-3: Data structures supported by the POST Response Body on this resource

| Data type | P | Cardinality | Response codes | Description |
|------------------------|---|-------------|------------------------------|--|
| StatusSubscribeRspData | M | 1 | 201 Created | Data within the StatusSubscribe Response |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. (NOTE 2) |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. (NOTE 2) |

NOTE 1: The mandatory HTTP error status code for the POST method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply.

NOTE 2: RedirectResponse may be inserted by an SCP, see clause 6.10.9.1 of 3GPP TS 29.500 [4].

Table 6.1.3.4.3.1-4: Headers supported by the POST method on this resource

| Name | Data type | P | Cardinality | Description |
|------|-----------|---|-------------|-------------|
| | | | | |

Table 6.1.3.4.3.1-5: Headers supported by the 201 response code on this resource

| Name | Data type | P | Cardinality | Description |
|----------|-----------|---|-------------|--|
| Location | string | M | 1 | Contains the URI of the newly created resource, according to the structure: {apiRoot}/nmbstf-distSession/<apiVersion>/dist-sessions/{distSessionRef}/subscriptions/{subscriptionId} |

Table 6.1.3.4.3.1-6: Headers supported by the 307 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

Table 6.1.3.4.3.1-7: Headers supported by the 308 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

6.1.3.4.4 Resource Custom Operations

None.

6.1.3.5 Resource: Individual subscription for an MBS distribution session (Document)

6.1.3.5.1 Description

This resource represents an individual subscription for an MBS distribution session in the MBSTF, which can be deleted with StatusUnsubscribe service operation or updated with StatusSubscribe service operation.

This resource is modelled with the Document resource archetype (see clause C.1 of 3GPP TS 29.501 [5]).

6.1.3.5.2 Resource Definition

Resource URI: {apiRoot}/nmbstf-distsession/<apiVersion>/dist-sessions/{distSessionRef}/subscriptions/{subscriptionId}

This resource shall support the resource URI variables defined in table 6.1.3.5.2-1.

Table 6.1.3.5.2-1: Resource URI variables for this resource

| Name | Data type | Definition |
|----------------|-----------|--|
| apiRoot | string | See clause 6.1.1 |
| apiVersion | string | See clause 6.1.1 |
| distSessionRef | string | MBS distribution session reference assigned by the MBSTF during the Create service operation |
| subscriptionId | string | Subscription identifier assigned by the MBSTF during the creation of the subscription |

6.1.3.5.3 Resource Standard Methods

6.1.3.5.3.1 DELETE

This method deletes an individual subscription resource for an MBS distribution session in the MBSTF with StatusUnsubscribe service operation.

This method shall support the URI query parameters specified in table 6.1.3.5.3.1-1.

Table 6.1.3.5.3.1-1: URI query parameters supported by the DELETE method on this resource

| Name | Data type | P | Cardinality | Description | Applicability |
|------|-----------|---|-------------|-------------|---------------|
| n/a | | | | | |

This method shall support the request data structures specified in table 6.1.3.5.3.1-2 and the response data structures and response codes specified in table 6.1.3.5.3.1-3.

Table 6.1.3.5.3.1-2: Data structures supported by the DELETE Request Body on this resource

| Data type | P | Cardinality | Description |
|-----------|---|-------------|-------------|
| n/a | | | |

Table 6.1.3.5.3.1-3: Data structures supported by the DELETE Response Body on this resource

| Data type | P | Cardinality | Response Codes | Description |
|------------------|---|-------------|------------------------|---------------------------------|
| n/a | | | 204 No Content | Successful deletion |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. (NOTE 2) |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. (NOTE 2) |

NOTE 1: The mandatory HTTP error status code for the POST method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply.

NOTE 2: RedirectResponse may be inserted by an SCP, see clause 6.10.9.1 of 3GPP TS 29.500 [4].

Table 6.1.3.5.3.1-4: Headers supported by the 307 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

Table 6.1.3.5.3.1-5: Headers supported by the 308 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

6.1.3.5.3.2 PATCH

This method updates an individual subscription resource for an MBS distribution session in the MBSTF with StatusSubscribe service operation for the subscription update (see clause 5.2.2.6.3).

This method shall support the URI query parameters specified in table 6.1.3.5.3.2-1.

Table 6.1.3.5.3.2-1: URI query parameters supported by the PATCH method on this resource

| Name | Data type | P | Cardinality | Description | Applicability |
|------|-----------|---|-------------|-------------|---------------|
| n/a | | | | | |

This method shall support the request data structures specified in table 6.1.3.5.3.2-2 and the response data structures and response codes specified in table 6.1.3.5.3.2-3.

Table 6.1.3.5.3.2-2: Data structures supported by the PATCH Request Body on this resource

| Data type | P | Cardinality | Description |
|------------------|---|-------------|--|
| array(PatchItem) | M | 1..N | It shall contain the list of changes to be made to the Status Subscription (i.e. DistSessionSubscription data type), according to the JSON PATCH format specified in IETF RFC 6902 [16]. |

Table 6.1.3.5.3.2-3: Data structures supported by the PATCH Response Body on this resource

| Data type | P | Cardinality | Response codes | Description |
|-------------------------|---|-------------|------------------------|---|
| DistSessionSubscription | M | 1 | 200 OK | Upon success, a response body shall be returned containing the updated Status Subscription. |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. (NOTE 2) |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. (NOTE 2) |

NOTE 1: The mandatory HTTP error status code for the POST method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply.

NOTE 2: RedirectResponse may be inserted by an SCP, see clause 6.10.9.1 of 3GPP TS 29.500 [4].

Table 6.1.3.5.3.2-4: Headers supported by the PATCH method on this resource

| Name | Data type | P | Cardinality | Description |
|------|-----------|---|-------------|-------------|
| | | | | |

Table 6.1.3.5.3.2-5: Headers supported by the 200 response code on this resource

| Name | Data type | P | Cardinality | Description |
|------|-----------|---|-------------|-------------|
| | | | | |

Table 6.1.3.5.3.2-6: Headers supported by the 307 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

Table 6.1.3.5.3.2-7: Headers supported by the 308 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|---|
| Location | string | M | 1 | An alternative URI of the resource located on an alternative service instance within the same MBSTF or MBSTF (service) set. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target MBSTF (service) instance ID towards which the request is redirected |

6.1.3.5.4 Resource Custom Operations

None.

6.1.4 Custom Operations without associated resources

None

6.1.5 Notifications

6.1.5.1 General

Notifications shall comply to clause 6.2 of 3GPP TS 29.500 [4] and clause 4.6.2.3 of 3GPP TS 29.501 [5].

Table 6.1.5.1-1: Notifications overview

| Notification | Callback URI | HTTP method or custom operation | Description (service operation) |
|--------------------|--------------|---------------------------------|---------------------------------|
| Event Notification | NotifUri | POST | StatusNotify |

6.1.5.2 StatusNotify

6.1.5.2.1 Description

The Event Notification is used by the NF service producer to report one or several observed Events to a NF service consumer that has subscribed to such Notifications.

6.1.5.2.2 Target URI

The Callback URI "{notifUri}" shall be used with the callback URI variables defined in table 6.1.5.2.2-1.

Table 6.1.5.2.2-1: Callback URI variables

| Name | Definition |
|----------|---|
| notifUri | String formatted as URI with the Callback Uri |

6.1.5.2.3 Standard Methods

6.1.5.2.3.1 POST

This method shall support the request data structures specified in table 6.1.5.2.3.1-1 and the response data structures and response codes specified in table 6.1.5.2.3.1-2.

Table 6.1.5.2.3.1-1: Data structures supported by the POST Request Body

| Data type | P | Cardinality | Description |
|---------------------|---|-------------|--------------------------------------|
| StatusNotifyReqData | M | 1 | Data within the StatusNotify Request |

Table 6.1.5.2.3.1-2: Data structures supported by the POST Response Body

| Data type | P | Cardinality | Response codes | Description |
|---|---|-------------|------------------------|------------------------|
| n/a | | | 204 No Content | Successful response |
| RedirectResponse | O | 0..1 | 307 Temporary Redirect | Temporary redirection. |
| RedirectResponse | O | 0..1 | 308 Permanent Redirect | Permanent redirection. |
| NOTE: The mandatory HTTP error status codes for the POST method listed in Table 5.2.7.1-1 of 3GPP TS 29.500 [4] also apply. | | | | |

Table 6.1.5.2.3.1-3: Headers supported by the 307 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|--|
| Location | string | M | 1 | A URI pointing to the endpoint of the NF service consumer to which the notification should be sent. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target NF (service) instance ID towards which the request is redirected |

Table 6.1.5.2.3.1-4: Headers supported by the 308 Response Code on this resource

| Name | Data type | P | Cardinality | Description |
|-----------------------|-----------|---|-------------|--|
| Location | string | M | 1 | A URI pointing to the endpoint of the NF service consumer to which the notification should be sent. For the case, when a request is redirected to the same target resource via a different SCP, see clause 6.10.9.1 in 3GPP TS 29.500 [4]. |
| 3gpp-Sbi-Target-Nf-Id | string | O | 0..1 | Identifier of the target NF (service) instance ID towards which the request is redirected |

6.1.6 Data Model

6.1.6.1 General

This clause specifies the application data model supported by the API.

Table 6.1.6.1-1 specifies the data types defined for the Nmbstf_MBSDistributionSession service based interface protocol.

Table 6.1.6.1-1: Nmbstf_MBSDistributionSession specific Data Types

| Data type | Clause defined | Description | Applicability |
|------------------------------|----------------|--|---------------|
| CreateReqData | 6.1.6.2.2 | Data within the Create Request | |
| CreateRspData | 6.1.6.2.3 | Data within the Create Response | |
| DistSession | 6.1.6.2.4 | Data specific to distribution session | |
| ObjDistributionData | 6.1.6.2.5 | Data specific to Object Distribution Method | |
| PktDistributionData | 6.1.6.2.6 | Data specific to Packet Distribution Method | |
| StatusSubscribeReqData | 6.1.6.2.7 | Data within Subscription creation request | |
| StatusSubscribeRspData | 6.1.6.2.8 | Data within Subscription creation response | |
| StatusNotifyReqData | 6.1.6.2.9 | Data within Notification request | |
| DistSessionSubscription | 6.1.6.2.10 | Data specific to subscription request | |
| DistSessionEventReportList | 6.1.6.2.11 | MBS distribution session event report list | |
| DistSessionEventReport | 6.1.6.2.12 | MBS distribution session event report | |
| UpTrafficFlowInfo | 6.1.6.2.13 | Protocol header values for User Plane packets passed to the MB-UPF | |
| MbStfIngestAddr | 6.1.6.2.14 | MBSTF Ingest Addresses | |
| ExtSsm | 6.1.6.2.15 | SSM and Port Number | |
| DistSessionState | 6.1.6.3.3 | MBS distribution session state | |
| ObjDistributionOperatingMode | 6.1.6.3.4 | Operating Mode for Object distribution method | |
| ObjAcquisitionMethod | 6.1.6.3.5 | Object acquisition method | |
| PktDistributionOperatingMode | 6.1.6.3.6 | Operating Mode for Packet distribution method | |
| DistSessionEventType | 6.1.6.3.7 | MBS distribution session event type | |
| PktIngestMethod | 6.1.6.3.8 | Packet Ingest Method | |

Table 6.1.6.1-2 specifies data types re-used by the Nmbstf_MBSDistributionSession service based interface protocol from other specifications, including a reference to their respective specifications and when needed, a short description of their use within the Nmbstf_MBSDistributionSession service based interface.

Table 6.1.6.1-2: Nmbstf_MBSDistributionSession re-used Data Types

| Data type | Reference | Comments | Applicability |
|------------------|---------------------|---|---------------|
| TunnelAddress | 3GPP TS 29.571 [16] | Tunnel Address (UDP/IP) | |
| BitRate | 3GPP TS 29.571 [16] | Bit Rate | |
| PacketDelBudget | 3GPP TS 29.571 [16] | Maximum Delay | |
| Uri | 3GPP TS 29.571 [16] | Uniform resource identifier | |
| DateTime | 3GPP TS 29.571 [16] | Data and Time | |
| NfInstancelid | 3GPP TS 29.571 [16] | NF Instance Identifier | |
| UInteger | 3GPP TS 29.571 [16] | Unsigned Integer | |
| IpAddr | 3GPP TS 29.571 [16] | IP Address | |
| Ssm | 3GPP TS 29.571 [16] | Source Specific Multicast Address | |
| FECConfig | 3GPP TS 29.580 [18] | FEC Configuration | |
| RedirectResponse | 3GPP TS 29.571 [16] | Contains redirection related information. | |

6.1.6.2 Structured data types

6.1.6.2.1 Introduction

This clause defines the structures to be used in resource representations.

6.1.6.2.2 Type: CreateReqData

Table 6.1.6.2.2-1: Definition of type CreateReqData

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|----------------|-------------|---|-------------|---|---------------|
| distSession | DistSession | M | 1 | MBS Distribution Session to be created. | |

6.1.6.2.3 Type: CreateRspData

Table 6.1.6.2.3-1: Definition of type CreateRspData

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|----------------|-------------|---|-------------|---|---------------|
| distSession | DistSession | M | 1 | Representation of the created MBS session | |

6.1.6.2.4 Type: DistSession

Table 6.1.6.2.4-1: Definition of type DistSession

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|-------------------------|-------------------------|---|-------------|---|---------------|
| distSessionId | string | M | 1 | An identifier for this MBS Distribution Session assigned by the MBSF that is unique within the scope of the MBS User Service (see clause 4.5.3 of 3GPP TS 26.502) | |
| distSessionState | DistSessionState | M | 1 | The current state of the MBS Distribution Session (see clause 4.6.1 of 3GPP TS 26.502) | |
| mbUpfTunAddr | TunnelAddress | M | 1 | The tunnel endpoint address of the MB-UPF that supports this MBS Distribution Session at reference point Nmb9 or the tunnel endpoint address of the MBMS-GW at reference point SGi-mb. Write-Only: true | |
| mbmsGwTunAddr | TunnelAddress | O | 0..1 | This IE may be present to contain the tunnel endpoint address of the MBMS-GW at reference point SGi-mb when the mbUpfTunAddr is also present which contains the tunnel endpoint address of the MB-UPF that supports this MBS Distribution Session at reference point Nmb9. Write-Only: true | |
| upTrafficFlowInfo | UpTrafficFlowInfo | C | 0..1 | Details of the User Plane traffic flow to be used by the MBSTF for this MBS Distribution Session. Shall be present in case of Object Distribution Method and Packet Distribution Method in Packet Proxy Mode. Write-Only: true | |
| mbr | BitRate | M | 1 | The maximum bit rate for this MBS Distribution Session Write-Only: true | |
| maxDelay | PacketDelBudget | O | 0..1 | The maximum end-to-end distribution delay that is tolerated for this MBS Distribution Session by the MBS Application Provider Write-Only: true | |
| objDistributionData | ObjDistributionData | C | 0..1 | Additional MBS Distribution Session parameters for Object Distribution Method (NOTE 1) | |
| pktDistributionData | PktDistributionData | C | 0..1 | Additional MBS Distribution Session parameters for Packet Distribution Method (NOTE 1) | |
| fecInformation | FECConfig | O | 0..1 | Configuration for FEC information added by the MBSTF to protect this MBS Distribution Session. | |
| dscpMarking | string | O | 0..1 | DSCP Marking to be applied to outgoing traffic. It shall be encoded as two octet string in hexadecimal representation. The first octet shall contain the DSCP value in the IPv4 Type-of-Service or the IPv6 Traffic-Class field and the second octet shall contain the ToS/Traffic Class mask field, which shall be set to "0xFC". Write-Only: true | |
| distSessionSubscription | DistSessionSubscription | O | 0..1 | Contains the parameters to request the creation of a subscription to one or more event(s) related to the MBS distribution session. | |

NOTE 1: Either the objDistributionData IE or the pktDistributionData IE shall be present in a request/response.

6.1.6.2.5 Type: ObjDistributionData

Table 6.1.6.2.5-1: Definition of type ObjDistributionData

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|------------------------------|------------------------------|---|-------------|---|---------------|
| objDistributionOperatingMode | ObjDistributionOperatingMode | M | 1 | Operating Mode for the Object distribution method | |
| objAcquisitionMethod | ObjAcquisitionMethod | M | 1 | Indicates whether the objects(s) are to be pushed into the MBSTF by the MBS Application Provider or whether they are to be pulled from the MBS Application Provider by the MBSTF | |
| objAcquisitionIdsPull | array(Uri) | C | 1..N | Represents the URL(s) (expressed as path(es) relative to the object ingest base URL provided in the "objIngestBaseUrl" attribute) pointing to the root object(s) to be pulled by the MBSTF and then distributed during this MBS Distribution Session. This attribute shall be provided, when available. See clause 6.1 of 3GPP TS 26.502 [17] (NOTE 2, NOTE 5, NOTE 6) | |
| objAcquisitionIdsPush | Uri | C | 0..1 | Represents the URL (expressed as a path relative to the object ingest base URL provided in the "objIngestBaseUrl" attribute) pointing to the root object(s) to be pushed to the MBSTF and then distributed during this MBS Distribution Session. This attribute shall be provided, when available. See clause 6.1 of 3GPP TS 26.502 [17] (NOTE 2, NOTE 5, NOTE 6) | |
| objIngestBaseUrl | Uri | C | 0..1 | Represents the object ingest base URL. It contains a URL prefix that is replaced by the object distribution base URL by the MBSTF to derive the object distribution URI prior to the distribution of ingested objects. Shall be present if the object Distribution base URL (within the "objDistributionBaseUrl") is present. (NOTE 3, NOTE 4, NOTE 6) | |
| objDistributionBaseUrl | Uri | O | 0..1 | Represents the object distribution base URL. It contains a URL prefix with which the MBSTF replaces the object ingest base URL to derive the object distribution URL prior to the distribution of ingested objects. (NOTE 4) | |

NOTE 1: void.

NOTE 2: Either the "objAcquisitionIdsPull" attribute or the "objAcquisitionIdsPush" attribute shall be provided, when available.

NOTE 3: When the "objAcquisitionMethod" attribute is set to "PULL", this attribute may be provided by the MBSF during the creation and/or update/modification of the MBS Distribution Session (if received from the AF). When the "objAcquisitionMethod" attribute is set to "PUSH", this attribute may be provided by the MBSTF in the response to the creation and/or update/modification request of the MBS Distribution Session.

NOTE 4: When the "objDistributionBaseUrl" attribute is omitted, nothing is replaced/removed from the object ingest URL when deriving the object distribution URL.

NOTE 5: For group message delivery, the NEF transforms the group message payload into a file, so as an object to be ingested and distributed by the MBSTF using PULL or PUSH Method as specified in 3GPP TS 23.247 [15].

NOTE 6: When the "objDistributionOperatingMode" is set to "SINGLE" and the "objAcquisitionMethod" is set to "PUSH", the "objAcquisitionIdsPull" attribute and the "objAcquisitionIdsPush" attribute shall be omitted.

6.1.6.2.6 Type: PktDistributionData

Table 6.1.6.2.6-1: Definition of type PktDistributionData

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|------------------------------|------------------------------|---|-------------|--|---------------|
| pktDistributionOperatingMode | PktDistributionOperatingMode | M | 1 | Operating Mode for the Packet distribution method | |
| pktIngestMethod | PktIngestMethod | C | 1 | Indicates whether packets are ingested using multicast or unicast ingest. It shall be present if operating mode of the packet distribution method is set to "PACKET_PROXY". | |
| mbStfIngestAddr | MbStfIngestAddr | M | 1 | The endpoint addresses used by the MBS Application Provider and MBSTF to establish a connection at reference point Nmb8 prior to the commencement of MBS User Data Ingest Session. | |

6.1.6.2.7 Type: StatusSubscribeReqData

Table 6.1.6.2.7-1: Definition of type StatusSubscribeReqData

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|----------------|-------------------------|---|-------------|----------------------------|---------------|
| subscription | DistSessionSubscription | M | 1 | Subscription to be created | |

6.1.6.2.8 Type: StatusSubscribeRspData

Table 6.1.6.2.8-1: Definition of type StatusSubscribeRspData

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|----------------|----------------------------|---|-------------|---|---------------|
| subscription | DistSessionSubscription | M | 1 | Subscription created | |
| reportList | DistSessionEventReportList | C | 0..1 | Immediate event reports, if requested in the request and if corresponding information is available. | |

6.1.6.2.9 Type: StatusNotifyReqData

Table 6.1.6.2.9-1: Definition of type StatusSubscribeReqData

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|----------------|----------------------------|---|-------------|-----------------------------|---------------|
| reportList | DistSessionEventReportList | M | 1 | Reported MBS session events | |

6.1.6.2.10 Type: DistSessionSubscription

Table 6.1.6.2.10-1: Definition of type DistSessionSubscription

| Attribute name | Data type | P | Cardinality | Description |
|--|-----------------------------|---|-------------|--|
| eventList | array(DistSessionEventType) | M | 1..N | List of MBS distribution session events subscribed |
| notifyUri | Uri | M | 1 | URI where the NF service consumer requests to receive notifications. Write-Only: true |
| notifyCorrelationId | string | O | 0..1 | Notification Correlation ID Write-Only: true |
| expiryTime | DateTime | O | 0..1 | When present in the subscription creation request, it shall indicate the time up to which the subscription is desired to be kept active and after which the subscribed events shall stop generating notifications. When present in a subscription response, it shall indicate the expiry time after which the subscription becomes invalid. |
| nfInstanceId | NfInstanceId | C | 0..1 | NF Instance ID of the NF Service Consumer This IE shall be present if available. Write-Only: true |
| distSessionSubscUri | Uri | C | 0..1 | This IE shall be present in the response to an MBS distribution session creation request that includes a subscription to events about the MBS distribution session and the subscription was created successfully. When present, it shall contain the URI of the individual subscription resource. Read-Only: true (NOTE) |
| NOTE: When an MBS distribution session status subscription is created separately (i.e. after) an MBS distribution session creation, the Location header returned in the MBS distribution session status subscription creation response contains the URI of the created subscription. | | | | |

6.1.6.2.11 Type: DistSessionEventReportList

Table 6.1.6.2.11-1: Definition of type DistSessionEventReportList

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|---------------------|-------------------------------|---|-------------|---|---------------|
| eventReportList | array(DistSessionEventReport) | M | 1..N | List of MBS distribution session events to report | |
| notifyCorrelationId | string | C | 0..1 | Notification Correlation ID. This IE shall be present if a Notification Correlation ID is available in the subscription. | |

6.1.6.2.12 Type: DistSessionEventReport

Table 6.1.6.2.12-1: Definition of type DistSessionEventReport

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|----------------|----------------------|---|-------------|--|---------------|
| eventType | DistSessionEventType | M | 1 | MBS distribution session event type | |
| timeStamp | DateTime | C | 0..1 | This IE shall contain the time at which the event is generated. This IE should be present, if available. | |

6.1.6.2.13 Type: UpTrafficFlowInfo

Table 6.1.6.2.13-1: Definition of type UpTrafficFlowInfo

| Attribute name | Data type | P | Cardinality | Description | Applica bility |
|--|-----------|---|-------------|---|-------------------|
| destIpAddr | IpAddr | M | 1 | Multicast group destination IP address | |
| portNumber | UInteger | M | 1 | Destination port number | |
| srcIpAddr | IpAddr | C | 0..1 | Source IP address An implementation complying with this version of the specification shall include this IE for any operating mode other than "PACKET_FORWARD_ONLY". | |
| transportSessionId | UInteger | C | 0..1 | Delivery protocol transport session identifier An implementation complying with this version of the specification shall include this IE in case of Object Distribution Method. (NOTE 1) | |
| NOTE 1: When the User Plane delivery protocol conforms to IETF RFC 5775 [19], the "transportSessionId" attribute indicates the 32-bit ALC TSI. | | | | | |

6.1.6.2.14 Type: MbStfIngestAddr

Table 6.1.6.2.14-1: Definition of type MbStfIngestAddr

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|---------------------|---------------|---|-------------|--|---------------|
| afEgressTunAddr | TunnelAddress | C | 0..1 | <p>AF side endpoint address and port for establishment of unicast tunnel at reference point Nmb8 prior to the commencement of MBS User Data Ingest Session.</p> <p>The MBSTF shall use this information to validate the source IP address and port of incoming packets pertaining to the MBS User Data Ingest Session from the MBS Application Provider.</p> <p>This IE shall be included if the packet distribution method is used and when the operating mode is set to "PACKET_FORWARD_ONLY", or when the operating mode is set to "PACKET_PROXY" while the packet ingest method is set to "UNICAST".</p> <p>This shall be present only in the Create request over the Nmb2, Nmb10 and Nmb5 interfaces.</p> <p>Write-Only: true</p> | |
| mbStfIngressTunAddr | TunnelAddress | C | 0..1 | <p>MBSTF side endpoint address and port for establishment of unicast tunnel at reference point Nmb8 prior to the commencement of MBS User Data Ingest Session.</p> <p>It is applicable only if operating mode of the packet distribution method is set to "PACKET_FORWARD_ONLY".</p> <p>This shall be present only in either the response to the Create (or Retrieve) request over the Nmb2, Nmb10 and Nmb5 interfaces, or a notification request over the Nmb10 and Nmb5 interfaces.</p> <p>Read-Only: true</p> | |
| afSsm | ExtSsm | C | 0..1 | <p>AF side Source specific multicast address and port to which MBSTF issues an IGMP Join to ingest multicast UDP/IP datagrams.</p> <p>It is applicable only if operating mode of the packet distribution method is set to "PACKET_PROXY" and packet ingest method is set to "MULTICAST".</p> <p>This shall be present only in the Create request over the Nmb2, Nmb10 and Nmb5 interfaces.</p> <p>Write-Only: true</p> | |
| mbStfListenAddr | TunnelAddress | C | 0..1 | <p>MBSTF side endpoint address and port for to receive unicast-addressed UDP/IP datagrams.</p> <p>It is applicable only if operating mode of the packet distribution method is set to "PACKET_PROXY" and packet ingest method is set to "UNICAST".</p> <p>This shall be present only in the response to the Create (or Retrieve) request over the Nmb2, Nmb10 and Nmb5 interfaces, or a notification request over the Nmb10 and Nmb5 interfaces.</p> <p>Read-Only: true</p> | |

6.1.6.2.15 Type: ExtSsm

Table 6.1.6.2.15-1: Definition of type ExtSsm

| Attribute name | Data type | P | Cardinality | Description | Applicability |
|----------------|-----------|---|-------------|---|---------------|
| ssm | Ssm | M | 1 | Source Specific Multicast Address consisting of multicast source IP address and the destination multicast address | |
| portNumber | UInteger | M | 1 | Source Port | |

6.1.6.3 Simple data types and enumerations

6.1.6.3.1 Introduction

This clause defines simple data types and enumerations that can be referenced from data structures defined in the previous clauses.

6.1.6.3.2 Simple data types

None

6.1.6.3.3 Enumeration: DistSessionState

The enumeration DistSessionState represents the current state of the MBS Distribution Session. It shall comply with the values defined in table 6.1.6.3.3-1.

Table 6.1.6.3.3-1: Enumeration DistSessionState

| Enumeration value | Description | Applicability |
|-------------------|-------------------------------------|---------------|
| "INACTIVE" | Distribution Session in Inactive | |
| "ESTABLISHED" | Distribution Session in Established | |
| "ACTIVE" | Distribution Session in Active | |
| "DEACTIVATING" | Distribution Session in Released | |

6.1.6.3.4 Enumeration: ObjDistributionOperatingMode

The enumeration ObjDistributionOperatingMode defines the mode of data ingestion for Object distribution method. It shall comply with the values defined in table 6.1.6.3.4-1.

Table 6.1.6.3.4-1: Enumeration ObjDistributionOperatingMode

| Enumeration value | Description | Applicability |
|-------------------|---|---------------|
| "SINGLE" | Each object ingested by the MBSTF is distributed once | |
| "COLLECTION" | A set of objects described by a manifest is ingested by the MBSTF and distributed once | |
| "CAROUSEL" | A set of one or more objects described by a manifest is ingested by the MBSTF and distributed according to a repetition pattern specified in the manifest | |
| "STREAMING" | A sequence of objects is ingested by the MBSTF and streamed in real time | |

6.1.6.3.5 Enumeration: ObjAcquisitionMethod

The enumeration ObjAcquisitionMethod indicates whether the object(s) are to be pushed into the MBSTF by the MBS Application Provider or whether they are to be pulled from the MBS Application Provider by the MBSTF. It shall comply with the values defined in table 6.1.6.3.5-1.

Table 6.1.6.3.5-1: Enumeration ObjAcquisitionMethod

| Enumeration value | Description | Applicability |
|-------------------|---------------------------------|---------------|
| "PULL" | MBSTF Pulls objects from AF/AS | |
| "PUSH" | AF/AS Pushes objects into MBSTF | |

6.1.6.3.6 Enumeration: PktDistributionOperatingMode

The enumeration PktDistributionOperatingMode defines the mode of data ingestion for Packet distribution method. It shall comply with the values defined in table 6.1.6.3.6-1.

Table 6.1.6.3.6-1: Enumeration PktDistributionOperatingMode

| Enumeration value | Description | Applicability |
|-----------------------|---|---------------|
| "PACKET_PROXY" | The payloads of UDP packets ingested by the MBSTF are forwarded to the MB-UPF in new UDP packets (Layer 4 proxying) | |
| "PACKET_FORWARD_ONLY" | The payloads of IP packets ingested by the MBSTF are forwarded to the MB-UPF in new IP packets (Layer 3 proxying) | |

6.1.6.3.7 Enumeration: DistSessionEventType

The enumeration DistSessionEventType defines the status of the MBS distribution session that NF consumer wants to subscribe to. It shall comply with the values defined in table 6.1.6.3.7-1.

Table 6.1.6.3.7-1: Enumeration DistSessionEventType

| Enumeration value | Description | Applicability |
|-----------------------------------|---|---------------|
| "DATA_INGEST_FAILURE" | MBSTF failed to ingest data from AF/AS | |
| "SESSION_DEACTIVATED" | Session released in MBSTF | |
| "SESSION_ACTIVATED" | Delivery started towards MB-UPF | |
| "SERVICE_MANAGEMENT_FAILURE" | MBS distribution session failed to start | |
| "DATA_INGEST_SESSION_ESTABLISHED" | MBSTF successfully established the User Data Ingest Session corresponding to the distribution session. | |
| "DATA_INGEST_SESSION_TERMINATED" | MBSTF stopped the User Data Ingest Session corresponding to the distribution session at the end of the current active period. | |

6.1.6.3.8 Enumeration: PktIngestMethod

The enumeration PktIngestMethod defines the mode of data ingestion for Packet distribution method. It shall comply with the values defined in table 6.1.6.3.8-1.

Table 6.1.6.3.8-1: Enumeration PktIngestMethod

| Enumeration value | Description | Applicability |
|-------------------|-----------------------|---------------|
| "MULTICAST" | Multicast Ingest Mode | |
| "UNICAST" | Unicast Ingest Mode | |

6.1.6.4 Data types describing alternative data types or combinations of data types

None

6.1.6.5 Binary data

None

6.1.7 Error Handling

6.1.7.1 General

For the Nmbstf-distsession API, HTTP error responses shall be supported as specified in clause 4.8 of 3GPP TS 29.501 [5]. Protocol errors and application errors specified in table 5.2.7.2-1 of 3GPP TS 29.500 [4] shall be supported for an HTTP method if the corresponding HTTP status codes are specified as mandatory for that HTTP method in table 5.2.7.1-1 of 3GPP TS 29.500 [4].

In addition, the requirements in the following clauses are applicable for the Nmbstf-distsession API.

6.1.7.2 Protocol Errors

No specific procedures for the Nmbstf-distsession service are specified.

6.1.7.3 Application Errors

The application errors defined for the Nmbstf-distsession service are listed in Table 6.1.7.3-1.

Table 6.1.7.3-1: Application errors

| Application Error | HTTP status code | Description |
|-------------------|------------------|-------------|
| | | |

6.1.8 Feature negotiation

The optional features in table 6.1.8-1 are defined for the Nmbstf-distsession API. They shall be negotiated using the extensibility mechanism defined in clause 6.6 of 3GPP TS 29.500 [4].

Table 6.1.8-1: Supported Features

| Feature number | Feature Name | Description |
|----------------|--------------|-------------|
| | | |

6.1.9 Security

As indicated in 3GPP TS 33.501 [8] and 3GPP TS 29.500 [4], the access to the Nmbstf-distsession API may be authorized by means of the OAuth2 protocol (see IETF RFC 6749 [9]), based on local configuration, using the "Client Credentials" authorization grant, where the NRF (see 3GPP TS 29.510 [10]) plays the role of the authorization server.

If OAuth2 is used, an NF Service Consumer, prior to consuming services offered by the Nmbstf-distsession API, shall obtain a "token" from the authorization server, by invoking the Access Token Request service, as described in 3GPP TS 29.510 [10], clause 5.4.2.2.

NOTE: When multiple NRFs are deployed in a network, the NRF used as authorization server is the same NRF that the NF Service Consumer used for discovering the Nmbstf-distsession service.

The Nmbstf-distsession API defines a single scope "nmbstf-distsession " for the entire service, and it does not define any additional scopes at resource or operation level.

6.1.10 HTTP redirection

An HTTP request may be redirected to a different MBSTF service instance within the same MBSTF, or to a different MBSTF of an MBSTF set, when using direct or indirect communications (see 3GPP TS 29.500 [4]).

An SCP that reselects a different MBSTF producer instance will return the NF Instance ID of the new MBSTF producer instance in the 3gpp-Sbi-Producer-Id header, as specified in clause 6.10.3.4 of 3GPP TS 29.500 [4].

If an MBSTF redirects a service request to a different MBSTF using an 307 Temporary Redirect or 308 Permanent Redirect status code, the identity of the new MBSTF towards which the service request is redirected shall be indicated in the 3gpp-Sbi-Target-Nf-Id header of the 307 Temporary Redirect or 308 Permanent Redirect response as specified in clause 6.10.9.1 of 3GPP TS 29.500 [4].

Annex A (normative): OpenAPI specification

A.1 General

This Annex specifies the formal definition of the API(s) defined in the present specification. It consists of OpenAPI specifications in YAML format.

This Annex takes precedence when being discrepant to other parts of the specification with respect to the encoding of information elements and methods within the API(s).

NOTE 1: The semantics and procedures, as well as conditions, e.g. for the applicability and allowed combinations of attributes or values, not expressed in the OpenAPI definitions but defined in other parts of the specification also apply.

Informative copies of the OpenAPI specification files contained in this 3GPP Technical Specification are available on a Git-based repository that uses the GitLab software version control system (see 3GPP TS 29.501 [5] clause 5.3.1 and 3GPP TR 21.900 [7] clause 5B).

A.2 Nmbstf_DistSession API

```
openapi: 3.0.0

info:
  title: Nmbstf-distsession
  version: 1.1.1
  description: |
    MBSTF Distribution Session Service.
    © 2026, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TSDSI, TTA, TTC).
    All rights reserved.

externalDocs:
  description: 3GPP TS 29.581 V18.6.0; 5G System; MBSDistribution Service.
  url: https://www.3gpp.org/ftp/Specs/archive/29_series/29.581/

servers:
- url: '{apiRoot}/nmbstf-distsession/v1'
  variables:
    apiRoot:
      default: https://example.com
      description: apiRoot as defined in clause 4.4 of 3GPP TS 29.501

security:
- {}
- oAuth2ClientCredentials:
  - nmbstf-distsession

paths:
  /dist-sessions:
    post:
      summary: Create
      tags:
        - MBS distribution sessions collection
      operationId: Create
      requestBody:
        description: >
          Representation of the MBS distribution session to be created in the MBSTF
          Creates an individual MBS distribution session resource in the MBSTF.
        required: true
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/CreateReqData'
      responses:
        '201':
          description: >
            Successful creation of an MBS session
```

```

    content:
      application/json:
        schema:
          $ref: '#/components/schemas/CreateRspData'
    headers:
      Location:
        description: >
          'Contains the URI of the newly created resource, according to the structure:
          {apiRoot}/nmbstf-distsession/<apiVersion>/dist-sessions/{distSessionRef}'
        required: true
        schema:
          type: string
  '307':
    $ref: 'TS29571_CommonData.yaml#/components/responses/307'
  '308':
    $ref: 'TS29571_CommonData.yaml#/components/responses/308'
  '400':
    $ref: 'TS29571_CommonData.yaml#/components/responses/400'
  '401':
    $ref: 'TS29571_CommonData.yaml#/components/responses/401'
  '403':
    $ref: 'TS29571_CommonData.yaml#/components/responses/403'
  '404':
    $ref: 'TS29571_CommonData.yaml#/components/responses/404'
  '411':
    $ref: 'TS29571_CommonData.yaml#/components/responses/411'
  '413':
    $ref: 'TS29571_CommonData.yaml#/components/responses/413'
  '415':
    $ref: 'TS29571_CommonData.yaml#/components/responses/415'
  '429':
    $ref: 'TS29571_CommonData.yaml#/components/responses/429'
  '500':
    $ref: 'TS29571_CommonData.yaml#/components/responses/500'
  '502':
    $ref: 'TS29571_CommonData.yaml#/components/responses/502'
  '503':
    $ref: 'TS29571_CommonData.yaml#/components/responses/503'
  default:
    $ref: 'TS29571_CommonData.yaml#/components/responses/default'

/dist-sessions/{distSessionRef}:
  patch:
    summary: Updates an individual MBS distribution session resource in the MBSTF.
    tags:
      - Individual MBS distribution session
    operationId: Update
    parameters:
      - name: distSessionRef
        in: path
        required: true
        description: Unique ID of the MBS distribution session
        schema:
          type: string
    requestBody:
      description: Data within the Update Request
      required: true
      content:
        application/json-patch+json:
          schema:
            type: array
            items:
              $ref: 'TS29571_CommonData.yaml#/components/schemas/PatchItem'
            minItems: 1
    responses:
      '204':
        description: >
          Successful modification of the MBS distribution session without content in the response.
      '200':
        description: >
          Successful response containing the updated representation of Distribution Session.
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/DistSession'
      '307':
        $ref: 'TS29571_CommonData.yaml#/components/responses/307'
      '308':

```

```

    $ref: 'TS29571_CommonData.yaml#/components/responses/308'
  '400':
    $ref: 'TS29571_CommonData.yaml#/components/responses/400'
  '401':
    $ref: 'TS29571_CommonData.yaml#/components/responses/401'
  '403':
    $ref: 'TS29571_CommonData.yaml#/components/responses/403'
  '404':
    $ref: 'TS29571_CommonData.yaml#/components/responses/404'
  '411':
    $ref: 'TS29571_CommonData.yaml#/components/responses/411'
  '413':
    $ref: 'TS29571_CommonData.yaml#/components/responses/413'
  '415':
    $ref: 'TS29571_CommonData.yaml#/components/responses/415'
  '429':
    $ref: 'TS29571_CommonData.yaml#/components/responses/429'
  '500':
    $ref: 'TS29571_CommonData.yaml#/components/responses/500'
  '502':
    $ref: 'TS29571_CommonData.yaml#/components/responses/502'
  '503':
    $ref: 'TS29571_CommonData.yaml#/components/responses/503'
  default:
    $ref: 'TS29571_CommonData.yaml#/components/responses/default'

```

delete:

```

summary: Deletes an individual MBS distribution session resource in the MBSTF.
tags:
  - Individual MBS distribution session
operationId: Destroy
parameters:
  - name: distSessionRef
    in: path
    required: true
    description: Unique ID of the MBS distribution session
    schema:
      type: string
responses:
  '204':
    description: >
      Successful release of the MBS distribution session without content in the response.
  '307':
    $ref: 'TS29571_CommonData.yaml#/components/responses/307'
  '308':
    $ref: 'TS29571_CommonData.yaml#/components/responses/308'
  '400':
    $ref: 'TS29571_CommonData.yaml#/components/responses/400'
  '401':
    $ref: 'TS29571_CommonData.yaml#/components/responses/401'
  '403':
    $ref: 'TS29571_CommonData.yaml#/components/responses/403'
  '404':
    $ref: 'TS29571_CommonData.yaml#/components/responses/404'
  '429':
    $ref: 'TS29571_CommonData.yaml#/components/responses/429'
  '500':
    $ref: 'TS29571_CommonData.yaml#/components/responses/500'
  '502':
    $ref: 'TS29571_CommonData.yaml#/components/responses/502'
  '503':
    $ref: 'TS29571_CommonData.yaml#/components/responses/503'
  default:
    $ref: 'TS29571_CommonData.yaml#/components/responses/default'

```

get:

```

summary: Retrieves an individual MBS distribution session resource in the MBSTF.
tags:
  - Individual MBS distribution session
operationId: Retrieve
parameters:
  - name: distSessionRef
    in: path
    required: true
    description: Unique ID of the MBS distribution session
    schema:
      type: string
responses:

```

```

'200':
  description: successful retrieval of MBS distribution session parameters
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/DistSession'
'307':
  $ref: 'TS29571_CommonData.yaml#/components/responses/307'
'308':
  $ref: 'TS29571_CommonData.yaml#/components/responses/308'
'400':
  $ref: 'TS29571_CommonData.yaml#/components/responses/400'
'401':
  $ref: 'TS29571_CommonData.yaml#/components/responses/401'
'403':
  $ref: 'TS29571_CommonData.yaml#/components/responses/403'
'404':
  $ref: 'TS29571_CommonData.yaml#/components/responses/404'
'429':
  $ref: 'TS29571_CommonData.yaml#/components/responses/429'
'500':
  $ref: 'TS29571_CommonData.yaml#/components/responses/500'
'502':
  $ref: 'TS29571_CommonData.yaml#/components/responses/502'
'503':
  $ref: 'TS29571_CommonData.yaml#/components/responses/503'
default:
  $ref: 'TS29571_CommonData.yaml#/components/responses/default'

/dist-sessions/{distSessionRef}/subscriptions:
  post:
    summary: StatusSubscribe creating a subscription
    tags:
      - Subscriptions collection for MBS distribution session
    operationId: StatusSubscribe
    parameters:
      - name: distSessionRef
        in: path
        required: true
        description: Unique ID of the MBS distribution session
        schema:
          type: string
    requestBody:
      description: Data within the StatusSubscribe Request
      required: true
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/StatusSubscribeReqData'
    responses:
      '201':
        description: Data within a successful StatusSubscribe Response
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/StatusSubscribeRspData'
      '307':
        $ref: 'TS29571_CommonData.yaml#/components/responses/307'
      '308':
        $ref: 'TS29571_CommonData.yaml#/components/responses/308'
      '400':
        $ref: 'TS29571_CommonData.yaml#/components/responses/400'
      '401':
        $ref: 'TS29571_CommonData.yaml#/components/responses/401'
      '403':
        $ref: 'TS29571_CommonData.yaml#/components/responses/403'
      '404':
        $ref: 'TS29571_CommonData.yaml#/components/responses/404'
      '411':
        $ref: 'TS29571_CommonData.yaml#/components/responses/411'
      '413':
        $ref: 'TS29571_CommonData.yaml#/components/responses/413'
      '415':
        $ref: 'TS29571_CommonData.yaml#/components/responses/415'
      '429':
        $ref: 'TS29571_CommonData.yaml#/components/responses/429'
      '500':
        $ref: 'TS29571_CommonData.yaml#/components/responses/500'

```

```

'502':
  $ref: 'TS29571_CommonData.yaml#/components/responses/502'
'503':
  $ref: 'TS29571_CommonData.yaml#/components/responses/503'
default:
  $ref: 'TS29571_CommonData.yaml#/components/responses/default'

callbacks:
  statusNotification:
    '{$request.body#/subscription/notifyUri}':
      post:
        parameters:
          - name: Content-Encoding
            in: header
            description: Content-Encoding, described in IETF RFC 9110
            schema:
              type: string
        requestBody:
          description: Notification Payload
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/StatusNotifyReqData'
        responses:
          '204':
            description: Expected response to a successful callback processing
            headers:
              Accept-Encoding:
                description: Accept-Encoding, described in IETF RFC 9110
                schema:
                  type: string
          '307':
            $ref: 'TS29571_CommonData.yaml#/components/responses/307'
          '308':
            $ref: 'TS29571_CommonData.yaml#/components/responses/308'
          '400':
            $ref: 'TS29571_CommonData.yaml#/components/responses/400'
          '401':
            $ref: 'TS29571_CommonData.yaml#/components/responses/401'
          '403':
            $ref: 'TS29571_CommonData.yaml#/components/responses/403'
          '404':
            $ref: 'TS29571_CommonData.yaml#/components/responses/404'
          '411':
            $ref: 'TS29571_CommonData.yaml#/components/responses/411'
          '413':
            $ref: 'TS29571_CommonData.yaml#/components/responses/413'
          '415':
            $ref: 'TS29571_CommonData.yaml#/components/responses/415'
          '429':
            $ref: 'TS29571_CommonData.yaml#/components/responses/429'
          '500':
            $ref: 'TS29571_CommonData.yaml#/components/responses/500'
          '501':
            $ref: 'TS29571_CommonData.yaml#/components/responses/501'
          '503':
            $ref: 'TS29571_CommonData.yaml#/components/responses/503'
          default:
            $ref: 'TS29571_CommonData.yaml#/components/responses/default'

/dist-sessions/{distSessionRef}/subscriptions/{subscriptionId}:
  delete:
    summary: StatusUnSubscribe to unsubscribe from the Status Subscription
    tags:
      - Individual Subscription for an MBS session
    operationId: StatusUnSubscribe
    parameters:
      - name: subscriptionId
        in: path
        required: true
        description: Unique ID of the subscription
        schema:
          type: string
      - name: distSessionRef
        in: path
        required: true
        description: Unique ID of the MBS distribution session
        schema:

```

```

    type: string
  responses:
    '204':
      description: Successful deletion of the subscription
    '307':
      $ref: 'TS29571_CommonData.yaml#/components/responses/307'
    '308':
      $ref: 'TS29571_CommonData.yaml#/components/responses/308'
    '400':
      $ref: 'TS29571_CommonData.yaml#/components/responses/400'
    '401':
      $ref: 'TS29571_CommonData.yaml#/components/responses/401'
    '403':
      $ref: 'TS29571_CommonData.yaml#/components/responses/403'
    '404':
      $ref: 'TS29571_CommonData.yaml#/components/responses/404'
    '429':
      $ref: 'TS29571_CommonData.yaml#/components/responses/429'
    '500':
      $ref: 'TS29571_CommonData.yaml#/components/responses/500'
    '502':
      $ref: 'TS29571_CommonData.yaml#/components/responses/502'
    '503':
      $ref: 'TS29571_CommonData.yaml#/components/responses/503'
    default:
      $ref: 'TS29571_CommonData.yaml#/components/responses/default'

  patch:
    summary: StatusSubscribe to modify (update or renew) an individual subscription
    tags:
      - Individual Subscription for an MBS distribution session
    operationId: StatusSubscribeMod
    parameters:
      - name: subscriptionId
        in: path
        required: true
        description: Unique ID of the individual subscription to be modified
        schema:
          type: string
      - name: distSessionRef
        in: path
        required: true
        description: Unique ID of the MBS distribution session
        schema:
          type: string
    requestBody:
      description: Data to be modified in the DistSessionSubscription
      required: true
      content:
        application/json-patch+json:
          schema:
            type: array
            items:
              $ref: 'TS29571_CommonData.yaml#/components/schemas/PatchItem'
            minItems: 1
    responses:
      '200':
        description: Successful modification of the individual Status Subscription
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/DistSessionSubscription'
      '307':
        $ref: 'TS29571_CommonData.yaml#/components/responses/307'
      '308':
        $ref: 'TS29571_CommonData.yaml#/components/responses/308'
      '400':
        $ref: 'TS29571_CommonData.yaml#/components/responses/400'
      '401':
        $ref: 'TS29571_CommonData.yaml#/components/responses/401'
      '403':
        $ref: 'TS29571_CommonData.yaml#/components/responses/403'
      '404':
        $ref: 'TS29571_CommonData.yaml#/components/responses/404'
      '411':
        $ref: 'TS29571_CommonData.yaml#/components/responses/411'
      '413':
        $ref: 'TS29571_CommonData.yaml#/components/responses/413'

```

```

    '415':
      $ref: 'TS29571_CommonData.yaml#/components/responses/415'
    '429':
      $ref: 'TS29571_CommonData.yaml#/components/responses/429'
    '500':
      $ref: 'TS29571_CommonData.yaml#/components/responses/500'
    '502':
      $ref: 'TS29571_CommonData.yaml#/components/responses/502'
    '503':
      $ref: 'TS29571_CommonData.yaml#/components/responses/503'
  default:
    $ref: 'TS29571_CommonData.yaml#/components/responses/default'

components:
  securitySchemes:
    oAuth2ClientCredentials:
      type: oauth2
      flows:
        clientCredentials:
          tokenUrl: '{nrfApiRoot}/oauth2/token'
          scopes:
            nmbstf-distsession: Access to the nmbstf-distsession API

  schemas:
    #
    # STRUCTURED DATA TYPES
    #
    CreateReqData:
      description: Data within Create Request
      type: object
      properties:
        distSession:
          $ref: '#/components/schemas/DistSession'
      required:
        - distSession

    CreateRspData:
      description: Data within Create Response
      type: object
      properties:
        distSession:
          $ref: '#/components/schemas/DistSession'
      required:
        - distSession

    DistSession:
      description: Mbs Distribution Session Information
      type: object
      properties:
        distSessionId:
          type: string
        distSessionState:
          $ref: '#/components/schemas/DistSessionState'
        mbUpfTunAddr:
          writeOnly: true
          allOf:
            - $ref: 'TS29571_CommonData.yaml#/components/schemas/TunnelAddress'
        mbmsGwTunAddr:
          writeOnly: true
          allOf:
            - $ref: 'TS29571_CommonData.yaml#/components/schemas/TunnelAddress'
        upTrafficFlowInfo:
          writeOnly: true
          allOf:
            - $ref: '#/components/schemas/UpTrafficFlowInfo'
        mbr:
          writeOnly: true
          allOf:
            - $ref: 'TS29571_CommonData.yaml#/components/schemas/BitRate'
        maxDelay:
          writeOnly: true
          allOf:
            - $ref: 'TS29571_CommonData.yaml#/components/schemas/PacketDelBudget'
        objDistributionData:
          $ref: '#/components/schemas/ObjDistributionData'
        pktDistributionData:
          $ref: '#/components/schemas/PktDistributionData'
        fecInformation:

```

```

    $ref: 'TS29580_Nmbssf_MBSUserDataIngestSession.yaml#/components/schemas/FECCConfig'
  dscpMarking:
    type: string
    writeOnly: true
  distSessionSubscription:
    $ref: '#/components/schemas/DistSessionSubscription'
  required:
    - distSessionId
    - distSessionState
    - mbUpfTunAddr
    - mbr
  oneOf:
    - required: [ objDistributionData ]
    - required: [ pktDistributionData ]

ObjDistributionData:
  description: Info for Object Distribution Method
  type: object
  properties:
    objDistributionOperatingMode:
      $ref: '#/components/schemas/ObjDistributionOperatingMode'
    objAcquisitionMethod:
      $ref: '#/components/schemas/ObjAcquisitionMethod'
    objAcquisitionIdsPull:
      type: array
      items:
        $ref: 'TS29571_CommonData.yaml#/components/schemas/Uri'
      minItems: 1
    objAcquisitionIdPush:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Uri'
    objIngestBaseUrl:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Uri'
    objDistributionBaseUrl:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Uri'
  required:
    - objDistributionOperatingMode
    - objAcquisitionMethod
  not:
    required: [ objAcquisitionIdsPull, objAcquisitionIdPush ]

PktDistributionData:
  description: Info for Packet Distribution Method
  type: object
  properties:
    pktDistributionOperatingMode:
      $ref: '#/components/schemas/PktDistributionOperatingMode'
    pktIngestMethod:
      $ref: '#/components/schemas/PktIngestMethod'
    mbStfIngestAddr:
      $ref: '#/components/schemas/MbStfIngestAddr'
  required:
    - pktDistributionOperatingMode
    - mbStfIngestAddr

StatusSubscribeReqData:
  description: Data within the StatusSubscribe Request
  type: object
  properties:
    subscription:
      $ref: '#/components/schemas/DistSessionSubscription'
  required:
    - subscription

StatusSubscribeRspData:
  description: Data within StatusSubscribe Response
  type: object
  properties:
    subscription:
      $ref: '#/components/schemas/DistSessionSubscription'
    reportList:
      $ref: '#/components/schemas/DistSessionEventReportList'
  required:
    - subscription

StatusNotifyReqData:
  description: Status Notification

```

```

    type: object
    properties:
      reportList:
        $ref: '#/components/schemas/DistSessionEventReportList'
    required:
      - reportList

DistSessionSubscription:
  description: Data within the Status Subscription
  type: object
  properties:
    nfcInstanceId:
      writeOnly: true
      allOf:
        - $ref: 'TS29571_CommonData.yaml#/components/schemas/NfInstanceId'
    eventList:
      type: array
      items:
        $ref: '#/components/schemas/DistSessionEventType'
      minItems: 1
    notifyUri:
      writeOnly: true
      allOf:
        - $ref: 'TS29571_CommonData.yaml#/components/schemas/Uri'
    notifyCorrelationId:
      type: string
      writeOnly: true
    expiryTime:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/DateTime'
    distSessionSubscUri:
      readOnly: true
      allOf:
        - $ref: 'TS29571_CommonData.yaml#/components/schemas/Uri'
  required:
    - eventList
    - notifyUri

DistSessionEventReportList:
  description: List of Event Reports
  type: object
  properties:
    eventReportList:
      type: array
      items:
        $ref: '#/components/schemas/DistSessionEventReport'
      minItems: 1
    notifyCorrelationId:
      type: string
  required:
    - eventReportList

DistSessionEventReport:
  description: Data related to a specific event
  type: object
  properties:
    eventType:
      $ref: '#/components/schemas/DistSessionEventType'
    timeStamp:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/DateTime'
  required:
    - eventType

UpTrafficFlowInfo:
  description: Protocol header values for User Plane packets passed to the MB-UPF
  type: object
  properties:
    destIpAddr:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/IpAddr'
    portNumber:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Uinteger'
    srcIpAddr:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/IpAddr'
    transportSessionId:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Uinteger'
  required:
    - destIpAddr
    - portNumber

```

```

MbStfIngestAddr:
  description: MBSTF Ingest Addresses
  type: object
  properties:
    afEgressTunAddr:
      writeOnly: true
      allof:
        - $ref: 'TS29571_CommonData.yaml#/components/schemas/TunnelAddress'
    mbStfIngressTunAddr:
      readOnly: true
      allof:
        - $ref: 'TS29571_CommonData.yaml#/components/schemas/TunnelAddress'
    afSsm:
      writeOnly: true
      allof:
        - $ref: '#/components/schemas/ExtSsm'
    mbStfListenAddr:
      readOnly: true
      allof:
        - $ref: 'TS29571_CommonData.yaml#/components/schemas/TunnelAddress'

ExtSsm:
  description: SSM and Port Number
  type: object
  properties:
    ssm:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Ssm'
    portNumber:
      $ref: 'TS29571_CommonData.yaml#/components/schemas/Uinteger'
  required:
    - ssm
    - portNumber

#
# SIMPLE DATA TYPES
#

#
# ENUMERATIONS
#

DistSessionState:
  description: Current State of MBS distribution session
  anyOf:
  - type: string
    enum:
      - INACTIVE
      - ESTABLISHED
      - ACTIVE
      - DEACTIVATING
  - type: string

ObjDistributionOperatingMode:
  description: Mode of data ingestion for Object distribution method
  anyOf:
  - type: string
    enum:
      - SINGLE
      - COLLECTION
      - CAROUSEL
      - STREAMING
  - type: string

ObjAcquisitionMethod:
  description: Object Acquisition Method
  anyOf:
  - type: string
    enum:
      - PULL
      - PUSH
  - type: string

PktDistributionOperatingMode:
  description: Mode of data ingestion for Packet distribution method
  anyOf:
  - type: string
    enum:

```

```
- PACKET_PROXY
- PACKET_FORWARD_ONLY
- type: string

DistSessionEventType:
description: Status Event Type
anyOf:
- type: string
enum:
- DATA_INGEST_FAILURE
- SESSION_DEACTIVATED
- SESSION_ACTIVATED
- SERVICE_MANAGEMENT_FAILURE
- DATA_INGEST_SESSION_ESTABLISHED
- DATA_INGEST_SESSION_TERMINATED
- type: string

PktIngestMethod:
description: Packet Ingest Method
anyOf:
- type: string
enum:
- MULTICAST
- UNICAST
- type: string
```

Annex B (informative): Change history

| Change history | | | | | | | |
|----------------|-----------|-----------|------|-----|-----|--|-------------|
| Date | Meeting | TDoc | CR | Rev | Cat | Subject/Comment | New version |
| 2022-03 | CT4 #109e | C4-222344 | | | | Implementation of following pCRs: C4-222320, C4-222321, C4-222322, C4-222323, C4-222324, C4-222325, C4-222326 | 0.1.0 |
| 2022-05 | CT4 #110e | C4-223453 | | | | Implementation of following pCRs: C4-223027, C4-223044, C4-223047, C4-223325, C4-223326, C4-223330, C4-223423, C4-223511 | 0.2.0 |
| 2022-06 | CT#96 | CP-221081 | | | | TS presented for information and approval | 1.0.0 |
| 2022-06 | CT#96 | CP-221081 | | | | TS approved at CT#96 | 17.0.0 |
| 2022-09 | CT#97e | CP-222031 | 0003 | | F | Corrections to MBS Distribution Session parameters | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0004 | | F | Updates to Operating Mode Descriptions | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0005 | | F | Editor's Note on Security Requirements | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0006 | 1 | F | Description of notification events in Nmbstf_DistSession | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0007 | | F | Clarification on the use of afEgressTunAddr | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0008 | | F | Align terminology of operating mode PACKET_PROXY and PACKET_FORWARD_ONLY | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0009 | | D | Editorial errors for the headings | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0010 | | F | Corrections for the StatusSubscribe service operation | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0011 | | F | Corrections for the Nmbstf_DistSession API | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0012 | 1 | F | Clarification for the attributes in the data type distSession | 17.1.0 |
| 2022-09 | CT#97e | CP-222031 | 0013 | 1 | F | Miscellaneous updates and corrections to the data model of the Nmbstf_DistSession API | 17.1.0 |
| 2022-09 | CT#97e | CP-222058 | 0014 | | F | 29.581 Rel-17 API version and External doc update | 17.1.0 |
| 2022-12 | CT#98 | CP-223036 | 0017 | | F | Clarification on Object Distribution Method | 17.2.0 |
| 2022-12 | CT#98 | CP-223036 | 0018 | | F | Miscellaneous corrections | 17.2.0 |
| 2022-12 | CT#98 | CP-223097 | 0015 | 2 | F | Add mbmsGwTunAddr attribute in DistSession data type | 17.2.0 |
| 2022-12 | CT#98 | CP-223036 | 0016 | 1 | F | Corrections on data type of the user plane traffic flow information | 17.2.0 |
| 2022-12 | CT#98 | CP-223066 | 0020 | | F | 29.581 Rel-17 API version and External doc update | 17.2.0 |
| 2023-03 | CT#99 | CP-230077 | 0021 | | F | Correct datatype and add event to DistSessionEvent | 17.3.0 |
| 2023-03 | CT#99 | CP-230077 | 0023 | | F | Datatype ObjDistributionData correction | 17.3.0 |
| 2023-03 | CT#99 | CP-230077 | 0025 | 1 | F | Essential corrections to the MBSTF APIs | 17.3.0 |
| 2023-03 | CT#99 | CP-230089 | 0027 | | F | 29.581 Rel-17 API version and External doc update | 17.3.0 |
| 2023-03 | CT#99 | CP-230036 | 0022 | 1 | B | Support of group message delivery | 18.0.0 |
| 2023-06 | CT#100 | CP-231027 | 0024 | 4 | F | Location header and missing Redirection clause | 18.1.0 |
| 2023-06 | CT#100 | CP-231038 | 0029 | 1 | A | Remove objRepairBaseUrl from OpenAPI | 18.1.0 |
| 2023-06 | CT#100 | CP-231070 | 0032 | | F | 29.581 Rel-18 API version and External doc update | 18.1.0 |
| 2023-09 | CT#101 | CP-232064 | 0037 | 1 | F | Correct the object acquisition identifier | 18.2.0 |
| 2023-12 | CT#102 | CP-233056 | 0041 | 1 | F | Additional Notification Events | 18.3.0 |
| 2023-12 | CT#102 | CP-233027 | 0044 | | F | HTTP RFCs obsoleted by IETF RFC 9113/9110 | 18.3.0 |
| 2023-12 | CT#102 | CP-233063 | 0043 | | F | Remove security key exchange between MBSF and MBSTF | 18.3.0 |
| 2023-12 | CT#102 | CP-233060 | 0045 | | F | 29.581 Rel-18 API version and External doc update | 18.3.0 |
| 2024-03 | CT#103 | CP-240053 | 0047 | | F | DistSession Subscription and Miscellaneous Corrections | 18.4.0 |
| 2024-03 | CT#103 | CP-240028 | 0048 | | F | ProblemDetails RFC 7807 obsoleted by 9457 | 18.4.0 |
| 2024-03 | CT#103 | CP-240053 | 0049 | | F | Correction on data type cardinality | 18.4.0 |
| 2024-03 | CT#103 | CP-240056 | 0050 | | F | 29.581 Rel-18 API version and External doc update | 18.4.0 |
| 2024-06 | CT#104 | CP-241052 | 0051 | | F | 29.581 Rel-18 API version and External doc update | 18.5.0 |
| 2026-03 | CT#111 | CP-260023 | 0058 | 2 | A | Update of User plane traffic flow information and clarification of ObjDistributionData | 18.6.0 |
| 2026-03 | CT#111 | CP-260039 | 0061 | | F | 29.581 Rel-18 API version and External doc update | 18.6.0 |

History

| Version | Date | Status |
|----------------|-------------|---------------|
| V18.4.0 | May 2024 | Publication |
| V18.5.0 | July 2024 | Publication |
| V18.6.0 | April 2026 | Publication |
| | | |
| | | |