

ETSI TS 132 311 V18.0.0 (2024-05)



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Universal Mobile Telecommunications System (UMTS);  
LTE;  
Telecommunication management;  
Generic Integration Reference Point (IRP) management;  
Requirements  
(3GPP TS 32.311 version 18.0.0 Release 18)**



---

**Reference**

RTS/TSGS-0532311vi00

---

**Keywords**

GSM,LTE,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our  
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	4
Introduction .....	4
1 Scope .....	5
2 References .....	5
3 Definitions and abbreviations.....	5
3.1 Definitions .....	5
3.2 Abbreviations .....	6
4 Generic IRP functions over Itf-N .....	6
4.1 Version retrieval function.....	6
4.2 Profiles retrieval functions .....	6
<b>Annex A (informative): Change history .....</b>	<b>8</b>
History .....	9

---

# Foreword

This Technical Specification (TS) has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# Introduction

The present document is part of a TS-family covering the 3<sup>rd</sup> Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

**32.311: "Generic Integration Reference Point (IRP) management; Requirements".**

32.312: "Generic Integration Reference Point (IRP) management; Information Service (IS)".

32.316: "Generic Integration Reference Point (IRP) management; Solution Set (SS) Definitions".

The Itf-N interface is built up by a number of Integration Reference Points (IRPs) and a related Name Convention, which realise the functional capabilities over this interface. The basic structure of the IRPs is defined in 3GPP TS 32.101 [1] and 3GPP TS 32.102 [2].

The IRPs support a set of common services. Those features allow to retrieve IRP profile and IRP supported versions. The present document contains the requirements of those common services.

---

# 1 Scope

The purpose of the present document is to define a common service supported by all IRPs such as AlarmIRP. The present document is the "Requirements" part. It defines the requirements that shall be fulfilled by all IRPs, such as AlarmIRP, supporting this common service.

With this common service supported by all IRPs, an IRPManager shall be able to retrieve the profile of operations and notifications supported by a given IRP which is name-contained by an IRPAgent. An IRPManager shall also be able to retrieve the IRPVersions supported by the given IRP.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".

[2] 3GPP TS 32.102: "Telecommunication management; Architecture".

---

# 3 Definitions and abbreviations

## 3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 32.101 [1], 3GPP TS 32.102 [2] and the following apply:

**IRP:** see 3GPP TS 32.102 [2].

**IRPAgent:** see 3GPP TS 32.102 [2].

**IRPManager:** see 3GPP TS 32.102 [2].

**IRP document version number string:** the IRP document version number (sometimes called "IRPVersion") string is used to identify a technology of a particular IRP Solution Set (SS) specification and its version number.

For Release 9 and earlier releases, it is derived using the following rule:

Take the 3GPP TS/version number on the front page of the SS specification, such as "3GPP TS 32.111-3 V4.1.0 (2001-09)". Discard the leading "3GPP TS". Discard all characters after and including the last period. Eliminate leading and trailing spaces. Reduce multiple consecutive spaces to one space. Express the resultant in a string. Capitalise all letters of the string.

EXAMPLE 1: If the 3GPP document version number is "3GPP TS 32.111-3 V4.1.0 (2001-09)", then the IRP document version number shall be "32.111-3 V4.1".

EXAMPLE 2: If the 3GPP document version number is "3GPP TS 32.303 V4.1.0 (2001-09)", then the IRP document version number shall be "32.303 V4.1".

For Release 10 and later releases, it is derived using the following rule:

Take the 3GPP TS/version number on the front page of the SS specification, such as "3GPP TS 32.111-6 V10.1.0 (2011-06)", Discard the leading "3GPP TS". Discard all characters after and including the last period. Remove all spaces. Construct a string that is a concatenation of '-', the identifier of the Annex where the solution set technology is captured (e.g., 'A' for Annex A) and a trailing space. Insert the concatenated string before 'V', Express the resultant in a string. Capitalise all letters of the string.

EXAMPLE 3: If the 3GPP document version number is "3GPP TS 32.111-6 V10.1.0 (2011-06)", then the IRP document version number shall be:

- "32.111-6-A V10.1" for CORBA Solution Set;
- "32.111-6-B V10.1" for XML Definitions;
- "32.111-6-C V10.1" for SOAP Solution Set.

EXAMPLE 4: If the 3GPP document version number is "3GPP TS 32.306 V10.1.0 (2011-09)", then the IRP document version number shall be:

- "32.306-A V10.1" for CORBA Solution Set;
- "32.306-B V10.1" for XML Defintions;
- "32.306-C V10.1" for SOAP Solution Set.

## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CM	Configuration Management
EM	Element Manager
IRP	Integration Reference Point
IS	Information Service
NE	Network Element
NM	Network Manager
SS	Solution Set

---

## 4 Generic IRP functions over Itf-N

The requirements for the generic IRP service over Itf-N are provided in the following clauses.

### 4.1 Version retrieval function

An IRPAgent may support one or multiple IRP instances simultaneously (e.g. AlarmIRP instances, BulkCMIRP instances, etc.).

The set of capabilities of each IRP instance is fully identified by the version number of the corresponding IRP specification (i.e. the "IRP document version number string" or in short, the IRPVersion; see clause 3.1.).

An IRP instance shall provide a function to allow IRPManager to retrieve all its (i.e. IRP instance's) supported IRPVersion(s) over Itf-N.

An IRPManager may then decide if it wants to communicate with the IRP instance.

### 4.2 Profiles retrieval functions

Each IRP supported by an IRPAgent provides a set of operations and notifications. It is possible to define in each IRP Information Service (IS) some operations and notification that are optional, which means that the final implementation of those operations and notifications is vendor dependant. Similarly, some parameters of operations and notifications may be defined as optional in the IRP IS.

It shall be possible for an IRPManager to retrieve over Itf-N the profile of an IRP of a given version: the profile shall provide information such as name of supported operations and notifications, and the list of supported parameters for each supported operation and notification.



## Annex A (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Jun 2001	SA_12	SP-010285	--	--	Approved at TSG SA #12 and placed under Change Control	2.0.0	4.0.0
Jul 2001	--	--	--	--	TS number wrongly shown as 32.312 instead of 32.311	4.0.0	4.0.1
Mar 2002	SA_15	--	--	--	Automatic upgrade to Rel-5 (no Rel-5 CR)	4.0.1	5.0.0
Dec 2002	--	--	--	--	Cosmetics	5.0.0	5.0.1
Dec 2003	SA_22	SP-030639	0002	--	Align with 32.102	5.0.1	5.1.0
Mar 2004	SA_23	SP-040105	--	--	Automatic upgrade to Rel-6 (no CR)	5.1.0	6.0.0
Dec 2004	SA_26	SP-040794	0003	--	Update UML diagrams, Add reference to its CORBA/CMIP SSs	6.0.0	6.1.0
Jun 2007	SA_36	--	--	--	Automatic upgrade to Rel-7 (no CR) at freeze of Rel-7. Deleted reference to CMIP SS, discontinued from R7 onwards.	6.1.0	7.0.0
Dec 2008	SA_42	--	--	--	Upgrade to Release 8	7.0.0	8.0.0
Dec 2009	-	-	-	-	Update to Rel-9 version (MCC)	8.0.0	9.0.0
Mar 2011	-	-	-	-	Update to Rel-10 version (MCC)	9.0.0	10.0.0
Dec 2012	SA_54	SP-110706	0004	4	Enhance definition of IRPVersion	10.0.0	10.1.0
2012-09	-	-	-	-	Update to Rel-11 version (MCC)	10.1.0	<b>11.0.0</b>
2014-10	-	-	-	-	Update to Rel-12 version (MCC)	11.0.0	<b>12.0.0</b>
2016-01	-	-	-	-	Update to Rel-13 version (MCC)	12.0.0	<b>13.0.0</b>
2017-03	-	-	-	-	Update to Rel-14 version (MCC)	13.0.0	<b>14.0.0</b>
2018-06	-	-	-	-	Update to Rel-15 version (MCC)	14.0.0	<b>15.0.0</b>
2020-07	-	-	-	-	Update to Rel-16 version (MCC)	15.0.0	<b>16.0.0</b>
2022-03	-	-	-	-	Update to Rel-17 version (MCC)	16.0.0	<b>17.0.0</b>
2024-04	-	-	-	-	Update to Rel-18 version (MCC)	17.0.0	<b>18.0.0</b>

---

# History

<b>Document history</b>		
V18.0.0	May 2024	Publication